

GRINNELL Grooved Fittings Ductile Iron and Fabricated Steel

Table of Contents

45° and 90° Elbows	2
11-1/4° Elbows	5
22-1/2° Elbows	6
End Caps	7
Concentric Reducers	9
Reducing Tees	15
Cast and Fabricated Tees	21
Fabricated 45° Laterals	22
Fabricated 45° Reducing Laterals	23
Eccentric Reducers	28
Fabricated Tee Wyes	35
Fabricated Reducing Tee Wyes	39
Fabricated Concentric Reducers	41
Fabricated Adapter Nipples	43
Cast and Fabricated Crosses	44
Fabricated Reducing Tees	45
Fabricated 90° True Y	50
Fabricated Flange Adapters	51
Fabricated Swaged Nipples	53
Fabricated Adapter Nipples	58
Fabricated 90° Elbow	59
Fabricated Tee	59
Fabricated Reducing Base Elbow	60
Friction Resistance Table	62

General Description

GRINNELL Grooved Fittings provide an economical and efficient method of changing direction, adding an outlet, reducing, or capping piping systems. Grooved fittings are available in ductile iron or fabricated steel as indicated.

NOTICE


The GRINNELL Grooved Fittings described herein must be installed and maintained in compliance with this document, in addition to the standards of any other authorities having jurisdiction. Failure to do so may result in serious personal injury or impair the performance of these devices.

Never remove any piping component nor correct or modify any piping deficiencies without first de-pressurizing and draining the system. Failure to do so may result in serious personal injury, property damage, and/or impaired device performance.

It is the designer's responsibility to select products suitable for the intended service and to ensure that pressure ratings and performance data are not exceeded. Verify material and gasket selection for compatibility with the specific application. Always read and understand the installation instructions.

Internal fitting coatings serving as protection during storage and transport can become separated after installation and during system operation, potentially causing blockage of strainers or other filtering equipment. If strainers are installed in the piping system the manufacturer recommends they feature a minimum 5/32 in. (4 mm) mesh size and, to prevent blockages, that they are regularly serviced at intervals to be determined by the system designer.

The owner is responsible for maintaining their mechanical system and devices in proper operating condition. Contact the installing contractor or product manufacturer with any questions.




**10
YEAR
LIMITED
WARRANTY**

For warranty terms and conditions, visit www.grinnell.com


For parts installed in accordance with Bureau Veritas rules and regulations, a one-time only field-test is required to a maximum working pressure of 1-1/2 times the rated pressure, as per BV NR 467, Pt. C, Ch. 1, Sec. 10, [20.4.2.], where applicable. Tests are to be attended by a local BV Surveyor.

IMPORTANT

Refer to Technical Data Sheet G1100 for warnings pertaining to regulatory and health information.



**FIGURE 201
CAST 45° ELBOW**



**FIGURE 210
CAST 90° ELBOW**

Nominal Pipe Size		Figure 201 Cast 45° Elbow		Figure 210 Cast 90° Elbow	
ANSI Inches DN	O.D. Inches mm	C to E Inches mm	Weight Lbs. kg	C to E Inches mm	Weight Lbs. kg
1 25	1.315 33,4	1.75 44,5	0.6 0,3	2.25 57,2	0.8 0,3
1-1/4 32	1.660 42,4	1.75 44,5	0.9 0,4	2.75 69,9	1.0 0,5
1-1/2 40	1.900 48,3	1.75 44,5	0.9 0,4	2.75 69,9	1.3 0,6
2 50	2.375 60,3	2.00 50,8	1.3 0,6	3.25 82,6	1.8 0,8
2-1/2 65	2.874 73,0	2.25 57,2	2.1 1,0	3.75 95,3	3.1 1,4
76,1mm 65	3.000 76,1	2.25 57,2	2.2 1,0	3.75 95,3	3.2 1,5
3 80	3.500 88,9	2.50 63,5	3.5 1,6	4.25 108,0	4.8 2,2
4 100	4.500 114,3	3.00 76,2	5.5 2,5	5.00 127,0	7.5 3,4
139,7mm 125	5.500 139,7	3.25 82,6	7.7 3,5	5.50 139,7	11.3 5,1
5 125	5.563 141,3	3.25 82,6	8.1 3,7	5.50 139,7	11.6 5,3
165,1mm 150	6.500 165,1	3.50 88,9	11.0 5,0	6.50 165,1	16.9 7,7
6 150	6.625 168,3	3.50 88,9	11.2 5,1	6.50 165,1	16.6 7,5
8 200	8.625 219,1	4.25 108,0	19.0 8,6	7.75 196,9	29.6 13,4
10 250	10.750 273,0	4.75 120,7	28.0 12,7	9.00 228,6	48.5 22,0
12 300	12.750 323,9	5.25 133,4	48.0 22,0	10.00 254,0	66.4 30,1

**TABLE 1
FIGURES 201 AND 210 CAST ELBOWS
NOMINAL DIMENSIONS AND APPROXIMATE WEIGHTS**

Technical Data

Approvals

UL and ULC Listed,
FM Approved
VdS Approved
LPCB Certified
BV** Approved

**Bureau Veritas (BV) Approval under certificate number 13377/BO BV applies only to Figures 201, 210, 219, 260, 301, 303, 311, 312, 321, 327, 341, and 350.

NOTICE

Grooved Fabricated Fittings are UL and ULC Listed and FM Approved when produced in GRINNELL US manufacturing facilities. These fittings can be identified by the agency markings on

the fittings. VdS Approval and LPCB Certification are not required for fabricated fittings provided they are manufactured with pipe meeting the agency standards.

Maximum Working Pressure

Refer to technical data sheet for coupling pressure rating.

Friction Resistance

Refer to Table 28 on Page 62.

Material

• Cast

Ductile iron conforming to ASTM A 536, Grade 65-45-12

Figures: 201, 210, 211, 212, 219, 221, 227, 250, 251, and 260

Long Radius Elbows: 201LR and 210LR

• Fabricated Steel

Carbon Steel conforming to ASTM A 53, ASTM A 135, and ASTM A 795

Figures: 310, 311, 312, 314, 315, 319, 320, 321, 323, 324, 325, 327, 330, 331, 341, 342, 350, 351, 360, 372, 380, 391, 392, 393, 395, 397, 398, 399

Wall Thickness

Sizes 1" - 10" Schedule 40

Sizes 12" - 24" Standard Wall 0.375


Protective Coatings

- Non-lead orange paint
- RAL red (optional) non-lead paint
- Hot dipped galvanized conforming to ASTM A 153


Nominal Pipe Size		Figure 301 ⁽¹⁾ Fabricated 45° Elbow		Figure 310 ⁽¹⁾ Fabricated 90° Elbow	
ANSI Inches DN	O.D. Inches mm	C to E Inches mm	Weight Lbs. kg	C to E Inches mm	Weight Lbs. kg
14 350	14 355,6	5.75 146,1	101.8 46,17	14 355,6	49.5 22,45
16 400	16 406,4	6.625 168,4	133.1 60,37	16 406,4	62.8 28,48
18 450	18 457,2	7.46 189,5	168.7 76,52	18 457,2	80.2 36,37
20 500	20 508,0	8.28 210,3	208.4 94,52	20 508,0	98.9 44,86
24 600	24 609,6	9.94 252,5	299.0 135,62	24 609,6	144.6 65,58

NOTES:

1. Figures 301 and 310 are fabricated parts that reflect European dimensions and are not part of the standard US product offering.




**FIGURE 301
FABRICATED 45° ELBOW**




**FIGURE 310
FABRICATED 90° ELBOW**


**TABLE 2
FIGURES 301 AND 310 FABRICATED ELBOWS
NOMINAL DIMENSIONS AND APPROXIMATE WEIGHTS**




**FIGURE 201LR
CAST 45°
LONG RADIUS ELBOW**



**FIGURE 301LR
FABRICATED 45°
LONG RADIUS ELBOW**



**FIGURE 210LR
CAST 90°
LONG RADIUS ELBOW**




**FIGURE 310LR
FABRICATED 90°
LONG RADIUS ELBOW**


Nominal Pipe Size		Figure 201LR Cast 45° Elbow		Figure 301LR Fabricated 45° Elbow		Figure 210LR Cast 90° Elbow		Figure 310LR Fabricated 90° Elbow	
ANSI Inches DN	O.D. Inches mm	C to E Inches mm	Weight Lbs. kg	C to E Inches mm	Weight Lbs. kg	C to E Inches mm	Weight Lbs. kg	C to E Inches mm	Weight Lbs. kg
1 25	1.315 33,4	—	—	2.5 63,5	0.8 0,4	—	—	3.5 88,9	3.5 7,6
1-1/4 32	1.660 42,4	—	—	2.50 63,5	0.9 0,4	—	—	3.88 98,6	1.1 0,5
1-1/2 40	1.900 48,3	—	—	2.50 63,5	1.0 0,5	—	—	4.25 108,0	1.4 0,6
2 50	2.375 60,3	—	—	2.75 69,9	1.5 0,7	4.38 111,3	2.4 1,1	4.38 111,3	2.1 0,9
2-1/2 65	2.874 73,0	—	—	3.00 76,2	2.6 1,2	5.00 127,0	5.1 2,3	5.75 146,0	3.9 1,8
76,1mm 65	3.000 76,1	—	—	3.00 76,2	3.1 1,4	5.00 127,0	4.4 2,0	5.75 146,0	2.9 1,3
3 80	3.500 88,9	—	—	3.38 85,9	4.6 2,1	5.88 149,4	6.6 3,0	5.88 149,4	6.1 2,8
108,0mm 100	4.252 108,0	—	—	4.00 101,6	3.7 1,7	—	—	7.50 190,5	6.1 2,8
4 100	4.500 114,3	—	—	4.00 101,6	7.5 3,4	7.50 190,5	11.6 5,3	7.50 190,5	11.0 4,9
133,0mm 125	5.250 133,0	—	—	5.00 127,0	6.7 3,0	—	—	9.50 241,3	11.0 4,9
139,7mm 125	5.500 139,7	—	—	5.00 127,0	12.5 5,7	9.50 241,3	19.0 8,6	9.50 241,3	14.3 6,5
5 125	5.563 141,3	—	—	5.00 127,0	12.5 5,7	9.50 241,3	20.0 9,1	9.50 241,3	18.7 8,5
159,0mm 150	6.250 159,0	—	—	5.50 139,7	9.9 4,5	—	—	10.75 273,1	16.7 7,6
165,1mm 150	6.500 165,1	—	—	5.50 139,7	12.0 5,4	10.75 273,1	26.4 12,0	10.75 273,1	19.2 8,7
6 150	6.625 168,3	—	—	5.50 139,7	12.0 5,4	10.75 273,1	29.5 13,4	10.75 273,1	27.3 12,4
216,3mm 200	8.516 216,3	—	—	7.25 184,2	21.8 9,9	—	—	15.00 381,0	38.4 17,4
8 200	8.625 219,1	—	—	7.25 184,2	34.0 15,4	14.25 362,0	62.1 28,2	15.00 381,0	53.8 24,4
267,4mm 250	10.528 267,4	—	—	8.50 215,9	38.5 17,5	—	—	18.00 457,2	67.9 30,8
10 250	10.750 273,0	—	—	8.50 215,9	56.0 25,4	—	—	18.00 457,2	95.4 43,3
318,5mm 300	12.539 318,5	—	—	10.00 254,0	56.0 25,4	—	—	21.00 533,4	99.1 44,9
12 300	12.750 323,9	—	—	10.00 254,0	98.0 44,5	—	—	21.00 533,4	139.5 63,2
14 350	14.000 355,6	8.75 228,3	60.0 27,2	8.75 222,3	97.4 44,1	21.00 533,4	131.0 59,4	21.00 533,4	154.1 69,9
16 400	16.000 406,4	10.00 254,0	97.0 44,0	10.00 254,0	239.2 108,4	24.00 609,6	180.0 81,6	24.00 609,6	201.6 91,4
18 450	18.000 457,2	—	—	11.25 285,8	303.0 137,4	—	—	27.00 685,8	255.5 115,9
20 500	20.000 508,0	—	—	12.50 317,5	414.0 187,8	—	—	30.00 762,0	304.0 137,9
24 600	24.000 609,6	—	—	15.00 381,0	540.0 244,9	—	—	36.00 914,4	453.8 205,8

**TABLE 3
FIGURES 201LR, 301LR, 210LR, AND 310LR CAST AND FABRICATED LONG RADIUS ELBOWS
NOMINAL DIMENSIONS AND APPROXIMATE WEIGHTS**

Nominal Pipe Size		Figure 211 Cast 11-1/4° Elbow		Figure 311 Fabricated 11-1/4° Elbow	
ANSI Inches DN	O.D. Inches mm	C to E Inches mm	Weight Lbs. kg	C to E Inches mm	Weight Lbs. kg
1 25	1.315 33,4	1.38 35,1	0.6 0,3	1.38 35,1	0.5 0,2
1-1/4 32	1.660 42,4	1.38 35,1	0.7 0,3	1.38 35,1	0.5 0,2
1-1/2 40	1.900 48,3	1.38 35,1	0.8 0,4	1.38 35,1	0.5 0,2
2 50	2.375 60,3	1.38 35,1	1.1 0,5	1.38 35,1	0.7 0,3
2-1/2 65	2.874 73,0	—	—	1.50 38,1	1.3 0,6
76,1mm 65	3.000 76,1	1.50 38,1	1.7 0,7	1.50 38,1	0.9 0,4
3 80	3.500 88,9	1.50 38,1	2.2 1,0	1.50 38,1	1.7 0,7
108,0mm 100	4.252 108,0	—	—	1.75 44,5	1.6 0,7
4 100	4.500 114,3	1.75 44,5	3.4 1,5	1.75 44,5	2.8 1,3
133,0mm 125	5.250 133,0	—	—	2.00 50,8	2.5 1,1
139,7mm 125	5.500 139,7	2.00 50,8	5.1 2,3	2.00 50,8	3.3 1,5
5 125	5.563 141,3	—	—	2.00 50,8	4.4 2,0
159,0mm 150	6.250 159,0	—	—	2.00 50,8	3.4 1,5
165,1mm 150	6.500 165,1	2.00 50,8	6.4 2,9	2.00 50,8	4.0 1,8
6 150	6.625 168,3	2.00 50,8	6.5 2,9	2.00 50,8	5.7 2,6
216,3mm 200	8.516 216,3	—	—	2.00 50,8	6.0 2,7
8 200	8.625 219,1	—	—	2.00 50,8	8.6 4,0
267,4mm 250	10.528 267,4	—	—	2.13 54,1	9.2 4,2
10 250	10.750 273,0	—	—	2.13 54,1	13.2 6,0
318,5mm 300	12.539 318,5	—	—	2.25 57,2	12.2 5,5
12 300	12.750 323,9	—	—	2.25 57,2	17.0 7,7
14 350	14.000 355,6	—	—	3.50 88,9	30.1 13,7
16 400	16.000 406,4	—	—	4.00 101,6	39.7 18,0
18 450	18.000 457,2	—	—	4.50 114,3	50.7 23,0
20 500	20.000 508,0	—	—	5.00 127,0	63.0 28,6
24 600	24.000 609,6	—	—	6.00 152,4	91.2 41,4




**FIGURE 211
CAST 11-1/4° ELBOW**




**FIGURE 311
FABRICATED 11-1/4° ELBOW
(SEGMENT WELDED)**

**TABLE 4
FIGURES 211 AND 311 CAST AND FABRICATED ELBOWS
NOMINAL DIMENSIONS AND APPROXIMATE WEIGHTS**



**FIGURE 212
CAST 22-1/2° ELBOW**



**FIGURE 312
FABRICATED 22-1/2° ELBOW
(SEGMENT WELDED)**

Nominal Pipe Size		Figure 212 Cast 22 ¹ / ₂ ° Elbow		Figure 312 Fabricated 22 ¹ / ₂ ° Elbow	
ANSI Inches DN	O.D. Inches mm	C to E Inches mm	Weight Lbs. kg	C to E Inches mm	Weight Lbs. kg
1 25	1.315 33,4	1.25 31,8	0.7 0,3	1.25 31,8	0.7 0,3
1-1/4 32	1.660 42,4	1.75 44,5	0.8 0,4	1.75 44,5	0.7 0,3
1-1/2 40	1.900 48,3	1.75 44,5	1.0 0,5	1.75 44,5	0.7 0,3
2 50	2.375 60,3	1.88 47,8	1.3 0,6	1.88 47,8	1.1 0,5
2-1/2 65	2.874 73,0	—	—	2.00 50,8	1.8 0,8
76,1mm 65	3.000 76,1	2.00 50,8	2.0 0,9	2.00 50,8	1.3 0,6
3 80	3.500 88,9	2.25 57,2	2.9 1,3	2.25 57,2	2.7 1,2
108,0mm 100	4.252 108,0	—	—	2.63 66,8	2.5 1,1
4 100	4.500 114,3	2.63 66,8	4.7 2,1	2.63 66,8	4.5 2,0
133,0mm 125	5.250 133,0	—	—	2.88 73,2	3.8 1,7
139,7mm 125	5.500 139,7	2.88 73,2	6.9 3,1	2.88 73,2	5.1 2,3
5 125	5.563 141,3	—	—	2.88 73,2	6.7 3,0
159,0mm 150	6.250 159,0	—	—	3.13 79,5	5.9 2,7
165,1mm 150	6.500 165,1	—	—	3.13 79,5	6.6 3,0
6 150	6.625 168,3	3.13 79,5	9.4 4,3	3.13 79,5	9.5 4,3
216,3mm 200	8.516 216,3	—	—	3.88 98,6	12.4 5,6
8 200	8.625 219,1	—	—	3.88 98,6	17.8 8,1
267,4mm 250	10.528 267,4	—	—	4.38 111,3	20.0 9,1
10 250	10.750 273,0	—	—	4.38 111,3	28.7 13,0
318,5mm 300	12.539 318,5	—	—	4.88 124,0	27.8 12,6
12 300	12.750 323,9	—	—	4.88 124,0	39.1 17,7
14 350	14.000 355,6	—	—	5.00 127,0	44.1 20,0
16 400	16.000 406,4	—	—	5.00 127,0	50.6 23,0
18 450	18.000 457,2	—	—	5.50 139,7	63.0 28,6
20 500	20.000 508,0	—	—	6.00 152,4	76.4 34,7
24 600	24.000 609,6	—	—	7.00 177.8	106.9 48,5

**TABLE 5
FIGURES 212 AND 312 CAST AND FABRICATED ELBOWS
NOMINAL DIMENSIONS AND APPROXIMATE WEIGHTS**

Nominal Pipe Size		E to E Inches mm	A Available NPT Sizes	B Inches mm	Weight Lbs. kg
ANS Inches DN	O.D. Inches mm				
1 25	1.315 33,4	0.83 21,1	—	—	0.2 0,1
1-1/4 32	1.660 42,4	0.83 21,1	1/2"	On C to E	0.3 0,1
1-1/2 40	1.900 48,3	0.83 21,1	1/2"	On C to E	0.4 0,2
2 50	2.375 60,3	0.92 23,4	1/2", 3/4"	0.50 12,7	0.7 0,3
2-1/2 65	2.874 73,0	0.92 23,4	1/2", 3/4"	0.69 17,5	1.0 0,5
76,1mm 65	3.000 76,1	0.86 21,8	1/2", 3/4"	0.69 17,5	1.3 0,6
3 80	3.500 88,9	0.92 23,4	1/2", 3/4", 1"	0.94 23,9	1.4 0,6
4 100	4.500 114,3	1.00 25,4	1/2", 3/4", 1"	1.44 36,6	2.6 1,2
139,7mm 125	5.500 139,7	0.92 23,4	1/2", 3/4", 1"	1.44 36,6	4.7 2,1
5 125	5.563 141,3	1.00 25,4	1/2", 3/4", 1"	1.94 49,3	5.0 2,3
165,1mm 150	6.500 165,1	0.92 23,4	1/2", 3/4", 1"	1.94 49,3	6.4 2,9
6 150	6.625 168,3	1.00 25,4	1/2", 3/4", 1"	2.50 63,5	6.2 2,8
8 200	8.625 219,1	1.06 27,0	1/2", 3/4", 1"	3.44 87,4	7.1 3,2
10 250	10.750 273,0	1.02 25,8	1/2", 3/4", 1"	4.50 114,3	24.5 11,1
12 300	12.750 323,9	1.02 25,8	1/2", 3/4", 1"	5.44 138,2	31.0 14,1






TABLE 6
FIGURE 260 CAST END CAPS
NOMINAL DIMENSIONS AND APPROXIMATE WEIGHTS




Nominal Pipe Size		E to E Inches mm	Weight Lbs. kg
ANSI Inches DN	O.D. Inches mm		
1 25	1.315 33,4	0.83 21,1	—
1-1/4 32	1.660 42,4	1.57 40,0	0.3 0,1
1-1/2 40	1.900 48,3	1.57 40,0	0.3 0,1
2 50	2.375 60,3	1.57 40,0	0.5 0,2
2-1/2 65	2.874 73,0	1.57 40,0	0.8 0,4
76,1mm 65	3.000 76,1	1.57 40,0	0.6 0,3
3 80	3.500 88,9	1.97 50,0	1.3 0,6
4 100	4.500 114,3	2.56 65,0	2.3 1,0
108,0mm 100	4.252 108,0	2.56 65,0	1.2 0,5
5 125	5.563 141,3	3.15 80,0	3.7 1,7
133,0mm 125	5.250 133,0	3.15 80,0	2.2 0,9
139,7mm 125	5.500 139,7	3.15 80,0	2.9 1,3
6 150	6.625 168,3	3.50 89,0	5.4 2,4
159,0mm 150	6.250 159,0	3.50 89,0	3.2 1,5
165,1mm 150	6.500 165,1	3.50 89,0	3.8 1,7
8 200	8.625 219,1	3.94 100,0	9.3 4,2
216,3mm 200	8.516 216,3	3.94 100,0	6.6 3,0
10 250	10.750 273,0	4.92 125,0	16.2 7,3
267,4mm 250	10.528 267,4	4.92 125,0	14.9 6,8
12 300	12.750 323,9	5.90 150,0	—
318,5mm 300	12.539 318,5	5.90 150,0	—
14 350	14.000 355,6	8.50 215,9	36.5 16,6
16 400	16.000 406,4	9.00 228,6	43.5 19,7
18 450	18.000 457,2	10.00 254,0	57.0 25,6
20 500	20.000 508,0	11.00 279,4	75.7 34,3
24 600	24.000 609,6	12.50 317,5	101.0 45,8

TABLE 7
FIGURE 360 FABRICATED END CAPS
NOMINAL DIMENSIONS AND APPROXIMATE WEIGHTS

Nominal Pipe Size		Figure 250 Cast Concentric Reducer		Figure 350 Fabricated Concentric Reducer	
ANSI Inches DN	O.D. Inches mm	E to E Inches mm	Weight Lbs. kg	E to E Inches mm	Weight Lbs. kg
1-1/4 x 1 32 x 25	1.660 x 1.315 42,4 x 33,4	2.50 63,5	0.7 0,3	2.50 63,5	0.4 0,2
1-1/2 x 1 40 x 25	1.900 x 1.315 48,3 x 33,4	—	—	2.50 63,5	0.5 0,2
1-1/2 x 1-1/4 40 x 32	1.900 x 1.660 48,3 x 42,4	2.50 63,5	0.8 0,3	2.50 63,5	0.5 0,2
2 x 1 50 x 25	2.375 x 1.315 60,3 x 33,4	—	—	2.50 63,5	0.6 0,4
2 x 1-1/4 50 x 32	2.375 x 1.660 60,3 x 42,4	—	—	2.50 63,5	0.6 0,4
2 x 1-1/2 50 x 40	2.375 x 1.900 60,3 x 48,3	—	—	2.50 63,5	0.6 0,4
2-1/2 x 1 65 x 25	2.874 x 1.315 73,0 x 33,4	—	—	2.50 63,5	0.6 0,4
2-1/2 x 1-1/4 65 x 32	2.874 x 1.660 73,0 x 42,4	2.50 63,5	1.4 0,6	2.50 63,5	0.7 0,3
2-1/2 x 1-1/2 65 x 40	2.874 x 1.900 73,0 x 48,3	2.50 63,5	1.4 0,6	2.50 63,5	0.7 0,3
2-1/2 x 2 65 x 50	2.874 x 2.375 73,0 x 60,3	2.50 63,5	1.3 0,6	2.50 63,5	0.8 0,4
76,1mm x 1 65 x 25	3.000 x 1.315 76,1 x 33,4	—	—	2.50 63,5	0.9 0,4
76,1mm x 1-1/4 65 x 32	3.000 x 1.660 76,1 x 42,4	2.50 63,5	1.4 0,6	2.50 63,5	0.9 0,4
76,1mm x 1-1/2 65 x 40	3.000 x 1.900 76,1 x 48,3	2.50 63,5	1.4 0,6	2.50 63,5	1.0 0,5
76,1mm x 2 65 x 50	3.000 x 2.375 76,1 x 60,3	2.50 63,5	1.5 0,7	2.50 63,5	1.0 0,5
3 x 1 80 x 25	3.500 x 1.315 88,9 x 33,4	—	—	2.50 63,5	1.3 0,6
3 x 1-1/4 80 x 32	3.500 x 1.660 88,9 x 42,4	—	—	2.50 63,5	1.3 0,6
3 x 1-1/2 80 x 40	3.500 x 1.900 88,9 x 48,3	2.50 63,5	1.8 0,8	2.50 63,5	1.3 0,6
3 x 2 80 x 50	3.500 x 2.375 88,9 x 60,3	2.50 63,5	1.7 0,8	2.50 63,5	1.3 0,6
3 x 2-1/2 80 x 65	3.500 x 2.874 88,9 x 73,0	2.50 63,5	1.7 0,8	2.50 63,5	1.3 0,6
3 x 76,1mm 80 x 65	3.500 x 3.000 88,9 x 76,1	2.50 63,5	2.0 0,9	2.50 63,5	1.4 0,6
108,0mm x 1 100 x 25	4.252 x 1.315 108,0 x 33,4	—	—	3.00 76,2	1.3 0,6
108,0mm x 1-1/4 100 x 32	4.252 x 1.660 108,0 x 42,4	—	—	3.00 76,2	1.4 0,6
108,0mm x 1-1/2 100 x 40	4.252 x 1.900 108,0 x 48,3	—	—	3.00 76,2	1.4 0,6
108,0mm x 2 100 x 50	4.252 x 2.375 108,0 x 60,3	—	—	3.00 76,2	1.4 0,6
108,0mm x 2-1/2 100 x 65	4.252 x 2.874 108,0 x 73,0	—	—	3.00 76,2	1.4 0,6





**FIGURE 250
CAST CONCENTRIC
REDUCER**



**FIGURE 350
FABRICATED CONCENTRIC
REDUCER**


**TABLE 8 (1 OF 6)
FIGURES 250 AND 350 CAST AND FABRICATED CONCENTRIC REDUCERS
NOMINAL DIMENSIONS AND APPROXIMATE WEIGHTS**




Nominal Pipe Size		Figure 250 Cast Concentric Reducer		Figure 350 Fabricated Concentric Reducer	
ANSI Inches DN	O.D. Inches mm	E to E Inches mm	Weight Lbs. kg	E to E Inches mm	Weight Lbs. kg
108,0mm x 76,1mm 100 x 65	4.252 x 3.000 108,0 x 76,1	—	—	3.00 76,2	1.6 0,7
108,0mm x 3 100 x 80	4.252 x 3.500 108,0 x 88,9	—	—	3.00 76,2	1.7 0,8
108,0mm x 4 100 x 100	4.252 x 4.500 108,0 x 114,3	—	—	3.00 76,2	2.3 1,0
4 x 1 100 x 25	4.500 x 1.315 114,3 x 33,4	—	—	3.00 76,2	2.2 0,9
4 x 1-1/4 100 x 32	4.500 x 1.660 114,3 x 42,4	—	—	3.00 76,2	2.2 0,9
4 x 1-1/2 100 x 40	4.500 x 1.900 114,3 x 48,3	—	—	3.00 76,2	2.2 0,9
4 x 2 100 x 50	4.500 x 2.375 114,3 x 60,3	3.00 76,2	2.4 1,1	3.00 76,2	2.3 1,0
4 x 2-1/2 100 x 65	4.500 x 2.874 114,3 x 73,0	3.00 76,2	2.7 1,2	3.00 76,2	2.2 0,9
4 x 76,1mm 100 x 65	4.500 x 3.000 114,3 x 76,1	3.00 76,2	3.2 1,5	3.00 76,2	2.4 1,0
4 x 3 100 x 80	4.500 x 3.500 114,3 x 88,9	3.00 76,2	2.8 1,3	3.00 76,2	2.5 1,1
133,0mm x 2 125 x 50	5.250 x 2.375 133,0 x 60,3	—	—	3.50 88,9	2.3 1,0
133,0mm x 2-1/2 125 x 65	5.250 x 2.874 133,0 x 73,0	—	—	3.50 88,9	2.3 1,0
133,0mm x 76,1mm 125 x 65	5.250 x 3.000 133,0 x 76,1	—	—	3.50 88,9	2.5 1,1
133,0mm x 3 125 x 80	5.250 x 3.500 133,0 x 88,9	—	—	3.50 88,9	2.7 1,2
133,0mm x 108,0mm 125 x 100	5.250 x 4.252 133,0 x 108,0	—	—	3.50 88,9	2.2 0,9
133,0mm x 4 125 x 100	5.250 x 4.500 133,0 x 114,3	—	—	3.50 88,9	2.9 1,3
139,7mm x 2 125 x 50	5.500 x 2.375 139,7 x 60,3	—	—	3.50 88,9	2.7 1,2
139,7mm x 2-1/2 125 x 65	5.500 x 2.874 139,7 x 73,0	—	—	3.50 88,9	2.7 1,2
139,7mm x 76,1mm 125 x 65	5.500 x 3.000 139,7 x 76,1	—	—	3.50 88,9	2.9 1,3
139,7mm x 3 125 x 80	5.500 x 3.500 139,7 x 88,9	3.50 88,9	4.2 1,9	3.50 88,9	3.0 1,3
139,7mm x 4 125 x 100	5.500 x 4.500 139,7 x 114,3	3.50 88,9	4.4 2,0	3.50 88,9	3.2 1,5
5 x 2 125 x 50	5.563 x 2.375 141,3 x 60,3	—	—	3.50 88,9	3.7 1,7
5 x 2-1/2 125 x 65	5.563 x 2.874 141,3 x 73,0	—	—	3.50 88,9	3.6 1,6
5 x 76,1mm 125 x 65	5.563 x 3.000 141,3 x 76,1	—	—	3.50 88,9	3.8 1,7
5 x 3 125 x 80	5.563 x 3.500 141,3 x 88,9	3.50 88,9	4.2 1,9	3.50 88,9	3.9 1,8

**TABLE 8 (2 OF 6)
FIGURES 250 AND 350 CAST AND FABRICATED CONCENTRIC REDUCERS
NOMINAL DIMENSIONS AND APPROXIMATE WEIGHTS**

Nominal Pipe Size		Figure 250 Cast Concentric Reducer		Figure 350 Fabricated Concentric Reducer	
ANSI Inches DN	O.D. Inches mm	E to E Inches mm	Weight Lbs. kg	E to E Inches mm	Weight Lbs. kg
5 x 108,0mm 125 x 100	5.563 x 4.252 141,3 x 108,0	—	—	3.50 88,9	3.3 1,5
5 x 4 125 x 100	5.563 x 4.500 141,3 x 114,3	3.50 88,9	4.4 2,0	3.50 88,9	4.0 1,8
5 x 139,7mm 125 x 125	5.563 x 5.500 141,3 x 139,7	—	—	3.50 88,9	3.4 1,5
159,0mm x 3 150 x 80	6.250 x 3.500 159,0 x 88,9	—	—	4.00 101,6	3.9 1,8
159,0mm x 108,0mm 150 x 100	6.250 x 4.252 159,0 x 108,0	—	—	4.00 101,6	3.4 1,5
159,0mm x 4 150 x 100	6.250 x 4.500 159,0 x 114,3	—	—	4.00 101,6	4.1 1,9
159,0mm x 133,0mm 150 x 125	6.250 x 5.250 159,0 x 133,0	—	—	4.00 101,6	3.4 1,5
159,0mm x 139,7mm 150 x 125	6.250 x 5.500 159,0 x 139,7	—	—	4.00 101,6	3.8 1,7
165,1mm x 3 150 x 80	6.500 x 3.500 165,1 x 88,9	4.00 101,6	5.5 2,5	4.00 101,6	4.4 1,9
165,1mm x 4 150 x 100	6.500 x 4.500 165,1 x 114,3	4.00 101,6	6.0 2,7	4.00 101,6	4.6 2,0
165,1mm x 139,7mm 150 x 125	6.500 x 5.500 165,1 x 139,7	4.00 101,6	5.6 2,5	4.00 101,6	4.2 1,9
165,1mm x 5 150 x 125	6.500 x 5.563 165,1 x 141,3	—	—	4.00 101,6	4.8 2,2
6 x 2 150 x 50	6.625 x 2.375 168,3 x 60,3	4.00 101,6	5.3 2,4	4.00 101,6	5.6 2,5
6 x 2-1/2 150 x 65	6.625 x 2.874 168,3 x 73,0	4.00 101,6	5.7 2,6	4.00 101,6	5.5 2,5
6 x 76,1mm 150 x 65	6.625 x 3.000 168,3 x 76,1	4.00 101,6	6.1 2,7	4.00 101,6	5.7 2,6
6 x 3 150 x 80	6.625 x 3.500 168,3 x 88,9	4.00 101,6	5.8 2,6	4.00 101,6	5.9 2,7
6 x 108,0mm 150 x 100	6.625 x 4.252 168,3 x 108,0	—	—	4.00 101,6	5.2 2,4
6 x 4 150 x 100	6.625 x 4.500 168,3 x 114,3	4.00 101,6	6.0 2,7	4.00 101,6	5.9 2,7
6 x 133,0mm 150 x 125	6.625 x 5.250 168,3 x 133,0	—	—	4.00 101,6	5.0 2,3
6 x 139,7mm 150 x 100	6.625 x 5.500 168,3 x 139,7	4.00 101,6	6.3 2,3	4.00 101,6	5.3 2,4
6 x 5 150 x 125	6.625 x 5.563 168,3 x 141,3	4.00 101,6	6.2 2,8	4.00 101,6	6.0 2,7
216,3mm x 2-1/2 200 x 65	8.516 x 2.874 216,3 x 73,0	—	—	5.00 127,0	7.7 3,5
216,3mm x 3 200 x 80	8.516 x 3.500 216,3 x 88,9	—	—	5.00 127,0	8.2 3,7
216,3mm x 4 200 x 100	8.516 x 4.500 216,3 x 114,3	—	—	5.00 127,0	8.5 3,9
216,3mm x 139,7mm 200 x 125	8.516 x 5.500 216,3 x 139,7	—	—	5.00 127,0	8.0 3,6





**FIGURE 250
CAST CONCENTRIC
REDUCER**



**FIGURE 350
FABRICATED CONCENTRIC
REDUCER**


**TABLE 8 (3 OF 6)
FIGURES 250 AND 350 CAST AND FABRICATED CONCENTRIC REDUCERS
NOMINAL DIMENSIONS AND APPROXIMATE WEIGHTS**




Nominal Pipe Size		Figure 250 Cast Concentric Reducer		Figure 350 Fabricated Concentric Reducer	
ANSI Inches DN	O.D. Inches mm	E to E Inches mm	Weight Lbs. kg	E to E Inches mm	Weight Lbs. kg
216,3mm x 5 200 x 125	8.516 x 5.563 216,3 x 141,3	—	—	5.00 127,0	8.8 3,9
216,3mm x 165,1mm 200 x 165	8.516 x 6.500 216,3 x 165,1	—	—	5.00 127,0	7.9 3,6
216,3mm x 6 200 x 150	8.516 x 6.625 216,3 x 168,3	—	—	5.00 127,0	9.1 4,1
8 x 2-1/2 200 x 65	8.625 x 2.874 219,1 x 73,0	—	—	5.00 127,0	10.6 4,8
8 x 3 200 x 80	8.625 x 3.500 219,1 x 88,9	—	—	5.00 127,0	11.0 4,9
8 x 4 200 x 100	8.625 x 4.500 219,1 x 114,3	5.00 127,0	10.7 4,9	5.00 127,0	11.2 5,1
8 x 133,0mm 200 x 125	8.625 x 5.250 219,1 x 133,0	—	—	5.00 127,0	10.1 4,6
8 x 139,7mm 200 x 125	8.625 x 5.500 219,1 x 139,7	5.00 127,0	10.0 4,5	5.00 127,0	10.5 4,8
8 x 5 200 x 125	8.625 x 5.563 219,1 x 141,3	—	—	5.00 127,0	11.3 5,1
8 x 159,0mm 200 x 150	8.625 x 6.250 219,1 x 159,0	—	—	5.00 127,0	9.9 4,5
8 x 165,1mm 200 x 150	8.625 x 6.500 219,1 x 165,1	5.00 127,0	11.0 5,0	5.00 127,0	10.1 4,6
8 x 6 200 x 150	8.625 x 6.625 219,1 x 168,3	5.00 127,0	11.3 5,1	5.00 127,0	11.3 5,1
267,4mm x 4 250 x 100	10.528 x 4.500 267,4 x 114,3	—	—	6.00 152,4	14.1 6,4
267,4mm x 5 250 x 125	10.528 x 5.563 267,4 x 141,3	—	—	6.00 152,4	14.5 6,6
267,4mm x 165,1mm 250 x 125	10.528 x 6.500 267,4 x 165,1	—	—	6.00 152,4	13.4 6,1
267,4mm x 6 250 x 150	10.528 x 6.625 267,4 x 168,3	—	—	6.00 152,4	14.9 6,8
267,4mm x 216,3mm 250 x 216	10.528 x 8.516 267,4 x 216,3	—	—	6.00 152,4	13.5 6,1
267,4mm x 8 250 x 200	10.528 x 8.625 267,4 x 219,1	—	—	6.00 152,4	15.6 7,1
10 x 4 250 x 100	10.750 x 4.500 273,0 x 114,3	—	—	6.00 152,4	19.1 8,7
10 x 5 250 x 125	10.750 x 5.563 273,0 x 141,3	—	—	6.00 152,4	19.2 8,7
10 x 159,0mm 250 x 125	10.750 x 6.250 273,0 x 159,0	—	—	6.00 152,4	17.7 8,0
10 x 165,1mm 250 x 150	10.750 x 6.500 273,0 x 165,1	6.00 152,4	17.8 8,0	6.00 152,4	17.9 8,1
10 x 6 250 x 150	10.750 x 6.625 273,0 x 168,3	6.00 152,4	16.3 7,4	6.00 152,4	19.4 8,8
10 x 216,3mm 250 x 200	10.750 x 8.516 273,0 x 216,3	—	—	6.00 152,4	17.3 7,8
10 x 8 250 x 200	10.750 x 8.625 273,0 x 219,1	6.00 152,4	18.3 8,3	6.00 152,4	19.5 8,8

TABLE 8 (4 OF 6)
FIGURES 250 AND 350 CAST AND FABRICATED CONCENTRIC REDUCERS
NOMINAL DIMENSIONS AND APPROXIMATE WEIGHTS

Nominal Pipe Size		Figure 250 Cast Concentric Reducer		Figure 350 Fabricated Concentric Reducer	
ANSI Inches DN	O.D. Inches mm	E to E Inches mm	Weight Lbs. kg	E to E Inches mm	Weight Lbs. kg
318,5mm x 4 300 x 100	12.539 x 4.500 318,5 x 114,3	—	—	7.00 177,8	20,5 9,3
318,5mm x 6 300 x 150	12.539 x 6.625 318,5 x 168,3	—	—	7.00 177,8	21,6 9,8
318,5mm x 216,3mm 300 x 200	12.539 x 8.516 318,5 x 216,3	—	—	7.00 177,8	20,1 9,1
318,5mm x 8 300 x 200	12.539 x 8.625 318,5 x 219,1	—	—	7.00 177,8	22,6 10,3
318,5mm x 267,4mm 300 x 250	12.539 x 10.528 318,5 x 267,4	—	—	7.00 177,8	20,3 9,2
318,5mm x 10 300 x 250	12.539 x 10.750 318,5 x 273,0	—	—	7.00 177,8	23,8 10,8
12 x 4 300 x 100	12.750 x 4.500 323,9 x 114,3	—	—	7.00 177,8	27,5 12,5
12 x 6 300 x 150	12.750 x 6.625 323,9 x 168,3	—	—	7.00 177,8	28,1 12,7
12 x 216,3mm 300 x 200	12.750 x 8.516 323,9 x 216,3	—	—	7.00 177,8	26,0 11,8
12 x 8 300 x 200	12.750 x 8.625 323,9 x 219,1	7.00 177,8	25,8 11,7	7.00 177,8	28,5 12,9
12 x 267,4mm 300 x 250	12.750 x 10.528 323,9 x 267,4	—	—	7.00 177,8	25,4 11,5
12 x 10 300 x 250	12.750 x 10.750 323,9 x 273,0	7.00 177,8	28,2 12,8	7.00 177,8	28,8 13,1
14 x 6 350 x 150	14.000 x 6.625 355,6 x 168,3	—	—	13.00 330,2	50,5 23,0
14 x 8 350 x 200	14.000 x 8.625 355,6 x 219,1	—	—	13.00 330,2	53,3 24,2
14 x 267,4mm 350 x 250	14.000 x 10.528 355,6 x 267,4	—	—	13.00 330,2	50,1 22,7
14 x 10 350 x 250	14.000 x 10.750 355,6 x 273,0	—	—	13.00 330,2	56,6 25,7
14 x 318,5mm 350 x 300	14.000 x 12.539 355,6 x 318,5	—	—	13.00 330,2	50,3 22,8
14 x 12 350 x 300	14.000 x 12.750 355,6 x 323,9	—	—	13.00 330,2	57,8 26,2
377,0mm x 6 350 x 150	14.842 x 6.625 377,0 x 168,3	—	—	13.50 342,9	48,7 22,1
377,0mm x 216,3mm 350 x 250	14.842 x 10.528 377,0 x 267,4	—	—	13.50 342,9	47,3 21,4
377,0mm x 8 350 x 200	14.842 x 8.625 377,0 x 219,1	—	—	13.50 342,9	52,1 23,6
377,0mm x 267,4mm 350 x 250	14.842 x 10.528 377,0 x 267,4	—	—	13.50 342,9	49,4 22,4
377,0mm x 10 350 x 250	14.842 x 10.750 377,0 x 273,0	—	—	13.50 342,9	56,1 25,4
377,0mm x 318,5mm 350 x 300	14.842 x 12.539 377,0 x 318,5	—	—	13.50 342,9	50,3 22,8
377,0mm x 12 350 x 300	14.842 x 12.750 377,0 x 323,9	—	—	13.50 342,9	58,1 26,4





**FIGURE 250
CAST CONCENTRIC
REDUCER**



**FIGURE 350
FABRICATED CONCENTRIC
REDUCER**

**TABLE 8 (5 OF 6)
FIGURES 250 AND 350 CAST AND FABRICATED CONCENTRIC REDUCERS
NOMINAL DIMENSIONS AND APPROXIMATE WEIGHTS**



Nominal Pipe Size		Figure 250 Cast Concentric Reducer		Figure 350 Fabricated Concentric Reducer	
ANSI Inches DN	O.D. Inches mm	E to E Inches mm	Weight Lbs. kg	E to E Inches mm	Weight Lbs. kg
16 x 8 400 x 200	16.000 x 8.625 406,4 x 219,1	—	—	14.00 355,6	66.0 29,9
16 x 267,4mm 400 x 250	16.000 x 10.528 406,4 x 267,4	—	—	14.00 355,6	62.9 28,5
16 x 10 400 x 250	16.000 x 10.750 406,4 x 273,0	—	—	14.00 355,6	69.8 31,7
16 x 318,5mm 400 x 300	16.000 x 12.539 406,4 x 318,5	—	—	14.00 355,6	63.3 28,7
16 x 12 400 x 300	16.000 x 12.750 406,4 x 323,9	—	—	14.00 355,6	71.4 32,4
16 x 14 400 x 350	16.000 x 14.000 406,4 x 355,6	—	—	14.00 355,6	71.7 32,5
18 x 12 450 x 300	18.000 x 12.750 457,2 x 323,9	—	—	15.00 381,0	86.4 39,2
18 x 14 450 x 350	18.000 x 14.000 457,2 x 355,6	—	—	15.00 381,0	86.8 39,2
18 x 16 450 x 400	18.000 x 16.000 457,2 x 406,4	—	—	15.00 381,0	87.0 39,5
20 x 10 500 x 250	20.000 x 10.750 508,0 x 273,0	—	—	20.00 508,0	120.2 54,5
20 x 12 500 x 300	20.000 x 12.750 508,0 x 323,9	—	—	20.00 508,0	124.0 56,2
20 x 14 500 x 350	20.000 x 14.000 508,0 x 355,6	—	—	20.00 508,0	125.5 56,9
20 x 16 500 x 400	20.000 x 16.000 508,0 x 406,4	—	—	20.00 508,0	127.4 57,8
20 x 18 500 x 450	20.000 x 18.000 508,0 x 457,2	—	—	20.00 508,0	128.5 58,3
24 x 10 600 x 250	24.000 x 10.750 609,6 x 273,0	—	—	20.00 508,0	146.8 66,6
24 x 12 600 x 300	24.000 x 12.750 609,6 x 323,9	—	—	20.00 508,0	150.7 68,4
24 x 14 600 x 350	24.000 x 14.000 609,6 x 355,6	—	—	20.00 508,0	152.1 69,0
24 x 16 600 x 400	24.000 x 16.000 609,6 x 406,4	—	—	20.00 508,0	154.0 69,9
24 x 18 600 x 450	24.000 x 18.000 609,6 x 457,2	—	—	20.00 508,0	155.2 70,4
24 x 20 600 x 500	24.000 x 20.000 609,6 x 508,0	—	—	20.00 508,0	155.4 70,5

TABLE 8 (6 OF 6)
FIGURES 250 AND 350 CAST AND FABRICATED CONCENTRIC REDUCERS
NOMINAL DIMENSIONS AND APPROXIMATE WEIGHTS

Nominal Pipe Size		Figure 221 Cast Reducing Tee		Figure 321 Fabricated Reducing Tee	
ANSI Inches DN	O.D. Inches mm	C to E Inches mm	Weight Lbs. kg	C to E Inches mm	Weight Lbs. kg
1-1/2 x 1-1/2 x 1-1/4 40 x 40 x 32	1.900 x 1.900 x 1.660 48,3 x 48,3 x 42,4	—	—	2.75 69,9	1.5 0,7
2 x 2 x 1 50 x 50 x 25	2.375 x 2.375 x 1.315 60,3 x 60,3 x 33,4	—	—	3.25 82,6	2.1 0,9
2 x 2 x 1-1/2 50 x 50 x 40	2.375 x 2.375 x 1.900 60,3 x 60,3 x 48,3	3.25 82,6	2.7 1,2	3.25 82,6	2.3 1,0
2-1/2 x 2-1/2 x 1 65 x 65 x 25	2.874 x 2.874 x 1.315 73,0 x 73,0 x 33,4	—	—	3.75 95,3	2.8 1,3
2-1/2 x 2-1/2 x 1-1/4 65 x 65 x 32	2.874 x 2.874 x 1.660 73,0 x 73,0 x 42,4	—	—	3.75 95,3	3.0 1,4
2-1/2 x 2-1/2 x 1-1/2 65 x 65 x 40	2.874 x 2.874 x 1.900 73,0 x 73,0 x 48,3	—	—	3.75 95,3	3.0 1,4
2-1/2 x 2-1/2 x 2 65 x 65 x 50	2.874 x 2.874 x 2.375 73,0 x 73,0 x 60,3	3.75 95,3	4.2 1,9	3.75 95,3	3.1 1,4
76,1mm x 76,1mm x 1 65 x 65 x 25	3.000 x 3.000 x 1.315 76,1 x 76,1 x 33,4	—	—	3.75 95,3	3.6 1,6
76,1mm x 76,1mm x 1-1/4 65 x 65 x 32	3.000 x 3.000 x 1.660 76,1 x 76,1 x 42,4	—	—	3.75 95,3	3.7 1,7
76,1mm x 76,1mm x 1-1/2 65 x 65 x 40	3.000 x 3.000 x 1.900 76,1 x 76,1 x 48,3	3.75 95,3	4.5 2,0	3.75 95,3	3.8 1,7
76,1mm x 76,1mm x 2 65 x 65 x 50	3.000 x 3.000 x 2.375 76,1 x 76,1 x 60,3	3.75 95,3	4.3 2,0	3.75 95,3	4.0 1,8
3 x 3 x 1 80 x 80 x 25	3.500 x 3.500 x 1.315 88,9 x 88,9 x 33,4	4.25 108,0	5.6 2,5	4.25 108,0	5.5 2,5
3 x 3 x 1-1/2 80 x 80 x 40	3.500 x 3.500 x 1.900 88,9 x 88,9 x 48,3	—	—	4.25 108,0	5.6 2,5
3 x 3 x 2 80 x 80 x 50	3.500 x 3.500 x 2.375 88,9 x 88,9 x 60,3	4.25 108,0	6.0 2,7	4.25 108,0	5.8 2,6
3 x 3 x 2-1/2 80 x 80 x 65	3.500 x 3.500 x 2.874 88,9 x 88,9 x 73,0	4.25 108,0	6.2 2,8	4.25 108,0	6.0 2,7
3 x 3 x 76,1mm 80 x 80 x 65	3.500 x 3.500 x 3.000 88,9 x 88,9 x 76,1	4.25 108,0	6.0 2,7	4.25 108,0	6.1 2,8
108,0mm x 108,0mm x 2 100 x 100 x 50	4.252 x 4.252 x 2.375 108,0 x 108,0 x 60,3	—	—	5.00 127,0	5.7 2,6
108,0mm x 108,0mm x 2-1/2 100 x 100 x 65	4.252 x 4.252 x 2.874 108,0 x 108,0 x 73,0	—	—	5.00 127,0	6.0 2,7
108,0mm x 108,0mm x 76,1mm 100 x 100 x 65	4.252 x 4.252 x 3.000 108,0 x 108,0 x 76,1	—	—	5.00 127,0	6.1 2,8
108,0mm x 108,0mm x 3 100 x 100 x 80	4.252 x 4.252 x 3.500 108,0 x 108,0 x 88,9	—	—	5.00 127,0	6.6 2,9
4 x 4 x 1 100 x 100 x 25	4.500 x 4.500 x 1.315 114,3 x 114,3 x 33,4	—	—	5.00 127,0	9.0 4,0
4 x 4 x 1-1/4 100 x 100 x 32	4.500 x 4.500 x 1.660 114,3 x 114,3 x 42,4	—	—	5.00 127,0	9.1 4,1
4 x 4 x 1-1/2 100 x 100 x 40	4.500 x 4.500 x 1.900 114,3 x 114,3 x 48,3	—	—	5.00 127,0	9.2 4,1
4 x 4 x 2 100 x 100 x 50	4.500 x 4.500 x 2.375 114,3 x 114,3 x 60,3	5.00 127,0	9.1 4,1	5.00 127,0	9.3 4,2
4 x 4 x 2-1/2 100 x 100 x 65	4.500 x 4.500 x 2.874 114,3 x 114,3 x 73,0	5.00 127,0	9.5 4,3	5.00 127,0	9.7 4,4




FIGURE 221
CAST REDUCING TEE






FIGURE 321
FABRICATED
REDUCING TEE
(SEGMENT WELDED)

TABLE 9 (1 OF 6)
FIGURES 221 AND 321 CAST AND FABRICATED REDUCING TEES
NOMINAL DIMENSIONS AND APPROXIMATE WEIGHTS



**FIGURE 221
CAST REDUCING TEE**



**FIGURE 321
FABRICATED
REDUCING TEE
(SEGMENT WELDED)**

Nominal Pipe Size		Figure 221 Cast Reducing Tee		Figure 321 Fabricated Reducing Tee	
ANSI Inches DN	O.D. Inches mm	C to E Inches mm	Weight Lbs. kg	C to E Inches mm	Weight Lbs. kg
4 x 4 x 76,1mm 100 x 100 x 65	4.500 x 4.500 x 3.000 114,3 x 114,3 x 76,1	5.00 127,0	9.5 4,3	5.00 127,0	9.7 4,4
4 x 4 x 3 100 x 100 x 80	4.500 x 4.500 x 3.500 114,3 x 114,3 x 88,9	5.00 127,0	9.7 4,4	5.00 127,0	10.1 4,6
133,0mm x 133,0mm x 2 125 x 125 x 50	5.250 x 5.250 x 2.375 133,0 x 133,0 x 60,3	—	—	5.50 139,7	8.2 3,7
133,0mm x 133,0mm x 2-1/2 125 x 125 x 65	5.250 x 5.250 x 2.874 133,0 x 133,0 x 73,0	—	—	5.50 139,7	8.6 3,9
133,0mm x 133,0mm x 76,1mm 125 x 125 x 65	5.250 x 5.250 x 3.000 133,0 x 133,0 x 76,1	—	—	5.50 139,7	8.7 3,9
133,0mm x 133,0mm x 3 125 x 125 x 80	5.250 x 5.250 x 3.500 133,0 x 133,0 x 88,9	—	—	5.50 139,7	9.1 4,1
133,0mm x 133,0mm x 108,0mm 125 x 125 x 100	5.250 x 5.250 x 4.252 133,0 x 133,0 x 108,0	—	—	5.50 139,7	8.5 3,9
133,0mm x 133,0mm x 4 125 x 125 x 100	5.250 x 5.250 x 4.500 133,0 x 133,0 x 114,3	—	—	5.50 139,7	9.8 4,4
139,7mm x 139,7mm x 2 125 x 125 x 50	5.500 x 5.500 x 2.375 139,7 x 139,7 x 60,3	—	—	5.50 139,7	10.1 4,6
139,7mm x 139,7mm x 2-1/2 125 x 125 x 65	5.500 x 5.500 x 2.874 139,7 x 139,7 x 73,0	—	—	5.50 139,7	10.5 4,8
139,7mm x 139,7mm x 76,1mm 125 x 125 x 65	5.500 x 5.500 x 3.000 139,7 x 139,7 x 76,1	—	—	5.50 139,7	10.5 4,8
139,7mm x 139,7mm x 3 125 x 125 x 80	5.500 x 5.500 x 3.500 139,7 x 139,7 x 88,9	5.50 139,7	12.7 5,8	5.50 139,7	11.0 4,9
139,7mm x 139,7mm x 4 125 x 125 x 100	5.500 x 5.500 x 4.500 139,7 x 139,7 x 114,3	5.50 139,7	13.4 6,1	5.50 139,7	11.5 5,2
5 x 5 x 2 125 x 125 x 50	5.563 x 5.563 x 2.375 141,3 x 141,3 x 60,3	—	—	5.50 139,7	13.6 6,2
5 x 5 x 2-1/2 125 x 125 x 65	5.563 x 5.563 x 2.874 141,3 x 141,3 x 73,0	—	—	5.50 139,7	14.0 6,4
5 x 5 x 76,1mm 125 x 125 x 65	5.563 x 5.563 x 3.000 141,3 x 141,3 x 76,1	—	—	5.50 139,7	14.0 6,4
5 x 5 x 3 125 x 125 x 80	5.563 x 5.563 x 3.500 141,3 x 141,3 x 88,9	—	—	5.50 139,7	14.3 6,5
5 x 5 x 4 125 x 125 x 100	5.563 x 5.563 x 4.500 141,3 x 141,3 x 114,3	—	—	5.50 139,7	14.8 6,7
159,0mm x 159,0mm x 2-1/2 150 x 150 x 65	6.250 x 6.250 x 2.874 159,0 x 159,0 x 73,0	—	—	6.50 165,1	13.3 6,0
159,0mm x 159,0mm x 76,1mm 150 x 150 x 65	6.250 x 6.250 x 3.000 159,0 x 159,0 x 76,1	—	—	6.50 165,1	13.4 6,1
159,0mm x 159,0mm x 3 150 x 150 x 80	6.250 x 6.250 x 3.500 159,0 x 159,0 x 88,9	—	—	6.50 165,1	13.9 6,3
159,0mm x 159,0mm x 108,0mm 150 x 150 x 100	6.250 x 6.250 x 4.252 159,0 x 159,0 x 108,0	—	—	6.50 165,1	13.2 6,0
159,0mm x 159,0mm x 4 150 x 150 x 100	6.250 x 6.250 x 4.500 159,0 x 159,0 x 114,3	—	—	6.50 165,1	14.7 6,7
159,0mm x 159,0mm x 133,0mm 150 x 150 x 125	6.250 x 6.250 x 5.250 159,0 x 159,0 x 133,0	—	—	6.50 165,1	13.7 6,2
159,0mm x 159,0mm x 139,7mm 150 x 150 x 125	6.250 x 6.250 x 6.500 159,0 x 159,0 x 139,7	—	—	6.50 165,1	14.5 6,6

**TABLE 9 (2 OF 6)
FIGURES 221 AND 321 CAST AND FABRICATED REDUCING TEES
NOMINAL DIMENSIONS AND APPROXIMATE WEIGHTS**

Nominal Pipe Size		Figure 221 Cast Reducing Tee		Figure 321 Fabricated Reducing Tee	
ANSI Inches DN	O.D. Inches mm	C to E Inches mm	Weight Lbs. kg	C to E Inches mm	Weight Lbs. kg
159,0mm x 159,0mm x 5 150 x 150 x 125	6.250 x 6.250 x 5.625 159,0 x 159,0 x 141,3	—	—	6.50 165,1	15.7 7,1
165,1mm x 165,1mm x 2-1/2 150 x 150 x 65	6.500 x 6.500 x 2.874 165,1 x 165,1 x 73,0	—	—	6.50 165,1	15.2 6,9
165,1mm x 165,1mm x 76,1mm 150 x 150 x 65	6.500 x 6.500 x 3.000 165,1 x 165,1 x 76,1	—	—	6.50 165,1	15.2 6,9
165,1mm x 165,1mm x 139,7mm 150 x 150 x 125	6.500 x 6.500 x 5.500 165,1 x 165,1 x 139,7	—	—	6.50 165,1	15.2 6,9
165,1mm x 165,1mm x 3 150 x 150 x 80	6.500 x 6.500 x 3.500 165,1 x 165,1 x 88,9	6.50 165,1	18.0 8,2	6.50 165,1	15.7 7,1
165,1mm x 165,1mm x 4 150 x 150 x 100	6.500 x 6.500 x 4.500 165,1 x 165,1 x 114,3	6.50 165,1	19.5 8,9	6.50 165,1	16.4 7,4
165,1mm x 165,1mm x 5 150 x 150 x 125	6.500 x 6.500 x 5.563 165,1 x 165,1 x 141,3	—	—	6.50 165,1	17.3 7,8
6 x 6 x 2 150 x 150 x 50	6.625 x 6.625 x 2.375 168,3 x 168,3 x 60,3	6.50 165,1	19.4 8,8	6.50 165,1	20.8 9,4
6 x 6 x 2-1/2 150 x 150 x 65	6.625 x 6.625 x 2.874 168,3 x 168,3 x 73,0	6.50 165,1	21.2 9,8	6.50 165,1	21.2 9,6
6 x 6 x 76,1mm 150 x 150 x 65	6.625 x 6.625 x 3.000 168,3 x 168,3 x 76,1	6.50 165,1	21.2 9,8	6.50 165,1	21.2 9,6
6 x 6 x 3 150 x 150 x 80	6.625 x 6.625 x 3.500 168,3 x 168,3 x 88,9	6.50 165,1	21.0 9,5	6.50 165,1	21.6 9,8
6 x 6 x 4 150 x 150 x 100	6.625 x 6.625 x 4.500 168,3 x 168,3 x 114,3	6.50 165,1	21.8 9,9	6.50 165,1	22.2 10,1
6 x 6 x 139,7mm 150 x 150 x 125	6.625 x 6.625 x 5.500 168,3 x 168,3 x 139,7	6.50 165,1	23.0 10,4	6.50 165,1	21.7 9,8
6 x 6 x 5 150 x 150 x 125	6.625 x 6.625 x 5.563 168,3 x 168,3 x 141,3	—	—	6.50 165,1	22.9 10,4
216,3mm x 216,3mm x 2 200 x 200 x 50	8.516 x 8.516 x 2.375 216,3 x 216,3 x 60,3	—	—	7.75 196,9	26.2 11,8
216,3mm x 216,3mm x 2-1/2 200 x 200 x 65	8.516 x 8.516 x 2.874 216,3 x 216,3 x 73,0	—	—	7.75 196,9	26.7 12,1
216,3mm x 216,3mm x 76,1mm 200 x 200 x 65	8.516 x 8.516 x 3.000 216,3 x 216,3 x 76,1	—	—	7.75 196,9	26.7 12,1
216,3mm x 216,3mm x 3 200 x 200 x 80	8.516 x 8.516 x 3.500 216,3 x 216,3 x 88,9	—	—	7.75 196,9	27.2 12,3
216,3mm x 216,3mm x 4 200 x 200 x 100	8.516 x 8.516 x 4.500 216,3 x 216,3 x 114,1	—	—	7.75 196,9	27.8 12,6
216,3mm x 216,3mm x 139,7mm 200 x 200 x 125	8.516 x 8.516 x 5.500 216,3 x 216,3 x 139,7	—	—	7.75 196,9	27.5 12,5
216,3mm x 216,3mm x 5 200 x 200 x 125	8.516 x 8.516 x 5.563 216,3 x 216,3 x 141,3	—	—	7.75 196,9	28.7 13,0
216,3mm x 216,3mm x 165,1mm 200 x 200 x 150	8.516 x 8.516 x 6.500 216,3 x 216,3 x 165,1	—	—	7.75 196,9	28.3 12,8
216,3mm x 216,3mm x 6 200 x 200 x 150	8.516 x 8.516 x 6.625 216,3 x 216,3 x 168,3	—	—	7.75 196,9	29.8 13,5
8 x 8 x 2 200 x 200 x 50	8.625 x 8.625 x 2.375 219,1 x 219,1 x 60,3	—	—	7.75 196,9	36.9 16,7
8 x 8 x 2-1/2 200 x 200 x 65	8.625 x 8.625 x 2.874 219,1 x 219,1 x 73,0	—	—	7.75 196,9	37.3 17,0




FIGURE 221
CAST REDUCING TEE






FIGURE 321
FABRICATED
REDUCING TEE
(SEGMENT WELDED)

TABLE 9 (3 OF 6)
FIGURES 221 AND 321 CAST AND FABRICATED REDUCING TEES
NOMINAL DIMENSIONS AND APPROXIMATE WEIGHTS



**FIGURE 221
CAST REDUCING TEE**



**FIGURE 321
FABRICATED
REDUCING TEE
(SEGMENT WELDED)**

Nominal Pipe Size		Figure 221 Cast Reducing Tee		Figure 321 Fabricated Reducing Tee	
ANSI Inches DN	O.D. Inches mm	C to E Inches mm	Weight Lbs. kg	C to E Inches mm	Weight Lbs. kg
8 x 8 x 76,1mm 200 x 200 x 65	8.625 x 8.625 x 3.000 216,1 x 219,1 x 76,1	—	—	7.75 196,9	37.3 17,0
8 x 8 x 3 200 x 200 x 80	8.625 x 8.625 x 3.500 219,1 x 219,1 x 88,9	—	—	7.75 196,9	37.7 17,1
8 x 8 x 4 200 x 200 x 100	8.625 x 8.625 x 4.500 219,1 x 219,1 x 114,1	7.75 196,9	37.2 16,9	7.75 196,9	38.2 17,3
8 x 8 x 139,7mm 200 x 200 x 125	8.625 x 8.625 x 5.563 219,1 x 219,1 x 139,7	7.75 196,9	37.7 17,1	7.75 196,9	37.7 17,1
8 x 8 x 5 200 x 200 x 125	8.625 x 8.625 x 5.500 219,1 x 219,1 x 141,3	—	—	7.75 196,9	38.8 17,6
8 x 8 x 165,1mm 200 x 200 x 150	8.625 x 8.625 x 6.500 219,1 x 219,1 x 165,1	7.75 196,9	37.7 17,1	7.75 196,9	38.2 17,3
8 x 8 x 6 200 x 200 x 150	8.625 x 8.625 x 6.625 219,1 x 219,1 x 168,3	7.75 196,9	37.4 17,0	7.75 196,9	38.2 17,3
267,4mm x 267,4mm x 4 250 x 250 x 100	10.528 x 10.528 x 4.500 267,4 x 267,4 x 114,3	—	—	9.00 228,6	44.3 20,1
267,4mm x 267,4mm x 139,7mm 250 x 250 x 125	10.528 x 10.528 x 5.500 267,4 x 267,4 x 139,7	—	—	9.00 228,6	43.9 19,9
267,4mm x 267,4mm x 5 250 x 250 x 125	10.528 x 10.528 x 5.563 267,4 x 267,4 x 141,3	—	—	9.00 228,6	45.1 20,4
267,4mm x 267,4mm x 165,1mm 250 x 250 x 150	10.528 x 10.528 x 6.500 267,4 x 267,4 x 165,1	—	—	9.00 228,6	44.6 20,2
267,4mm x 267,4mm x 6 250 x 250 x 150	10.528 x 10.528 x 6.625 267,4 x 267,4 x 168,3	—	—	9.00 228,6	44.6 20,2
267,4mm x 267,4mm x 216,3mm 250 x 250 x 200	10.528 x 10.528 x 8.516 267,4 x 267,4 x 216,3	—	—	9.00 228,6	45.6 20,7
267,4mm x 267,4mm x 8 250 x 250 x 200	10.528 x 10.528 x 8.625 267,4 x 267,4 x 219,1	—	—	9.00 228,6	45.6 20,7
10 x 10 x 2 250 x 250 x 50	10.750 x 10.750 x 2.375 273,0 x 273,0 x 60,3	—	—	9.00 228,6	60.5 27,4
10 x 10 x 2-1/2 250 x 250 x 65	10.750 x 10.750 x 2.874 273,0 x 273,0 x 73,0	—	—	9.00 228,6	
10 x 10 x 3 250 x 250 x 80	10.750 x 10.750 x 3.500 273,0 x 273,0 x 88,9	—	—	9.00 228,6	61.2 27,8
10 x 10 x 4 250 x 250 x 100	10.750 x 10.750 x 4.500 273,0 x 273,0 x 114,3	—	—	9.00 228,6	61.7 27,9
10 x 10 x 139,7mm 250 x 250 x 125	10.750 x 10.750 x 5.500 273,0 x 273,0 x 139,7	—	—	9.00 228,6	61.0 27,6
10 x 10 x 5 250 x 250 x 125	10.750 x 10.750 x 5.563 273,0 x 273,0 x 141,3	—	—	9.00 228,6	62.3 28,3
10 x 10 x 165,1mm 250 x 250 x 150	10.75 x 10.750 x 6.500 273,0 x 273,0 x 165,1	—	—	9.00 228,6	61.5 27,8
10 x 10 x 6 250 x 250 x 150	10.750 x 10.750 x 6.625 273,0 x 273,0 x 168,3	—	—	9.00 228,6	61.4 27,8
10 x 10 x 216,3mm 250 x 250 x 200	10.750 x 10.750 x 8.516 273,0 x 273,0 x 216,3	—	—	9.00 228,6	61.6 27,9
10 x 10 x 8 250 x 250 x 200	10.750 x 10.750 x 8.625 273,0 x 273,0 x 219,1	—	—	9.00 228,6	61.6 27,9
318,5mm x 318,5mm x 4 300 x 300 x 100	12.539 x 12.539 x 4.500 318,5 x 318,5 x 114,3	—	—	10.00 254,0	60.5 27,4

**TABLE 9 (4 OF 6)
FIGURES 221 AND 321 CAST AND FABRICATED REDUCING TEES
NOMINAL DIMENSIONS AND APPROXIMATE WEIGHTS**

Nominal Pipe Size		Figure 221 Cast Reducing Tee		Figure 321 Fabricated Reducing Tee	
ANSI Inches DN	O.D. Inches mm	C to E Inches mm	Weight Lbs. kg	C to E Inches mm	Weight Lbs. kg
318,5mm x 318,5mm x 139,7mm 300 x 300 x 125	12.539 x 12.539 x 5.500 318,5 x 318,5 x 139,7	—	—	10.00 254,0	60.0 27,2
318,5mm x 318,5mm x 5 300 x 300 x 125	12.539 x 12.539 x 5.563 318,5 x 318,5 x 141,3	—	—	10.00 254,0	61.2 27,8
318,5mm x 318,5mm x 165,1mm 300 x 300 x 150	12.539 x 12.539 x 6.500 318,5 x 318,5 x 165,1	—	—	10.00 254,0	60.7 27,5
318,5mm x 318,5mm x 6 300 x 300 x 150	12.539 x 12.539 x 6.625 318,5 x 318,5 x 168,3	—	—	10.00 254,0	60.7 27,5
318,5mm x 318,5mm x 216,3mm 300 x 300 x 200	12.539 x 12.539 x 8.516 318,5 x 318,5 x 216,3	—	—	10.00 254,0	61.5 27,9
318,5mm x 318,5mm x 8 300 x 300 x 200	12.539 x 12.539 x 8.625 318,5 x 318,5 x 219,1	—	—	10.00 254,0	61.5 27,9
318,5mm x 318,5mm x 267,4mm 300 x 300 x 250	12.539 x 12.539 x 10.528 318,5 x 318,5 x 267,4	—	—	10.00 254,0	62.2 28,2
318,5mm x 318,5mm x 10 300 x 300 x 250	12.539 x 12.539 x 10.750 318,5 x 318,5 x 273,0	—	—	10.00 254,0	62.2 28,2
12 x 12 x 3 300 x 300 x 80	12.750 x 12.750 x 3.500 323,9 x 323,9 x 88,9	—	—	10.00 254,0	82.7 37,5
12 x 12 x 4 300 x 300 x 100	12.750 x 12.750 x 4.500 323,9 x 323,9 x 114,3	—	—	10.00 254,0	83.1 37,7
12 x 12 x 139,7mm 300 x 300 x 125	12.750 x 12.750 x 5.500 323,9 x 323,9 x 139,7	—	—	10.00 254,0	82.5 37,4
12 x 12 x 5 300 x 300 x 125	12.750 x 12.750 x 5.563 323,9 x 323,9 x 141,3	—	—	10.00 254,0	83.7 37,9
12 x 12 x 165,1mm 300 x 300 x 150	12.750 x 12.750 x 6.500 323,9 x 323,9 x 165,1	—	—	10.00 254,0	82.8 38,0
12 x 12 x 6 300 x 300 x 150	12.750 x 12.750 x 6.625 323,9 x 323,9 x 168,3	—	—	10.00 254,0	82.8 38,0
12 x 12 x 216,3mm 300 x 300 x 200	12.750 x 12.750 x 8.516 323,9 x 323,9 x 216,3	—	—	10.00 254,0	82.8 38,0
12 x 12 x 8 300 x 300 x 200	12.750 x 12.750 x 8.625 323,9 x 323,9 x 219,1	—	—	10.00 254,0	82.8 38,0
12 x 12 x 267,4mm 300 x 300 x 250	12.750 x 12.750 x 10.528 323,9 x 323,9 x 267,4	—	—	10.00 254,0	82.5 37,4
12 x 12 x 10 300 x 300 x 250	12.750 x 12.750 x 10.750 323,9 x 323,9 x 273,0	—	—	10.00 254,0	82.4 37,4
14 x 14 x 6 350 x 350 x 150	14.000 x 14.000 x 6.625 355,6 x 355,6 x 168,3	—	—	11.00 279,4	100.5 45,6
14 x 14 x 8 350 x 350 x 200	14.000 x 14.000 x 8.625 355,6 x 355,6 x 219,1	—	—	11.00 279,4	100.7 45,7
14 x 14 x 10 350 x 350 x 250	14.000 x 14.000 x 10.750 355,6 x 355,6 x 273,0	—	—	11.00 279,4	100.5 45,6
14 x 14 x 12 350 x 350 x 300	14.000 x 14.000 x 12.750 355,6 x 355,6 x 323,9	—	—	11.00 279,4	101.3 45,9
16 x 16 x 4 400 x 400 x 100	16.000 x 16.000 x 4.500 406,4 x 406,4 x 114,3	—	—	12.00 304,8	125.5 56,9
16 x 16 x 8 400 x 400 x 200	16.000 x 16.000 x 8.625 406,4 x 406,4 x 219,1	—	—	12.00 304,8	125.6 57,0
16 x 16 x 10 400 x 400 x 250	16.000 x 16.000 x 10.750 406,4 x 406,4 x 273,0	—	—	12.00 304,8	125.7 57,0




FIGURE 221
CAST REDUCING TEE






FIGURE 321
FABRICATED
REDUCING TEE
(SEGMENT WELDED)

TABLE 9 (5 OF 6)
FIGURES 221 AND 321 CAST AND FABRICATED REDUCING TEES
NOMINAL DIMENSIONS AND APPROXIMATE WEIGHTS



**FIGURE 221
CAST REDUCING TEE**




**FIGURE 321
FABRICATED
REDUCING TEE
(SEGMENT WELDED)**


Nominal Pipe Size		Figure 221 Cast Reducing Tee		Figure 321 Fabricated Reducing Tee	
ANSI Inches DN	O.D. Inches mm	C to E Inches mm	Weight Lbs. kg	C to E Inches mm	Weight Lbs. kg
16 x 16 x 12 400 x 400 x 300	16.000 x 16.000 x 12.750 406,4 x 406,4 x 323,9	—	—	12.00 304,8	125.8 57,1
16 x 16 x 14 400 x 400 x 350	16.000 x 16.000 x 14.000 406,4 x 406,4 x 355,6	—	—	12.00 304,8	132.3 60,0
18 x 18 x 8 450 x 450 x 200	18.000 x 18.000 x 8.625 457,2 x 457,2 x 219,1	—	—	15.50 393,7	186.7 84,7
18 x 18 x 10 450 x 450 x 250	18.000 x 18.000 x 10.750 457,2 x 457,2 x 273,0	—	—	15.50 393,7	187.7 85,1
18 x 18 x 12 450 x 450 x 300	18.000 x 18.000 x 12.750 457,2 x 457,2 x 323,9	—	—	15.50 393,7	190.2 86,2
18 x 18 x 14 450 x 450 x 350	18.000 x 18.000 x 14.000 457,2 x 457,2 x 355,6	—	—	15.50 393,7	199.8 90,6
18 x 18 x 16 450 x 450 x 400	18.000 x 18.000 x 16.000 457,2 x 457,2 x 406,4	—	—	15.50 393,7	202.1 91,7
20 x 20 x 14 500 x 500 x 350	20.000 x 20.000 x 14.000 508,0 x 508,0 x 355,6	—	—	17.25 450,9	246.0 111,6
20 x 20 x 16 500 x 500 x 400	20.000 x 20.000 x 16.000 508,0 x 508,0 x 406,4	—	—	17.25 450,9	248.5 112,7
20 x 20 x 18 500 x 500 x 450	20.000 x 20.000 x 18.000 508,0 x 508,0 x 457,2	—	—	17.25 450,9	251.0 113,8
24 x 24 x 10 600 x 600 x 250	24.000 x 24.000 x 10.750 609,6 x 609,6 x 273,0	—	—	20.00 508,0	321.3 145,7
24 x 24 x 12 600 x 600 x 300	24.000 x 24.000 x 12.750 609,6 x 609,6 x 323,9	—	—	20.00 508,0	324.6 147,2
24 x 24 x 14 600 x 600 x 350	24.000 x 24.000 x 14.000 609,6 x 609,6 x 355,6	—	—	20.00 508,0	335.8 152,3
24 x 24 x 16 600 x 600 x 400	24.000 x 24.000 x 16.000 609,6 x 609,6 x 406,4	—	—	20.00 508,0	338.3 153,5
24 x 24 x 18 600 x 600 x 450	24.000 x 24.000 x 18.000 609,6 x 609,6 x 457,2	—	—	20.00 508,0	340.7 154,5
24 x 24 x 20 600 x 600 x 500	24.000 x 24.000 x 20.000 609,6 x 609,6 x 508,0	—	—	20.00 508,0	343.1 155,6

**TABLE 9 (6 OF 6)
FIGURES 221 AND 321 CAST AND FABRICATED REDUCING TEES
NOMINAL DIMENSIONS AND APPROXIMATE WEIGHTS**

Nominal Pipe Size		Figure 219 Cast Tee		Figure 319 Fabricated Tee	
ANSI Inches DN	O.D. Inches mm	C to E Inches mm	Weight Lbs. kg	C to E Inches mm	Weight Lbs. kg
1 25	1.315 33,4	2.25 57,2	1.1 0,5	2.25 57,2	1.8 0,8
1-1/4 32	1.660 42,4	2.75 69,9	1.7 0,8	2.75 69,9	2.2 0,9
1-1/2 40	1.900 48,3	2.75 69,9	2.1 1,0	2.75 69,9	2.6 1,2
2 50	2.375 60,3	3.25 82,6	2.7 1,2	3.25 82,6	3.6 1,6
2-1/2 65	2.874 73,0	3.75 95,3	4.4 2,0	3.75 95,3	5.8 2,6
76,1mm 65	3.000 76,1	3.75 95,3	6.5 2,9	3.75 95,3	4.2 1,9
3 80	3.500 88,9	4.25 108,0	6.5 2,9	4.25 108,0	7.6 3,4
4 100	4.500 114,3	5.00 127,0	10.7 4,8	5.00 127,0	10.7 4,9
139,7mm 125	5.500 139,7	5.50 139,7	15.2 6,9	5.50 139,7	10.6 4,8
5 125	5.563 141,3	5.50 139,7	15.5 7,0	5.50 139,7	13.9 6,3
165,1mm 150	6.500 165,1	6.50 165,1	24.2 11,0	6.50 165,1	13.2 5,9
6 150	6.625 168,3	6.50 165,1	23.0 10,4	6.50 165,1	18.9 8,6
216,3mm 200	8.500 216,3	7.75 196,9	43.0 19,5	7.75 196,9	19.9 9,0
8 200	8.625 219,1	7.75 196,9	43.7 19,8	7.75 196,9	28.3 12,8
267,4mm 250	10.528 267,4	—	—	9.00 228,6	30.8 13,9
10 250	10.750 273,0	9.00 228,6	57.0 25,9	9.00 228,6	44.4 20,1
318,5mm 300	12.539 318,5	—	—	10.00 254,0	45.3 20,5
12 300	12.750 323,9	10.00 254,0	110.0 49,9	10.00 254,0	63.3 28,7
14 350	14.000 355,6	11.00 279,0	135.0 61,2	11.00 279,0	76.0 34,5
16 400	16.000 406,4	12.00 305,0	136.0 61,7	12.00 305,0	94.0 42,6
18 450	18.000 457,2	—	—	15.50 394,0	129.0 58,5
20 500	20.000 508,0	—	—	17.25 438,0	158.0 71,6
24 600	24.000 609,6	—	—	20.00 508,0	216.0 97,9




**FIGURE 219
CAST TEE**



**FIGURE 319
FABRICATED TEE
(SEGMENT WELDED)**

**TABLE 10
FIGURES 219 AND 319 CAST AND FABRICATED TEES
NOMINAL DIMENSIONS AND APPROXIMATE WEIGHTS**



Nominal Pipe Size		C to LE Inches mm	C to SE Inches mm	Weight Lbs. kg
ANSI Inches DN	O.D. Inches mm			
1 25	1.315 33,4	5 127,0	2.25 57,2	1.1 0,5
1-1/4 32	1.660 42,4	5.75 146,1	2.50 63,5	1.4 0,6
1-1/2 40	1.900 48,3	6.25 158,8	2.75 69,9	1.7 0,8
2 50	2.375 60,3	7.00 177,8	2.75 69,9	2.5 1,1
2-1/2 65	2.874 73,0	7.75 196,9	3.00 76,2	4.4 2,0
76,1mm 65	3.000 76,1	7.75 196,9	3.00 76,2	4.4 2,0
3 80	3.500 88,9	8.50 215,9	3.25 82,6	6.4 2,9
108,0mm 100	4.252 108,0	10.50 266,7	3.75 95,3	9.7 4,4
4 100	4.500 114,3	10.50 266,7	3.75 95,3	10.5 4,8
133,0mm 125	5.250 133,0	12.50 317,5	4.00 102,0	15.6 7,1
139,7mm 125	5.500 139,7	12.50 317,5	4.00 102,0	30.0 13,6
5 125	5.563 141,3	12.50 317,5	4.00 101,6	15.2 6,9
159,0mm 150	6.250 159,0	14.00 355,6	4.50 114,3	20.6 9,4
165,1mm 150	6.500 165,1	14.00 355,6	4.50 114,3	22.9 10,4
6 150	6.625 168,3	14.00 355,6	4.50 114,3	22.9 10,4
216,3mm 200	8.516 216,3	18.00 457,2	6.00 152,4	38.4 17,4
8 200	8.625 219,1	18.00 457,2	6.00 152,4	41.9 19,0
267,4mm 250	10.528 267,4	20.50 520,7	6.50 165,7	59.1 26,8
10 250	10.750 273,0	20.50 520,7	6.50 165,7	66.2 30,0
318,5mm 300	12.539 318,5	23.00 584,2	7.00 177,8	84.0 38,1
12 300	12.750 323,9	23.00 584,2	7.00 177,8	87.7 39,8
14 350	14.000 355,6	26.50 673,1	7.50 190,5	105.3 47,8
16 400	16.000 406,4	29.00 736,6	8.00 203,2	129.1 58,6
18 450	18.000 457,2	32.00 812,8	8.50 215,9	184.4 83,6
20 500	20.000 508,0	35.00 889,0	9.00 238,6	225.8 102,4
24 600	24.000 609,6	40.00 1016,0	10.00 254,0	308.5 139,9

TABLE 11
FIGURE 314 FABRICATED 45° LATERALS
NOMINAL DIMENSIONS AND APPROXIMATE WEIGHTS

Nominal Pipe Size		C to LE Inches mm	C to SE Inches mm	Weight Lbs. kg
ANSI Inches DN	O.D. Inches mm			
3 x 3 x 2 80 x 80 x 50	3.500 x 3.500 x 2.375 88,9 x 88,9 x 60,3	8.50 215,9	3.25 82,6	9.0 4,1
3 x 3 x 2-1/2 80 x 80 x 65	3.500 x 3.500 x 2.874 88,9 x 88,9 x 73,0	8.50 215,9	3.25 82,6	9.9 4,5
3 x 3 x 76,1mm 80 x 80 x 65	3.500 x 3.500 x 3.000 88,9 x 88,9 x 76,1	8.50 216,0	3.25 83,0	9.0 4,1
108,0mm x 108,0mm x 2 100 x 100 x 50	4.252 x 4.252 x 2.375 108,0 x 108,0 x 60,3	10.50 266,7	3.75 95,3	12.3 5,6
108,0mm x 108,0mm x 2-1/2 100 x 100 x 65	4.252 x 4.252 x 2.874 108,0 x 108,0 x 73,0	10.50 266,7	3.75 95,3	13.6 6,2
108,0mm x 108,0mm x 76,1mm 100 x 100 x 65	4.252 x 4.252 x 3.000 108,0 x 108,0 x 76,1	10.50 266,7	3.75 95,3	12.6 5,7
108,0mm x 108,0mm x 3 100 x 100 x 80	4.252 x 4.252 x 3.500 108,0 x 108,0 x 88,9	10.50 266,7	3.75 95,3	14.6 6,6
4 x 4 x 2 100 x 100 x 50	4.500 x 4.500 x 2.375 114,3 x 114,3 x 60,3	10.50 266,7	3.75 95,3	14.5 6,6
4 x 4 x 2-1/2 100 x 100 x 65	4.500 x 4.500 x 2.874 114,3 x 114,3 x 73,0	10.50 266,7	3.75 95,3	15.7 7,1
4 x 4 x 76,1mm 100 x 100 x 65	4.500 x 4.500 x 3.000 114,3 x 114,3 x 76,1	10.50 266,7	3.75 95,3	14.7 6,7
4 x 4 x 3 100 x 100 x 80	4.500 x 4.500 x 3.500 114,3 x 114,3 x 88,9	10.50 266,7	3.75 95,3	16.6 7,5
133,0mm x 133,0mm x 2 125 x 125 x 50	5.250 x 5.250 x 2.375 133,0 x 133,0 x 60,3	12.50 317,5	4.00 101,6	13.8 6,3
133,0mm x 133,0mm x 2-1/2 125 x 125 x 65	5.250 x 5.250 x 2.874 133,0 x 133,0 x 73,0	12.50 317,5	4.00 101,6	15.3 6,9
133,0mm x 133,0mm x 76,1mm 125 x 125 x 65	5.250 x 5.250 x 3.000 133,0 x 133,0 x 76,1	12.50 317,5	4.00 101,6	14.2 6,4
133,0mm x 133,0mm x 3 125 x 125 x 80	5.250 x 5.250 x 3.500 133,0 x 133,0 x 88,9	12.50 317,5	4.00 101,6	16.6 7,5
133,0mm x 133,0mm x 4 125 x 125 x 100	5.250 x 5.250 x 4.500 133,0 x 133,0 x 114,3	12.50 317,5	4.00 101,6	18.9 8,6
139,7mm x 139,7mm x 2 125 x 125 x 50	5.500 x 5.500 x 2.375 139,7 x 139,7 x 60,3	12.50 317,5	4.00 101,6	17.2 7,8
139,7mm x 139,7mm x 2-1/2 125 x 125 x 65	5.250 x 5.250 x 2.874 139,7 x 139,7 x 73,0	12.50 317,5	4.00 101,6	18.7 8,5
133,0mm x 133,0mm x 76,1mm 125 x 125 x 65	5.250 x 5.250 x 2.874 139,7 x 139,7 x 76,1	12.50 317,5	4.00 101,6	17.5 7,9
139,7mm x 139,7mm x 3 125 x 125 x 80	5.500 x 5.500 x 3.500 139,7 x 139,7 x 88,9	12.50 317,5	4.00 101,6	19.8 8,9
139,7mm x 139,7mm x 4 125 x 125 x 100	5.500 x 5.500 x 4.500 139,7 x 139,7 x 114,3	12.50 317,5	4.00 101,6	21.2 9,6
5 x 5 x 2 125 x 125 x 50	5.563 x 5.563 x 2.375 141,3 x 141,3 x 60,3	12.50 317,5	4.00 101,6	21.7 9,8
5 x 5 x 2-1/2 125 x 125 x 65	5.563 x 5.563 x 2.874 141,3 x 141,3 x 73,0	12.50 317,5	4.00 101,6	23.2 10,5
5 x 5 x 76,1mm 125 x 125 x 65	5.563 x 5.563 x 3.000 141,3 x 141,3 x 76,1	12.50 317,5	4.00 101,6	22.0 9,9
5 x 5 x 3 125 x 125 x 80	5.563 x 5.563 x 3.500 141,3 x 141,3 x 88,9	12.50 317,5	4.00 101,6	24.2 11,0





TABLE 12 (1 OF 5)
FIGURE 325 FABRICATED 45° REDUCING LATERALS
NOMINAL DIMENSIONS AND APPROXIMATE WEIGHTS



Nominal Pipe Size		C to LE Inches mm	C to SE Inches mm	Weight Lbs. kg
ANSI Inches DN	O.D. Inches mm			
5 x 5 x 4 125 x 125 x 100	5.563 x 5.563 x 4.500 141,3 x 141,3 x 114,3	12.50 317,5	4.00 101,6	26.2 11,8
159,0mm x 159,0mm x 2 150 x 150 x 50	6.250 x 6.250 x 2.375 159,0 x 159,0 x 60,3	14.00 355,6	4.50 114,3	19.8 8,9
159,0mm x 159,0mm x 76,1mm 150 x 150 x 65	6.250 x 6.250 x 3.000 159,0 x 159,0 x 76,1	14.00 355,6	4.50 114,3	20.2 9,1
159,0mm x 159,0mm x 3 150 x 150 x 80	6.250 x 6.250 x 3.500 159,0 x 159,0 x 88,9	14.00 355,6	4.50 114,3	22.8 10,3
159,0mm x 159,0mm x 4 150 x 150 x 100	6.250 x 6.250 x 4.500 159,0 x 159,0 x 114,3	14.00 355,6	4.50 114,3	25.2 11,4
159,0mm x 159,0mm x 133mm 150 x 150 x 125	6.250 x 6.250 x 5.250 159,0 x 159,0 x 133,0	14.00 355,6	4.50 114,3	23.0 10,4
159,0mm x 159,0mm x 139,7mm 150 x 150 x 125	6.250 x 6.250 x 5.500 159,0 x 159,0 x 139,7	14.00 355,6	4.50 114,3	25.2 11,4
165,1mm x 165,1mm x 2 150 x 150 x 50	6.500 x 6.500 x 2.375 165,1 x 165,1 x 60,3	14.00 355,6	4.50 114,3	22.4 10,2
165,1mm x 165,1mm x 76,1mm 150 x 150 x 65	6.500 x 6.500 x 3.000 165,1 x 165,1 x 76,1	14.00 355,6	4.50 114,3	22.8 10,3
165,1mm x 165,1mm x 3 150 x 150 x 80	6.500 x 6.500 x 3.500 165,1 x 165,1 x 88,9	14.00 355,6	4.50 114,3	25.3 11,5
165,1mm x 165,1mm x 4 150 x 150 x 100	6.500 x 6.500 x 4.500 165,1 x 165,1 x 114,3	14.00 355,6	4.50 114,3	27.6 12,5
165,1mm x 165,1mm x 133,0mm 150 x 150 x 125	6.500 x 6.500 x 5.250 165,1 x 165,1 x 133,0	14.00 355,6	4.50 114,3	25.3 11,5
165,1mm x 165,1mm x 139,7mm 150 x 150 x 125	6.500 x 6.500 x 5.500 165,1 x 165,1 x 139,7	14.00 355,6	4.50 114,3	27.5 12,5
6 x 6 x 2 150 x 150 x 50	6.625 x 6.625 x 2.375 168,3 x 168,3 x 60,3	14.00 355,6	4.50 114,3	31.0 14,1
6 x 6 x 2-1/2 150 x 150 x 65	6.625 x 6.625 x 2.874 168,3 x 168,3 x 73,0	14.00 355,6	4.50 114,3	32.5 14,7
6 x 6 x 76,1mm 150 x 150 x 65	6.625 x 6.625 x 3.000 168,3 x 168,3 x 76,1	14.00 355,6	4.50 114,3	31.2 14,2
6 x 6 x 3 150 x 150 x 80	6.625 x 6.625 x 3.500 168,3 x 168,3 x 88,9	14.00 355,6	4.50 114,3	33.6 15,2
6 x 6 x 4 150 x 150 x 100	6.625 x 6.625 x 4.500 168,3 x 168,3 x 114,3	14.00 355,6	4.50 114,3	35.7 16,2
6 x 6 x 139,7mm 150 x 150 x 125	6.625 x 6.625 x 5.500 168,3 x 168,3 x 139,7	14.00 355,6	4.50 114,3	35.2 15,9
6 x 6 x 5 150 x 150 x 125	6.625 x 6.625 x 5.563 168,3 x 168,3 x 141,3	14.00 355,6	4.50 114,3	38.2 17,3
216,3mm x 216,3mm x 4 200 x 200 x 100	8.516 x 8.516 x 4.500 216,3 x 216,3 x 114,3	18.00 457,2	6.00 152,4	49.2 22,3
216,3mm x 216,3mm x 139,7mm 200 x 200 x 125	8.516 x 8.516 x 5.500 216,3 x 216,3 x 139,7	18.00 457,2	6.00 152,4	49.0 22,2
216,3mm x 216,3mm x 5 200 x 200 x 125	8.516 x 8.516 x 5.563 216,3 x 216,3 x 141,3	18.00 457,2	6.00 152,4	52.7 23,9
216,3mm x 216,3mm x 165,1mm 200 x 200 x 150	8.516 x 8.516 x 6.500 216,3 x 216,3 x 165,1	18.00 457,2	6.00 152,4	50.6 22,9
216,3mm x 216,3mm x 6 200 x 200 x 150	8.516 x 8.516 x 6.625 216,3 x 216,3 x 168,3	18.00 457,2	6.00 152,4	56.8 25,7

TABLE 12 (2 OF 5)
FIGURE 325 FABRICATED 45° REDUCING LATERALS
NOMINAL DIMENSIONS AND APPROXIMATE WEIGHTS

Nominal Pipe Size		C to LE Inches mm	C to SE Inches mm	Weight Lbs. kg
ANSI Inches DN	O.D. Inches mm			
8 x 8 x 4 200 x 200 x 100	8.625 x 8.625 x 4.500 219,1 x 219,1 x 114,1	18.00 457,2	6.00 152,4	65.1 29,5
8 x 8 x 139,7mm 200 x 200 x 125	8.625 x 8.625 x 5.500 219,1 x 219,1 x 139,7	18.00 457,0	6.00 152,4	64.6 29,3
8 x 8 x 5 200 x 200 x 125	8.625 x 8.625 x 5.563 219,1 x 219,1 x 141,3	18.00 457,2	6.00 152,4	68.3 30,9
8 x 8 x 165,1mm 200 x 200 x 150	8.625 x 8.625 x 6.500 219,1 x 219,1 x 165,1	18.00 457,2	6.00 152,4	65.8 29,8
8 x 8 x 6 200 x 200 x 150	8.625 x 8.625 x 6.625 219,1 x 219,1 x 168,3	18.00 457,2	6.00 152,4	72.0 32,6
267,4mm x 267,4mm x 4 250 x 250 x 100	10.528 x 10.528 x 4.500 267,4 x 267,4 x 114,3	20.50 520,7	6.50 165,1	73.3 33,2
267,4mm x 267,4mm x 139,7mm 250 x 250 x 125	10.528 x 10.528 x 5.500 267,4 x 267,4 x 139,7	20.50 520,7	6.50 165,1	73.0 33,1
267,4mm x 267,4mm x 5 250 x 250 x 125	10.528 x 10.528 x 5.563 267,4 x 267,4 x 141,3	20.50 520,7	6.50 165,1	77.0 34,9
267,4mm x 267,4mm x 165,1mm 250 x 250 x 150	10.528 x 10.528 x 6.500 267,4 x 267,4 x 165,1	20.50 520,7	6.50 165,1	74.6 33,8
267,4mm x 267,4mm x 6 250 x 250 x 150	10.528 x 10.528 x 6.625 267,4 x 267,4 x 168,3	20.50 520,7	6.50 165,1	81.2 36,8
267,4mm x 267,4mm x 216,3mm 250 x 250 x 200	10.528 x 10.528 x 8.516 267,4 x 267,4 x 216,3	20.50 520,7	6.50 165,1	80.8 36,6
267,4mm x 267,4mm x 8 250 x 250 x 200	10.528 x 10.528 x 8.625 267,4 x 267,4 x 219,1	20.50 520,7	6.50 165,1	91.0 41,3
10 x 10 x 4 250 x 250 x 100	10.750 x 10.750 x 4.500 273,0 x 273,0 x 114,3	20.50 520,7	6.50 165,1	99.2 45,0
10 x 10 x 139,7mm 250 x 250 x 125	10.750 x 10.750 x 5.500 273,0 x 273,0 x 139,7	20.50 521,0	6.50 165,0	98.5 44,7
10 x 10 x 5 250 x 250 x 125	10.750 x 10.750 x 5.563 273,0 x 273,0 x 141,3	20.50 520,7	6.50 165,1	102.4 46,4
10 x 10 x 165,1mm 250 x 250 x 150	10.750 x 10.750 x 6.500 273,0 x 273,0 x 165,1	20.50 520,7	6.50 165,1	99.7 45,2
10 x 10 x 6 250 x 250 x 150	10.750 x 10.750 x 6.625 273,0 x 273,0 x 168,3	20.50 520,7	6.50 165,1	106.2 48,2
10 x 10 x 216,3mm 250 x 250 x 200	10.750 x 10.750 x 8.516 273,0 x 273,0 x 216,3	20.50 520,7	6.50 165,1	104.7 47,5
10 x 10 x 8 250 x 250 x 200	10.750 x 10.750 x 8.625 273,0 x 273,0 x 219,1	20.50 520,7	6.50 165,1	114.7 52,0
318,5mm x 318,5mm x 4 300 x 300 x 100	12.539 x 12.539 x 4.500 318,5 x 318,5 x 114,3	23.00 584,2	7.00 177,8	98.7 44,8
318,5mm x 318,5mm x 165,1mm 300 x 300 x 150	12.539 x 12.539 x 6.500 318,5 x 318,5 x 165,1	23.00 584,2	7.00 177,8	100.1 45,4
318,5mm x 318,5mm x 6 300 x 300 x 150	12.539 x 12.539 x 6.625 318,5 x 318,5 x 168,3	23.00 584,2	7.00 177,8	107.3 48,7
318,5mm x 318,5mm x 216,3mm 300 x 300 x 200	12.539 x 12.539 x 8.516 318,5 x 318,5 x 216,3	23.00 584,2	7.00 177,8	106.6 48,4
318,5mm x 318,5mm x 8 300 x 300 x 200	12.539 x 12.539 x 8.625 318,5 x 318,5 x 219,1	23.00 584,2	7.00 177,8	117.3 53,2
318,5mm x 318,5mm x 267,4mm 300 x 300 x 250	12.539 x 12.539 x 10.528 318,5 x 318,5 x 267,4	23.00 584,2	7.00 177,8	115.0 52,2





TABLE 12 (3 OF 5)
FIGURE 325 FABRICATED 45° REDUCING LATERALS
NOMINAL DIMENSIONS AND APPROXIMATE WEIGHTS



Nominal Pipe Size		C to LE Inches mm	C to SE Inches mm	Weight Lbs. kg
ANSI Inches DN	O.D. Inches mm			
318,5mm x 318,5mm x 10 300 x 300 x 250	12.539 x 12.539 x 10.750 318,5 x 318,5 x 273,0	23.00 584,2	7.00 177,8	131.0 59,4
12 x 12 x 4 300 x 300 x 100	12.750 x 12.750 x 4.500 323,9 x 323,9 x 114,3	23.00 584,2	7.00 177,8	132.4 60,1
12 x 12 x 165,1mm 300 x 300 x 150	12.750 x 12.750 x 6.500 323,9 x 323,9 x 165,1	23.00 584,2	7.00 177,8	133.0 60,3
12 x 12 x 6 300 x 300 x 150	12.750 x 12.750 x 6.625 323,9 x 323,9 x 168,3	23.00 584,2	7.00 177,8	140.0 63,5
12 x 12 x 216,3mm 300 x 300 x 200	12.750 x 12.750 x 8.516 323,9 x 323,9 x 216,3	23.00 584,2	7.00 177,8	138.0 62,6
12 x 12 x 8 300 x 300 x 200	12.750 x 12.750 x 8.625 323,9 x 323,9 x 219,1	23.00 584,2	7.00 177,8	150.0 68,0
12 x 12 x 267,4mm 300 x 300 x 250	12.750 x 12.750 x 10.528 323,9 x 323,9 x 267,4	23.00 584,2	7.00 177,8	145.3 65,9
12 x 12 x 10 300 x 300 x 250	12.750 x 12.750 x 10.750 323,9 x 323,9 x 273,0	23.00 584,2	7.00 177,8	161.0 73,0
14 x 14 x 4 350 x 350 x 100	14.000 x 14.000 x 4.500 355,6 x 355,6 x 114,3	26.50 673,1	7.50 190,5	165.0 74,8
14 x 14 x 6 350 x 350 x 150	14.000 x 14.000 x 6.625 355,6 x 355,6 x 168,3	26.50 673,1	7.50 190,5	174.5 79,2
14 x 14 x 8 350 x 350 x 200	14.000 x 14.000 x 8.625 355,6 x 355,6 x 219,1	26.50 673,1	7.50 190,5	185.6 84,2
14 x 14 x 267,4mm 350 x 350 x 250	14.000 x 14.000 x 10.528 355,6 x 355,6 x 267,4	26.50 673,1	7.50 190,5	182.0 82,5
14 x 14 x 10 350 x 350 x 250	14.000 x 14.000 x 10.750 355,6 x 355,6 x 273,0	26.50 673,1	7.50 190,5	200.0 90,7
14 x 14 x 318,5mm 350 x 350 x 300	14.000 x 14.000 x 12.539 355,6 x 355,6 x 318,5	26.50 673,1	7.50 190,5	188.0 85,3
14 x 14 x 12 350 x 350 x 300	14.000 x 14.000 x 12.750 355,6 x 355,6 x 323,9	26.50 673,1	7.50 190,5	210.0 95,3
16 x 16 x 6 400 x 400 x 150	16.000 x 16.000 x 6.625 406,4 x 406,4 x 168,3	29.00 736,6	8.00 203,0	214.1 97,1
16 x 16 x 8 400 x 400 x 200	16.000 x 16.000 x 8.625 406,4 x 406,4 x 219,1	29.00 736,6	8.00 203,0	225.9 102,5
16 x 16 x 10 400 x 400 x 250	16.000 x 16.000 x 10.750 406,4 x 406,4 x 273,0	29.00 736,6	8.00 203,0	241.0 109,3
16 x 16 x 12 400 x 400 x 300	16.000 x 16.000 x 12.750 406,4 x 406,4 x 323,9	29.00 736,6	8.00 203,0	251.8 114,2
16 x 16 x 14 400 x 400 x 350	16.000 x 16.000 x 14.000 406,4 x 406,4 x 355,6	29.00 736,6	8.00 203,0	257.5 116,8
18 x 18 x 6 450 x 450 x 150	18.000 x 18.000 x 6.625 457,2 x 457,2 x 168,3	32.00 812,8	8.50 215,9	261.4 118,5
18 x 18 x 8 450 x 450 x 200	18.000 x 18.000 x 8.625 457,2 x 457,2 x 219,1	32.00 812,8	8.50 215,9	274.4 124,5
18 x 18 x 10 450 x 450 x 250	18.000 x 18.000 x 10.750 457,2 x 457,2 x 273,0	32.00 812,8	8.50 215,9	290.8 131,9
18 x 18 x 12 450 x 450 x 300	18.000 x 18.000 x 12.750 457,2 x 457,2 x 323,9	32.00 812,8	8.50 215,9	302.5 137,2
18 x 18 x 14 450 x 450 x 350	18.000 x 18.000 x 14.000 457,2 x 457,2 x 355,6	32.00 812,8	8.50 215,9	308.6 140,0

TABLE 12 (4 OF 5)
FIGURE 325 FABRICATED 45° REDUCING LATERALS
NOMINAL DIMENSIONS AND APPROXIMATE WEIGHTS

Nominal Pipe Size		C to LE Inches mm	C to SE Inches mm	Weight Lbs. kg
ANSI Inches DN	O.D. Inches mm			
18 x 18 x 16 450 x 450 x 400	18.000 x 18.000 x 16.000 457,2 x 457,2 x 406,4	32.00 812,8	8.50 215,9	318.5 144,4
20 x 20 x 12 500 x 500 x 300	20.000 x 20.000 x 12.750 508,0 x 508,0 x 323,9	35.00 889,0	9.00 228,6	358.0 162,3
20 x 20 x 14 500 x 500 x 350	20.000 x 20.000 x 14.000 508,0 x 508,0 x 355,6	35.00 889,0	9.00 228,6	364.6 165,4
20 x 20 x 16 500 x 500 x 400	20.000 x 20.000 x 16.000 508,0 x 508,0 x 406,4	35.00 889,0	9.00 228,6	375.1 170,1
24 x 24 x 16 600 x 600 x 400	24.000 x 24.000 x 16.000 609,6 x 609,6 x 406,4	40.00 1016,0	10.00 254,0	489.0 221,8
24 x 24 x 20 600 x 600 x 500	24.000 x 24.000 x 20.000 609,6 x 609,6 x 508,0	40.00 1016,0	10.00 254,0	511.5 232,0





TABLE 12 (5 OF 5)
FIGURE 325 FABRICATED 45° REDUCING LATERALS
NOMINAL DIMENSIONS AND APPROXIMATE WEIGHTS



**FIGURE 351
FABRICATED
ECCENTRIC REDUCER
(SEGMENT WELDED)**

Nominal Pipe Size		Figure 351 Fabricated Eccentric Reducer	
ANSI Inches DN	O.D. Inches mm	E to E Inches mm	Weight Lbs. kg
1-1/4 x 1 32 x 25	1.660 x 1.315 42,4 x 33,7	8.50 215,9	1.7 0,8
1-1/2 x 3/4 40 x 20	1.900 x 1.050 48,3 x 26,7	8.50 215,9	1.8 0,8
1-1/2 x 1 40 x 25	1.900 x 1.315 48,3 x 33,4	8.50 215,9	1.9 0,9
1-1/2 x 1-1/4 40 x 32	1.900 x 1.660 48,3 x 42,4	8.50 215,9	2.2 1,0
2 x 3/4 50 x 20	2.375 x 1.050 60,3 x 26,7	9.00 228,6	2.1 0,9
2 x 1 50 x 25	2.375 x 1.315 60,3 x 33,4	9.00 228,6	2.2 1,0
2 x 1-1/4 50 x 32	2.375 x 1.660 60,3 x 42,4	9.00 228,6	2.4 1,1
2 x 1-1/2 50 x 40	2.375 x 1.900 60,3 x 48,3	9.00 228,6	2.5 1,1
2-1/2 x 1 65 x 25	2.874 x 1.315 73,0 x 33,4	9.50 241,3	3.2 1,5
2-1/2 x 1-1/4 65 x 32	2.874 x 1.660 73,0 x 42,4	9.50 241,3	3.4 1,5
2-1/2 x 1-1/2 65 x 40	2.874 x 1.900 73,0 x 48,3	9.50 241,3	3.6 1,6
2-1/2 x 2 65 x 50	2.874 x 2.375 73,0 x 60,3	9.50 241,3	4.0 1,8
76,1mm x 1 65 x 25	3.000 x 1.315 76,1 x 33,4	9.50 241,3	3.7 1,7
76,1mm x 1-1/4 65 x 32	3.000 x 1.660 76,1 x 42,4	9.50 241,3	3.9 1,8
76,1mm x 1-1/2 65 x 40	3.000 x 1.900 76,1 x 48,3	9.50 241,3	4.2 1,9
76,1mm x 2 65 x 50	3.000 x 2.375 76,1 x 60,3	9.50 241,3	4.5 2,0
3 x 1 80 x 25	3.500 x 1.315 88,9 x 33,4	9.50 241,3	4.0 1,8
3 x 1-1/4 80 x 32	3.500 x 1.660 88,9 x 42,4	9.50 241,3	4.3 2,0
3 x 1-1/2 80 x 40	3.500 x 1.900 88,9 x 48,3	9.50 241,3	4.5 2,0
3 x 2 80 x 50	3.500 x 2.375 88,9 x 60,3	9.50 241,3	4.8 2,1
3 x 2-1/2 80 x 65	3.500 x 2.874 88,9 x 73,0	9.50 241,3	5.5 2,5
3 x 76,1mm 80 x 65	3.500 x 3.000 88,9 x 76,1	9.50 241,3	5.8 2,6
108,0mm x 1 100 x 25	4.252 x 1.315 108,0 x 33,4	10.00 254,0	5.9 2,7
108,0mm x 1-1/4 100 x 32	4.252 x 1.660 108,0 x 42,4	10.00 254,0	6.2 2,8
108,0mm x 1-1/2 100 x 40	4.252 x 1.900 108,0 x 48,3	10.00 254,0	6.5 2,9

**TABLE 13 (1 OF 7)
FIGURE 351 FABRICATED ECCENTRIC REDUCERS
NOMINAL DIMENSIONS AND APPROXIMATE WEIGHTS**

Nominal Pipe Size		Figure 351 Fabricated Eccentric Reducer	
ANSI Inches DN	O.D. Inches mm	E to E Inches mm	Weight Lbs. kg
108,0mm x 2 100 x 50	4.252 x 2.375 108,0 x 60,3	10.00 254,0	6.7 3,0
108,mm x 2-1/2 100 x 65	4.252 x 2.874 108,0 x 73,0	10.00 254,0	7.4 3,4
108,0mm x 76,1mm 100 x 65	4.252 x 3.000 108,0 x 76,1	10.00 254,0	7.8 3,5
4 x 1 100 x 25	4.500 x 1.315 114,3 x 33,4	10.00 254,0	5.9 2,7
4 x 1-1/4 100 x 32	4.500 x 1.660 114,3 x 42,4	10.00 254,0	6.3 2,9
4 x 1-1/2 100 x 40	4.500 x 1.900 114,3 x 48,3	10.00 254,0	6.4 2,9
4 x 2 100 x 50	4.500 x 2.375 114,3 x 60,3	10.00 254,0	6.9 3,1
4 x 2-1/2 100 x 65	4.500 x 2.874 114,3 x 73,0	10.00 254,0	7.5 3,4
4 x 76,1mm 100 x 65	4.500 x 3.000 114,3 x 76,1	10.00 254,0	7.7 3,5
4 x 3 100 x 80	4.500 x 3.500 114,3 x 88,9	10.00 254,0	7.9 3,6
133,0mm x 2 125 x 50	5.250 x 2.375 133,0 x 60,3	11.00 279,4	8.5 3,9
133,0mm x 2-1/2 125 x 65	5.250 x 2.874 133,0 x 73,0	11.00 279,4	9.0 4,1
133,0mm x 76,1mm 125 x 65	5.250 x 3.000 133,0 x 76,1	11.00 279,4	9.3 4,2
133,0mm x 3 125 x 80	5.250 x 3.500 133,0 x 88,9	11.00 279,4	10.4 4,7
133,0mm x 108,0mm 125 x 100	5.250 x 4.252 133,0 x 108,0	11.00 279,4	11.0 5,0
139,7mm x 2 125 x 50	5.500 x 2.375 139,7 x 60,3	11.00 279,4	9.0 4,1
139,7mm x 2-1/2 125 x 65	5.500 x 2.874 139,7 x 73,0	11.00 279,4	9.5 4,3
139,7mm x 76,1mm 125 x 65	5.500 x 3.000 139,7 x 76,1	11.00 279,4	9.8 4,4
139,7mm x 3 125 x 80	5.500 x 3.500 139,7 x 88,9	11.00 279,4	10.8 4,9
139,7mm x 108,0mm 125 x 100	5.500 x 4.252 139,7 x 108,0	11.00 279,4	10.6 4,8
5 x 2 125 x 50	5.563 x 2.375 141,3 x 60,3	11.00 279,4	9.3 4,2
5 x 2-1/2 125 x 65	5.563 x 2.874 141,3 x 73,0	11.00 279,4	9.9 4,5
5 x 76,1mm 125 x 65	5.563 x 3.000 141,3 x 76,1	11.00 279,4	10.2 4,6
5 x 3 125 x 80	5.563 x 3.500 141,3 x 88,9	11.00 279,4	10.7 4,9
5 x 108,0mm 125 x 100	5.563 x 4.252 141,3 x 108,0	11.00 279,4	11.5 5,2





TABLE 13 (2 OF 7)
FIGURE 351 FABRICATED ECCENTRIC REDUCERS
NOMINAL DIMENSIONS AND APPROXIMATE WEIGHTS




**FIGURE 351
 FABRICATED
 ECCENTRIC REDUCER
 (SEGMENT WELDED)**


Nominal Pipe Size		Figure 351 Fabricated Eccentric Reducer	
ANSI Inches DN	O.D. Inches mm	E to E Inches mm	Weight Lbs. kg
5 x 4 125 x 100	5,563 x 4,500 141,3 x 114,3	11.00 279,4	11.9 5,4
159,0mm x 2 150 x 50	6,250 x 2,375 159,0 x 60,3	11.50 292,1	11.5 5,2
159,0mm x 2-1/2 150 x 65	6,250 x 2,874 159,0 x 73,0	11.50 292,1	12.0 5,4
159,0mm x 76,1mm 150 x 65	6,250 x 3,000 159,0 x 76,1	11.50 292,1	12.3 5,6
159,0mm x 3 150 x 80	6,250 x 3,500 159,0 x 88,9	11.50 292,1	13.0 5,9
159,0mm x 108,0mm 150 x 100	6,250 x 4,252 159,0 x 108,0	11.50 292,1	13.5 6,1
159,0mm x 4 150 x 100	6,250 x 4,500 159,0 x 114,3	11.50 292,1	13.8 6,3
159,0mm x 133,0mm 150 x 125	6,250 x 5,250 159,0 x 133,0	11.50 292,1	14.2 6,4
159,0mm x 139,7mm 150 x 125	6,250 x 5,500 159,0 x 139,7	11.50 292,1	14.8 6,7
165,1mm x 2 150 x 50	6,500 x 2,375 165,1 x 60,3	11.50 292,1	11.8 5,4
165,1mm x 2-1/2 150 x 65	6,500 x 2,874 165,1 x 73,0	11.50 292,1	12.4 5,6
165,1mm x 76,1mm 150 x 65	6,500 x 3,000 165,1 x 76,1	11.50 292,1	12.7 5,8
165,1mm x 3 150 x 80	6,500 x 3,500 165,1 x 88,9	11.50 292,1	13.3 6,0
165,1mm x 108,0mm 150 x 100	6,500 x 4,252 165,1 x 108,0	11.50 292,1	13.8 6,3
165,1mm x 4 150 x 100	6,500 x 4,500 165,1 x 114,3	11.50 292,1	14.1 6,4
165,1mm x 133,0mm 150 x 125	6,500 x 5,250 165,1 x 133,0	11.50 292,1	14.6 6,6
165,1mm x 139,7mm 150 x 125	6,500 x 5,500 165,1 x 139,7	11.50 292,1	15.0 6,8
165,1mm x 5 150 x 125	6,500 x 5,563 165,1 x 141,3	11.50 292,1	15.8 7,2
6 x 2 150 x 50	6,625 x 2,375 168,3 x 60,3	11.50 292,1	12.2 5,5
6 x 2-1/2 150 x 65	6,625 x 2,874 168,3 x 73,0	11.50 292,1	12.8 5,8
6 x 76,1mm 150 x 65	6,625 x 3,000 168,3 x 76,1	11.50 292,1	13.0 5,9
6 x 3 150 x 80	6,625 x 3,500 168,3 x 88,9	11.50 292,1	13.5 6,1
6 x 108,0mm 150 x 100	6,625 x 4,252 168,3 x 108,0	11.50 292,1	14.1 6,4
6 x 4 150 x 100	6,625 x 4,500 168,3 x 114,3	11.50 292,1	14.8 6,7
6 x 133,0mm 150 x 125	6,625 x 5,250 168,3 x 133,0	11.50 292,1	15.2 6,9

**TABLE 13 (3 OF 7)
 FIGURE 351 FABRICATED ECCENTRIC REDUCERS
 NOMINAL DIMENSIONS AND APPROXIMATE WEIGHTS**

Nominal Pipe Size		Figure 351 Fabricated Eccentric Reducer	
ANSI Inches DN	O.D. Inches mm	E to E Inches mm	Weight Lbs. kg
6 x 139,7mm 150 x 125	6.625 x 5.500 168,3 x 139,7	11.50 292,1	15.7 7,1
6 x 5 150 x 125	6.625 x 5.563 168,3 x 141,3	11.50 292,1	16.0 7,3
216,3mm x 3 200 x 80	8.516 x 3.500 216,3 x 88,9	12.00 304,8	17.2 7,8
216,3mm x 108,0mm 200 x 100	8.516 x 4.252 216,3 x 108,0	12.00 304,8	18.0 8,2
216,3mm x 4 200 x 100	8.516 x 4.500 216,3 x 114,3	12.00 304,8	18.7 8,5
216,3mm x 133,0mm 200 x 125	8.516 x 5.250 216,3 x 133,0	12.00 304,8	19.2 8,7
216,3mm x 139,7mm 200 x 125	8.516 x 5.500 216,3 x 139,7	12.00 304,8	20.1 9,1
216,3mm x 5 200 x 125	8.516 x 5.563 216,3 x 141,3	12.00 304,8	20.8 9,4
216,3mm x 159,0mm 200 x 150	8.516 x 6.250 216,3 x 159,0	12.00 304,8	21.2 9,6
216,3mm x 165,1mm 200 x 150	8.516 x 6.500 216,3 x 165,1	12.00 304,8	22.6 10,3
216,3mm x 6 200 x 150	8.516 x 6.625 216,3 x 168,3	12.00 304,8	23.0 10,4
8 x 3 200 x 80	8.625 x 3.500 219,1 x 88,9	12.00 304,8	17.9 8,1
8 x 108,0mm 200 x 100	8.625 x 4.252 219,1 x 108,0	12.00 304,8	18.7 8,5
8 x 4 200 x 100	8.625 x 4.500 219,1 x 114,3	12.00 304,8	19.4 8,8
8 x 133,0mm 200 x 125	8.625 x 5.250 219,1 x 133,0	12.00 304,8	19.8 8,9
8 x 139,7mm 200 x 125	8.625 x 5.500 219,1 x 139,7	12.00 304,8	21.0 9,5
8 x 5 200 x 125	8.625 x 5.563 219,1 x 141,3	12.00 304,8	21.4 9,7
8 x 159,0mm 200 x 150	8.625 x 6.250 219,1 x 159,0	12.00 304,8	21.8 9,8
8 x 165,1mm 200 x 150	8.625 x 6.500 219,1 x 165,1	12.00 304,8	22.8 10,3
8 x 6 200 x 150	8.625 x 6.625 219,1 x 168,3	12.00 304,8	23.2 10,5
267,4mm x 4 250 x 100	10.528 x 4.500 267,4 x 114,3	13.00 330,2	27.4 12,4
267,4mm x 133,0mm 250 x 125	10.528 x 5.250 267,4 x 133,0	13.00 330,2	28.6 12,9
267,4mm x 139,7mm 250 x 125	10.528 x 5.500 267,4 x 139,7	13.00 330,2	30.2 13,7
267,4mm x 5 250 x 125	10.528 x 5.563 267,4 x 141,3	13.00 330,2	31.0 14,1
267,4mm x 159,0mm 250 x 150	10.528 x 6.250 267,4 x 159,0	13.00 330,2	32.1 14,6



**TABLE 13 (4 OF 7)
FIGURE 351 FABRICATED ECCENTRIC REDUCERS
NOMINAL DIMENSIONS AND APPROXIMATE WEIGHTS**




**FIGURE 351
 FABRICATED
 ECCENTRIC REDUCER
 (SEGMENT WELDED)**

Nominal Pipe Size		Figure 351 Fabricated Eccentric Reducer	
ANSI Inches DN	O.D. Inches mm	E to E Inches mm	Weight Lbs. kg
267,4mm x 165,1mm 250 x 150	10.528 x 6.500 267,4 x 165,1	13.00 330,2	33.0 14,9
267,4mm x 6 250 x 150	10.528 x 6.625 267,4 x 168,3	13.00 330,2	33.5 15,2
267,4mm x 8 250 x 200	10.528 x 8.625 267,4 x 219,1	13.00 300,2	34.0 15,4
10 x 4 250 x 100	10.750 x 4.500 273,0 x 114,3	13.00 330,2	29.7 13,5
10 x 133,0mm 250 x 125	10.750 x 5.250 273,0 x 133,0	13.00 330,2	30.0 13,6
10 x 139,7mm 250 x 125	10.750 x 5.500 273,0 x 139,7	13.00 330,2	30.8 13,9
10 x 5 250 x 125	10.750 x 5.563 273,0 x 141,3	13.00 330,2	31.7 14,4
10 x 159,0mm 250 x 150	10.750 x 6.250 273,0 x 159,0	13.00 330,2	32.7 14,8
10 x 165,1mm 250 x 150	10.750 x 6.500 273,0 x 165,1	13.00 330,2	33.3 15,1
10 x 6 250 x 150	10.750 x 6.625 273,0 x 168,3	13.00 330,2	34.0 15,4
10 x 216,3mm 250 x 200	10.750 x 8.516 273,0 x 216,3	13.00 330,2	34.2 15,5
10 x 8 250 x 200	10.750 x 8.625 273,0 x 219,1	13.00 330,2	34.4 15,6
318,5mm x 4 300 x 100	12.539 x 4.500 318,5 x 114,3	14.00 355,6	40.1 18,2
318,5mm x 133,0mm 300 x 125	12.539 x 5.250 318,5 x 133,0	14.00 355,6	41.7 18,9
318,5mm x 139,7mm 300 x 125	12.539 x 5.500 318,5 x 139,7	14.00 355,6	42.0 19,1
318,5mm x 5 300 x 125	12.539 x 5.563 318,5 x 141,3	14.00 355,6	42.7 19,3
318,5mm x 159,0mm 300 x 150	12.539 x 6.250 318,5 x 159,0	14.00 355,6	43.4 19,6
318,5mm x 165,1mm 300 x 150	12.539 x 6.500 318,5 x 165,1	14.00 355,6	44.6 20,2
318,5mm x 6 300 x 150	12.539 x 6.625 318,5 x 168,3	14.00 355,6	45.0 20,4
318,5mm x 216,3mm 300 x 200	12.539 x 8.516 318,5 x 216,3	14.00 355,6	47.6 21,6
318,5mm x 8 300 x 200	12.539 x 8.625 318,5 x 219,1	14.00 355,6	48.0 21,7
318,5mm x 267,4mm 300 x 250	12.539 x 10.528 318,5 x 267,4	14.00 355,6	49.1 22,2
318,5mm x 10 300 x 250	12.539 x 10.750 318,5 x 273,0	14.00 355,6	50.8 23,0
12 x 4 300 x 100	12.750 x 4.500 323,9 x 114,3	14.00 355,6	41.9 19,0
12 x 133,0mm 300 x 125	12.750 x 5.250 323,9 x 133,0	14.00 355,6	42.2 19,1


**TABLE 13 (5 OF 7)
 FIGURE 351 FABRICATED ECCENTRIC REDUCERS
 NOMINAL DIMENSIONS AND APPROXIMATE WEIGHTS**

Nominal Pipe Size		Figure 351 Fabricated Eccentric Reducer	
ANSI Inches DN	O.D. Inches mm	E to E Inches mm	Weight Lbs. kg
12 x 139,7mm 300 x 125	12.750 x 5.500 323,9 x 139,7	14.00 355,6	43.4 19,7
12 x 5 300 x 125	12.750 x 5.563 323,9 x 141,3	14.00 355,6	44.0 20,0
12 x 159,0mm 300 x 150	12.750 x 6.250 323,9 x 159,0	14.00 355,6	44.3 20,1
12 x 165,1mm 300 x 150	12.750 x 6.500 323,9 x 165,1	14.00 355,6	44.7 20,3
12 x 6 300 x 150	12.750 x 6.625 323,9 x 168,3	14.00 355,6	45.2 20,5
12 x 216,3mm 300 x 200	12.750 x 8.516 323,9 x 216,3	14.00 355,6	46.3 21,0
12 x 8 300 x 200	12.750 x 8.625 323,9 x 219,1	14.00 355,6	47.7 21,6
12 x 267,4mm 300 x 250	12.750 x 10.528 323,9 x 267,4	14.00 355,6	48.9 22,2
12 x 10 300 x 250	12.750 x 10.750 323,9 x 273,0	14.00 355,6	52.0 23,6
14 x 6 350 x 150	14.000 x 6.625 355,6 x 168,3	19.00 482,6	78.0 35,4
14 x 216,3mm 350 x 200	14.000 x 8.516 355,6 x 216,3	19.00 482,6	79.1 35,9
14 x 8 350 x 200	14.000 x 8.625 355,6 x 219,1	19.00 482,6	80.0 36,3
14 x 267,4mm 350 x 250	14.000 x 10.528 355,6 x 267,4	19.00 482,6	82.5 37,4
14 x 10 350 x 250	14.000 x 10.750 355,6 x 273,0	19.00 482,6	84.0 38,1
14 x 318,5mm 350 x 300	14.000 x 12.539 355,6 x 318,5	19.00 482,6	86.3 39,1
14 x 12 350 x 300	14.000 x 12.750 355,6 x 323,9	19.00 482,6	88.0 39,9
16 x 8 400 x 200	16.000 x 8.625 406,4 x 219,1	20.00 508,0	91.0 41,3
16 x 267,4mm 400 x 250	16.000 x 10.528 406,4 x 267,4	20.00 508,0	94.5 42,9
16 x 10 400 x 250	16.000 x 10.750 406,4 x 273,0	20.00 508,0	96.0 43,5
16 x 318,5mm 400 x 300	16.000 x 12.539 406,4 x 318,5	20.00 508,0	98.1 44,5
16 x 12 400 x 300	16.000 x 12.750 406,4 x 323,9	20.00 508,0	99.0 44,9
16 x 14 400 x 350	16.000 x 14.000 406,4 x 355,6	20.00 508,0	104.0 47,2
18 x 318,5mm 450 x 300	18.000 x 12.539 457,2 x 318,5	21.00 533,0	110.6 50,2
18 x 12 450 x 300	18.000 x 12.750 457,2 x 323,9	21.00 533,0	113.0 51,3
18 x 14 450 x 350	18.000 x 14.000 457,2 x 355,6	21.00 533,0	117.0 53,1



**FIGURE 351
FABRICATED
ECCENTRIC REDUCER
(SEGMENT WELDED)**

**TABLE 13 (6 OF 7)
FIGURE 351 FABRICATED ECCENTRIC REDUCERS
NOMINAL DIMENSIONS AND APPROXIMATE WEIGHTS**



**FIGURE 351
FABRICATED
ECCENTRIC REDUCER
(SEGMENT WELDED)**

Nominal Pipe Size		Figure 351 Fabricated Eccentric Reducer	
ANSI Inches DN	O.D. Inches mm	E to E Inches mm	Weight Lbs. kg
18 x 16 450 x 400	18.000 x 16.000 457,2 x 406,4	21.00 533,0	121.0 54,9
20 x 10 500 x 250	20.000 x 10.750 508,0 x 273,0	26.00 660,4	146.2 66,3
20 x 12 500 x 300	20.000 x 12.750 508,0 x 323,9	26.00 660,4	149.0 67,6
20 x 14 500 x 350	20.000 x 14.000 508,0 x 355,6	26.00 660,4	152.0 68,9
20 x 16 500 x 400	20.000 x 16.000 508,0 x 406,4	26.00 660,4	156.0 70,8
20 x 18 500 x 450	20.000 x 18.000 508,0 x 457,2	26.00 660,4	160.0 72,6
24 x 10 600 x 250	24.000 x 10.750 609,6 x 273,0	26.00 660,4	147.0 78,9
24 x 12 600 x 300	24.000 x 12.750 609,6 x 323,9	26.00 660,4	179.0 81,2
24 x 14 600 x 350	24.000 x 14.000 609,6 x 355,6	26.00 660,4	184.0 83,5
24 x 16 600 x 400	24.000 x 16.000 609,6 x 406,4	26.00 660,4	189.0 85,7
24 x 18 600 x 450	24.000 x 18.000 609,6 x 457,2	26.00 660,4	194.0 88,0
24 x 20 600 x 500	24.000 x 20.000 609,6 x 508,0	26.00 660,4	199.0 90,3

**TABLE 13 (7 OF 7)
FIGURE 351 FABRICATED ECCENTRIC REDUCERS
NOMINAL DIMENSIONS AND APPROXIMATE WEIGHTS**

Nominal Pipe Size		H Inches mm	E1 Inches mm	E2 Inches mm	Weight Lbs. kg
ANSI Inches DN	O.D. Inches mm				
2 x 2 x 2 50 x 50 x 50	2.375 x 2.375 x 2.375 60,3 x 60,3 x 60,3	9.75 247,7	9.00 228,6	7.37 187,2	5.7 2,6
2-1/2 x 2-1/2 x 2-1/2 65 x 65 x 65	2.874 x 2.874 x 2.874 73,0 x 73,0 x 73,0	10.75 273,1	10.50 266,7	8.88 225,6	10.2 4,6
76,1mm x 76,1mm x 2-1/2 65 x 65 x 65	3.000 x 3.000 x 3.000 76,1 x 76,1 x 76,1	10.75 273,1	10.50 266,7	8.88 225,6	10.8 4,9
3 x 3 x 76,1mm 80 x 80 x 65	3.500 x 3.500 x 3.000 88,9 x 88,9 x 76,1	11.75 298,5	11.50 292,1	9.31 236,5	13.5 6,1
3 x 3 x 3 80 x 80 x 80	3.500 x 3.500 x 3.500 88,9 x 88,9 x 88,9	11.75 298,5	11.50 292,1	9.31 236,5	14.4 6,5
108,0mm x 108,0mm x 76,1mm 100 x 100 x 65	4.252 x 4.252 x 3.000 108,0 x 108,0, x 76,1	14.25 362,0	12.88 327,2	10.19 258,8	19.8 8,9
108,0mm x 108,0mm x 3 100 x 100 x 80	4.252 x 4.252 x 3.500 108,0 x 108,0, x 88,9	14.25 362,0	12.88 327,2	10.19 258,8	20.0 9,1
108,0mm x 108,0mm x 108,0mm 100 x 100 x 100	4.252 x 4.252 x 4.500 108,0 x 108,0, x 108,0	14.25 362,0	13.63 346,2	11.87 301,5	23.6 10,7
4 x 4 x 3 100 x 100 x 80	4.500 x 4.500 x 3.500 114,3 x 114,3 x 88,9	14.25 362,0	12.88 327,2	10.19 258,8	20.5 9,3
4 x 4 x 4 100 x 100 x 100	4.500 x 4.500 x 4.500 114,3 x 114,3 x 114,3	14.25 362,0	13.63 346,2	11.87 301,5	24.6 11,2
133,0mm x 133,0mm x 3 125 x 125 x 80	5.250 x 5.250 x 3.500 133,0 x 133,0 x 88,9	16.50 419,1	14.25 362,0	13.25 336,6	25.8 11,7
133,0mm x 133,0mm x 108,0mm 125 x 125 x 100	5.250 x 5.250 x 4.252 133,0 x 133,0 x 108,0	16.50 419,1	15.13 384,3	13.63 346,1	27.2 12,3
133,0mm x 133,0mm x 4 125 x 125 x 100	5.250 x 5.250 x 4.500 133,0 x 133,0 x 114,3	16.50 419,1	15.13 384,3	13.63 346,1	30.5 13,8
139,7mm x 139,7mm x 3 125 x 125 x 80	5.500 x 5.500 x 3.500 139,7 x 139,7 x 88,9	16.50 419,1	14.25 362,0	13.25 336,6	26.4 11,9
139,7mm x 139,7mm x 108,0mm 125 x 125 x 100	5.500 x 5.500 x 4.252 139,7 x 139,7 x 108,0	16.50 419,1	15.13 384,3	13.63 346,1	31.0 14,1
139,7mm x 139,7mm x 4 125 x 125 x 100	5.500 x 5.500 x 4.500 139,7 x 139,7 x 114,3	16.50 419,1	15.13 384,3	13.63 346,1	32.8 14,8
139,7mm x 139,7mm x 133,0mm 125 x 125 x 125	5.500 x 5.500 x 5.250 139,7 x 139,7 x 133,0	16.50 419,1	16.13 409,7	14.00 355,6	35.5 16,1
139,7mm x 139,7mm x 139,7mm 125 x 125 x 125	5.500 x 5.500 x 5.500 139,7 x 139,7 x 139,7	16.50 419,1	16.13 409,7	14.00 355,6	36.8 16,7
5 x 5 x 3 125 x 125 x 80	5.563 x 5.563 x 3.500 141,3 x 141,3 x 88,9	16.50 419,1	14.25 362,0	13.25 336,6	28.4 12,9
5 x 5 x 4 125 x 125 x 100	5.563 x 5.563 x 4.500 141,3 x 141,3 x 114,3	16.50 419,1	15.13 384,3	13.63 346,1	32.8 14,9
5 x 5 x 139,7mm 125 x 125 x 125	5.563 x 5.563 x 5.500 141,3 x 141,3 x 139,7	16.50 419,1	16.13 409,7	14.00 355,6	37.6 17,0
5 x 5 x 5 125 x 125 x 125	5.563 x 5.563 x 5.563 141,3 x 141,3 x 141,3	16.50 419,1	16.13 409,7	14.00 355,6	38.8 17,6
159,0mm x 159,0mm x 3 150 x 150 x 80	6.250 x 6.250 x 3.500 159,0 x 159,0 x 88,9	18.50 469,9	15.31 388,9	14.81 376,2	38.2 17,3
159,0mm x 159,0mm x 108,0mm 150 x 150 x 100	6.250 x 6.250 x 4.252 159,0 x 159,0 x 108,0	18.50 469,9	16.25 412,8	15.25 387,4	39.4 17,8
159,0mm x 159,0mm x 4 150 x 150 x 100	6.250 x 6.250 x 4.500 159,0 x 159,0 x 114,3	18.50 469,9	16.25 412,8	15.25 387,4	41.5 18,8





TABLE 14 (1 OF 4)
FIGURE 330 FABRICATED TEE WYES
NOMINAL DIMENSIONS AND APPROXIMATE WEIGHTS



Nominal Pipe Size		H Inches mm	E1 Inches mm	E2 Inches mm	Weight Lbs. kg
ANSI Inches DN	O.D. Inches mm				
159,0mm x 159,0mm x 133,0mm <i>150 x 150 x 125</i>	6.250 x 6.250 x 5.250 <i>159,0 x 159,0 x 133,0</i>	18.50 469,9	17.25 438,2	15.63 396,9	43.2 19,5
159,0mm x 159,0mm x 5 <i>150 x 150 x 125</i>	6.250 x 6.250 x 5.563 <i>159,0 x 159,0 x 141,3</i>	18.50 469,9	17.25 438,2	15.63 396,9	47.3 21,5
159,0mm x 159,0mm x 159,0mm <i>150 x 150 x 150</i>	6.250 x 6.250 x 6.250 <i>159,0 x 159,0 x 159,0</i>	18.50 469,9	18.25 463,6	16.00 406,4	53.5 24,3
165,1mm x 165,1mm x 3 <i>150 x 150 x 80</i>	6.500 x 6.500 x 3.500 <i>165,1 x 165,1 x 88,9</i>	18.50 469,9	15.31 388,9	14.81 376,2	40.0 18,1
165,1mm x 165,1mm x 4 <i>150 x 150 x 100</i>	6.500 x 6.500 x 4.500 <i>165,1 x 165,1 x 114,3</i>	18.50 469,9	16.25 412,8	15.25 387,4	41.8 18,9
165,1mm x 165,1mm x 139,7mm <i>150 x 150 x 125</i>	6.500 x 6.500 x 5.500 <i>165,1 x 165,1 x 139,7</i>	18.50 469,9	17.25 438,2	15.63 396,9	42.8 19,4
165,1mm x 165,1mm x 5 <i>150 x 150 x 125</i>	6.500 x 6.500 x 5.563 <i>165,1 x 165,1 x 141,3</i>	18.50 469,9	17.25 438,2	15.63 396,9	43.6 19,7
165,1mm x 165,1mm x 165,1mm <i>150 x 150 x 150</i>	6.500 x 6.500 x 6.500 <i>165,1 x 165,1 x 165,1</i>	18.50 469,9	18.25 463,6	16.00 406,4	54.2 24,5
6 x 6 x 3 <i>150 x 150 x 80</i>	6.625 x 6.625 x 3.500 <i>168,3 x 168,3 x 88,9</i>	18.50 469,9	15.31 388,9	14.81 376,2	37.9 17,2
6 x 6 x 4 <i>150 x 150 x 100</i>	6.625 x 6.625 x 4.500 <i>168,3 x 168,3 x 114,3</i>	18.50 469,9	16.25 412,8	15.25 387,4	42.5 19,3
6 x 6 x 139,7mm <i>150 x 150 x 125</i>	6.625 x 6.625 x 5.500 <i>168,3 x 168,3 x 139,7</i>	18.50 469,9	17.25 438,2	15.63 396,9	45.6 20,6
6 x 6 x 5 <i>150 x 150 x 125</i>	6.625 x 6.625 x 5.563 <i>168,3 x 168,3 x 141,3</i>	18.50 469,9	17.25 438,2	15.63 396,9	48.5 22,0
6 x 6 x 165,1mm <i>150 x 150 x 150</i>	6.625 x 6.625 x 6.500 <i>168,3 x 168,3 x 165,1</i>	18.50 469,9	18.25 463,6	16.00 406,4	52.3 23,7
6 x 6 x 6 <i>150 x 150 x 150</i>	6.625 x 6.625 x 6.625 <i>168,3 x 168,3 x 168,3</i>	18.50 469,9	18.25 463,6	16.00 406,4	56.3 25,5
216,3mm x 216,3mm x 3 <i>200 x 200 x 80</i>	8.516 x 8.516 x 3.500 <i>216,3 x 216,3 x 88,9</i>	24.00 609,6	18.19 462,0	19.19 487,4	67.3 30,5
216,3mm x 216,3mm x 4 <i>200 x 200 x 100</i>	8.516 x 8.516 x 4.500 <i>216,3 x 216,3 x 114,3</i>	24.00 609,6	19.00 482,6	19.50 495,3	72.3 32,8
216,3mm x 216,3mm x 139,7mm <i>200 x 200 x 125</i>	8.516 x 8.516 x 5.500 <i>216,3 x 216,3 x 139,7</i>	24.00 609,6	20.00 508,0	19.87 504,7	74.2 33,6
216,3mm x 216,3mm x 5 <i>200 x 200 x 125</i>	8.516 x 8.516 x 5.563 <i>216,3 x 216,3 x 141,3</i>	24.00 609,6	20.00 508,0	19.87 504,7	78.8 35,7
216,3mm x 216,3mm x 165,1mm <i>200 x 200 x 150</i>	8.516 x 8.516 x 6.500 <i>216,3 x 216,3 x 165,1</i>	24.00 609,6	21.13 536,7	20.37 517,4	84.9 38,5
216,3mm x 216,3mm x 6 <i>200 x 200 x 150</i>	8.516 x 8.516 x 6.625 <i>216,3 x 216,3 x 168,3</i>	24.00 609,6	21.13 536,7	20.37 517,4	87.4 39,6
216,3mm x 216,3mm x 216,3mm <i>200 x 200 x 200</i>	8.516 x 8.516 x 8.516 <i>216,3 x 216,3 x 216,3</i>	24.00 609,6	23.25 590,6	21.25 539,8	102.2 46,4
8 x 8 x 3 <i>200 x 200 x 80</i>	8.625 x 8.625 x 3.500 <i>219,1 x 219,1 x 88,9</i>	24.00 609,6	18.19 462,0	19.19 487,4	67.3 30,5
8 x 8 x 4 <i>200 x 200 x 100</i>	8.625 x 8.625 x 4.500 <i>219,1 x 219,1 x 114,3</i>	24.00 609,6	19.00 482,6	19.50 495,3	72.3 32,8
8 x 8 x 139,7mm <i>200 x 200 x 125</i>	8.625 x 8.625 x 5.500 <i>219,1 x 219,1 x 139,7</i>	24.00 609,6	20.00 508,0	19.87 504,7	75.2 34,1
8 x 8 x 5 <i>200 x 200 x 125</i>	8.625 x 8.625 x 5.563 <i>219,1 x 219,1 x 141,3</i>	24.00 609,6	20.00 508,0	19.87 504,7	78.8 35,7

TABLE 14 (2 OF 4)
FIGURE 330 FABRICATED TEE WYES
NOMINAL DIMENSIONS AND APPROXIMATE WEIGHTS

Nominal Pipe Size		H Inches mm	E1 Inches mm	E2 Inches mm	Weight Lbs. kg
ANSI Inches DN	O.D. Inches mm				
8 x 8 x 165,1mm 200 x 200 x 150	8.625 x 8.625 x 6.500 219,1 x 219,1 x 165,1	24.00 609,6	21.13 536,7	20.37 517,4	85.2 38,6
8 x 8 x 6 200 x 200 x 150	8.625 x 8.625 x 6.625 219,1 x 219,1 x 168,3	24.00 609,6	21.13 536,7	20.37 517,4	87.4 39,6
8 x 8 x 216,3mm 200 x 200 x 200	8.625 x 8.625 x 8.516 219,1 x 219,1 x 216,3	24.00 609,6	23.25 590,6	21.25 539,8	106.7 48,4
8 x 8 x 8 200 x 200 x 200	8.625 x 8.625 x 8.625 219,1 x 219,1 x 219,1	24.00 609,6	23.25 590,6	21.25 539,8	109.0 49,4
267,4mm x 267,4mm x 3 250 x 250 x 80	10.528 x 10.528 x 3.500 267,4 x 267,4 x 88,9	27.00 685,8	19.88 505,0	21.38 543,1	106.7 48,4
267,4mm x 267,4mm x 4 250 x 250 x 100	10.528 x 10.528 x 4.500 267,4 x 267,4 x 114,3	27.00 685,8	20.75 527,1	21.75 552,5	111.8 50,7
267,4mm x 267,4mm x 139,7mm 250 x 250 x 125	10.528 x 10.528 x 5.500 267,4 x 267,4 x 139,7	27.00 685,8	21.88 555,8	22.25 565,2	112.7 51,1
267,4mm x 267,4mm x 5 250 x 250 x 125	10.528 x 10.528 x 5.563 267,4 x 267,4 x 141,3	27.00 685,8	21.88 555,8	22.25 565,2	113.6 51,5
267,4mm x 267,4mm x 165,1mm 250 x 250 x 150	10.528 x 10.528 x 6.500 267,4 x 267,4 x 165,1	27.00 685,8	22.88 581,2	22.63 574,7	147.3 66,8
267,4mm x 267,4mm x 6 250 x 250 x 150	10.528 x 10.528 x 6.625 267,4 x 267,4 x 168,3	27.00 685,8	22.88 581,2	22.63 574,7	151.1 68,5
267,4mm x 267,4mm x 216,3mm 250 x 250 x 200	10.528 x 10.528 x 8.516 267,4 x 267,4 x 216,3	27.00 685,8	27.25 692,2	25.75 654,1	167.8 76,1
267,4mm x 267,4mm x 8 250 x 250 x 200	10.528 x 10.528 x 8.625 267,4 x 267,4 x 219,1	27.00 685,8	27.25 692,2	25.75 654,1	175.1 79,4
267,4mm x 267,4mm x 267,4mm 250 x 250 x 250	10.528 x 10.528 x 10.750 267,4 x 267,4 x 273,0	27.00 685,8	27.25 692,2	24.38 619,1	184.4 83,6
10 x 10 x 3 250 x 250 x 80	10.750 x 10.750 x 3.500 273,0 x 273,0 x 88,9	27.00 685,8	19.88 505,0	21.38 543,1	101.7 46,1
10 x 10 x 4 250 x 250 x 100	10.750 x 10.750 x 4.500 273,0 x 273,0 x 114,3	27.00 685,8	20.75 527,1	21.75 552,5	106.9 48,5
10 x 10 x 139,7mm 250 x 250 x 125	10.750 x 10.750 x 5.500 273,0 x 273,0 x 139,7	27.00 685,8	21.88 555,8	22.25 565,2	108.7 49,3
10 x 10 x 5 250 x 250 x 125	10.750 x 10.750 x 5.563 273,0 x 273,0 x 141,3	27.00 685,8	21.88 555,8	22.25 565,2	113.8 51,6
10 x 10 x 165,1mm 250 x 250 x 150	10.750 x 10.750 x 6.500 273,0 x 273,0 x 165,1	27.00 685,8	22.88 581,2	22.63 574,7	118.7 53,8
10 x 10 x 6 250 x 250 x 150	10.750 x 10.750 x 6.625 273,0 x 273,0 x 168,3	27.00 685,8	22.88 581,2	22.63 574,7	122.1 55,4
10 x 10 x 216,3mm 250 x 250 x 200	10.750 x 10.750 x 8.516 273,0 x 273,0 x 216,3	27.00 685,8	27.25 692,2	25.75 654,1	147.6 67,0
10 x 10 x 8 250 x 250 x 200	10.750 x 10.750 x 8.626 273,0 x 273,0 x 219,1	27.00 685,8	27.25 692,2	25.75 654,1	151.1 68,5
10 x 10 x 267,4mm 250 x 250 x 250	10.750 x 10.750 x 10.528 273,0 x 273,0 x 267,4	27.00 685,8	27.25 692,2	24.38 619,1	171.8 77,9
10 x 10 x 10 250 x 250 x 250	10.750 x 10.750 x 10.750 273,0 x 273,0 x 273,0	27.00 685,8	27.25 692,2	24.38 619,1	175.1 79,4
318,5mm x 318,5mm x 3 300 x 300 x 80	12.539 x 12.539 x 3.500 318,5 x 318,5 x 88,9	30.00 762,0	22.75 577,9	20.75 527,1	132.2 60,0
318,5mm x 318,5mm x 4 300 x 300 x 100	12.539 x 12.539 x 4.500 318,5 x 318,5 x 114,3	30.00 762,0	21.50 546,1	23.00 584,2	134.6 61,1





TABLE 14 (3 OF 4)
FIGURE 330 FABRICATED TEE WYES
NOMINAL DIMENSIONS AND APPROXIMATE WEIGHTS



Nominal Pipe Size		H Inches mm	E1 Inches mm	E2 Inches mm	Weight Lbs. kg
ANSI Inches DN	O.D. Inches mm				
318,5mm x 318,5mm x 165,1mm <i>300 x 300 x 150</i>	12.539 x 12.539 x 6.500 <i>318,5 x 318,5 x 165,1</i>	30,00 <i>762,0</i>	23.75 <i>603,3</i>	24.00 <i>609,6</i>	150.7 <i>68,4</i>
318,5mm x 318,5mm x 6 <i>300 x 300 x 150</i>	12.539 x 12.539 x 6.625 <i>318,5 x 318,5 x 168,3</i>	30,00 <i>762,0</i>	23.75 <i>603,3</i>	24.00 <i>609,6</i>	152.7 <i>69,3</i>
318,5mm x 318,5mm x 216,3mm <i>300 x 300 x 200</i>	12.539 x 12.539 x 8.516 <i>318,5 x 318,5 x 216,3</i>	30,00 <i>762,0</i>	26.00 <i>660,4</i>	25.00 <i>635,0</i>	171.6 <i>77,8</i>
318,5mm x 318,5mm x 8 <i>300 x 300 x 200</i>	12.539 x 12.539 x 8.625 <i>318,5 x 318,5 x 219,1</i>	30,00 <i>762,0</i>	26.00 <i>660,4</i>	25.00 <i>635,0</i>	174.1 <i>78,9</i>
318,5mm x 318,5mm x 267,4mm <i>300 x 300 x 250</i>	12.539 x 12.539 x 10.528 <i>318,5 x 318,5 x 267,4</i>	30,00 <i>762,0</i>	28.00 <i>711,2</i>	25.75 <i>654,1</i>	234.5 <i>106,4</i>
318,5mm x 318,5mm x 10 <i>300 x 300 x 250</i>	12.539 x 12.539 x 10.750 <i>318,5 x 318,5 x 273,0</i>	30,00 <i>762,0</i>	28.00 <i>711,2</i>	25.75 <i>654,1</i>	238.7 <i>108,3</i>
318,5mm x 318,5mm x 318,5mm <i>300 x 300 x 300</i>	12.539 x 12.539 x 12.539 <i>318,5 x 318,5 x 318,5</i>	30,00 <i>762,0</i>	31.00 <i>787,4</i>	27.50 <i>698,5</i>	232.1 <i>105,3</i>
12 x 12 x 3 <i>300 x 300 x 80</i>	12.750 x 12.750 x 3.500 <i>323,9 x 323,9 x 88,9</i>	30,00 <i>762,0</i>	22.75 <i>577,9</i>	20.75 <i>527,1</i>	134.5 <i>61,0</i>
12 x 12 x 4 <i>300 x 300 x 100</i>	12.750 x 12.750 x 4.500 <i>323,9 x 323,9 x 114,3</i>	30,00 <i>762,0</i>	21.50 <i>546,1</i>	23.00 <i>584,2</i>	139.4 <i>63,2</i>
12 x 12 x 165,1mm <i>300 x 300 x 150</i>	12.750 x 12.750 x 6.500 <i>323,9 x 323,9 x 165,1</i>	30,00 <i>762,0</i>	23.75 <i>603,3</i>	24.00 <i>609,6</i>	145.7 <i>66,1</i>
12 x 12 x 6 <i>300 x 300 x 150</i>	12.750 x 12.750 x 6.625 <i>323,9 x 323,9 x 168,3</i>	30,00 <i>762,0</i>	23.75 <i>603,3</i>	24.00 <i>609,6</i>	154.5 <i>70,0</i>
12 x 12 x 216,3mm <i>300 x 300 x 200</i>	12.750 x 12.750 x 8.516 <i>323,9 x 323,9 x 216,3</i>	30,00 <i>762,0</i>	26.00 <i>660,4</i>	25.00 <i>635,0</i>	166.7 <i>75,6</i>
12 x 12 x 8 <i>300 x 300 x 200</i>	12.750 x 12.750 x 8.625 <i>323,9 x 323,9 x 219,1</i>	30,00 <i>762,0</i>	26.00 <i>660,4</i>	25.00 <i>635,0</i>	175.8 <i>79,7</i>
12 x 12 x 267,4mm <i>300 x 300 x 250</i>	12.750 x 12.750 x 10.528 <i>323,9 x 323,9 x 267,4</i>	30,00 <i>762,0</i>	28.00 <i>711,2</i>	25.75 <i>654,1</i>	184.1 <i>83,5</i>
12 x 12 x 10 <i>300 x 300 x 250</i>	12.750 x 12.750 x 10.750 <i>323,9 x 323,9 x 273,0</i>	30,00 <i>762,0</i>	28.00 <i>711,2</i>	25.75 <i>654,1</i>	205.4 <i>93,2</i>
12 x 12 x 318,5mm <i>300 x 300 x 300</i>	12.750 x 12.750 x 12.539 <i>323,9 x 323,9 x 318,5</i>	30,00 <i>762,0</i>	31.00 <i>787,4</i>	27.50 <i>698,5</i>	228.7 <i>103,7</i>
12 x 12 x 12 <i>300 x 300 x 300</i>	12.750 x 12.750 x 12.750 <i>323,9 x 323,9 x 323,9</i>	30,00 <i>762,0</i>	31.00 <i>787,4</i>	27.50 <i>698,5</i>	240.1 <i>108,9</i>

TABLE 14 (4 OF 4)
FIGURE 330 FABRICATED TEE WYES
NOMINAL DIMENSIONS AND APPROXIMATE WEIGHTS

Nominal Pipe Size		H Inches mm	E1 Inches mm	E2 Inches mm	Weight Lbs. kg
ANSI Inches DN	O.D. Inches mm				
108,0mm x 3 x 3 100 x 80 x 80	4.252 x 3.500 x 3.500 108,0 x 88,9 x 88,9	9.01 228,9	10.75 273,0	7.25 184,2	13.5 6,1
108,0mm x 3 x 108,0mm 100 x 80 x 100	4.252 x 3.500 x 4.252 108,0 x 88,9 x 108,0	9.01 228,9	10.75 273,0	7.25 184,2	14.0 6,4
4 x 3 x 3 100 x 80 x 80	4.500 x 3.500 x 3.500 114,3 x 88,9 x 88,9	9.00 228,6	10.75 273,0	7.25 143,0	13.7 6,2
4 x 3 x 108,0mm 100 x 80 x 100	4.500 x 3.500 x 4.252 114,3 x 88,9 x 108,0	14.25 362,0	13.63 346,2	11.87 301,5	13.9 6,3
4 x 3 x 4 100 x 80 x 100	4.500 x 3.500 x 4.500 114,3 x 88,9 x 114,3	14.25 362,0	13.63 346,2	11.87 301,5	24.5 11,1
133,0mm x 3 x 3 125 x 80 x 80	5.250 x 3.500 x 3.500 133,0 x 88,9 x 88,9	11.00 279,5	11.50 292,1	7.71 195,8	19.0 8,6
133,0mm x 3 x 133,0mm 125 x 80 x 125	5.250 x 3.500 x 5.250 133,0 x 88,9 x 133,0	16.50 419,1	16.13 409,7	13.95 354,3	19.7 8,9
133,0mm x 4 x 3 125 x 100 x 80	5.250 x 4.500 x 3.500 133,0 x 114,3 x 88,9	11.00 279,4	11.88 301,9	8.71 221,2	19.5 8,8
133,0mm x 108,0mm x 3 125 x 100 x 80	5.250 x 4.252 x 3.500 133,0 x 108,0 x 88,9	11.00 279,4	11.88 301,9	8.71 221,2	19.5 8,8
133,0mm x 4 x 4 125 x 100 x 100	5.250 x 4.500 x 4.500 133,0 x 114,3 x 114,3	11.00 279,4	12.75 323,9	9.00 228,6	23.1 10,5
133,0mm x 108,0mm x 108,0mm 125 x 100 x 100	5.250 x 4.252 x 4.252 133,0 x 108,0 x 108,0	11.00 279,4	12.75 323,9	9.00 228,6	23.0 10,4
133,0mm x 108,0mm x 4 125 x 100 x 100	5.250 x 4.252 x 4.500 133,0 x 108,0 x 114,3	11.00 279,4	12.75 323,9	9.00 228,6	23.3 10,6
133,0mm x 4 x 108,0mm 125 x 100 x 100	5.250 x 4.500 x 4.252 133,0 x 114,3 x 108,0	11.00 279,4	12.75 323,9	9.00 228,6	18.8 8,5
139,7mm x 3 x 3 125 x 80 x 80	5.500 x 3.500 x 3.500 139,7 x 88,9 x 88,9	11.00 279,4	11.50 292,1	7.71 195,8	19.0 8,6
139,7mm x 3 x 139,7mm 125 x 80 x 125	5.500 x 3.500 x 5.500 139,7 x 88,9 x 139,7	16.50 419,1	16.13 409,7	13.95 354,3	19.7 8,9
139,7mm x 4 x 3 125 x 100 x 80	5.500 x 4.500 x 3.500 139,7 x 114,3 x 88,9	11.00 279,4	11.88 301,9	8.71 221,2	19.5 8,8
139,7mm x 4 x 4 125 x 100 x 100	5.500 x 4.500 x 4.500 139,7 x 114,3 x 114,3	11.00 279,4	12.75 323,9	9.00 228,6	23.0 10,4
5 x 3 x 3 125 x 80 x 80	5.563 x 3.500 x 3.500 141,3 x 88,9 x 88,9	11.00 279,4	11.50 292,1	7.71 195,8	19.0 8,6
5 x 3 x 133,0mm 125 x 80 x 125	5.563 x 3.500 x 5.250 141,3 x 88,9 x 133,0	16.50 419,1	16.13 409,7	13.95 254,0	19.7 8,9
5 x 3 x 139,7mm 125 x 80 x 125	5.563 x 3.500 x 5.500 141,3 x 88,9 x 139,7	16.50 419,1	16.13 409,7	13.95 254,0	19.9 9,0
5 x 3 x 5 125 x 80 x 125	5.563 x 3.500 x 5.563 141,3 x 88,9 x 141,3	16.50 419,1	16.13 409,7	13.95 254,0	38.5 17,5
5 x 4 x 3 125 x 100 x 80	5.563 x 4.500 x 3.500 141,3 x 114,3 x 88,9	11.00 279,4	11.88 301,9	8.71 221,2	19.5 8,8
5 x 4 x 4 125 x 100 x 100	5.563 x 4.500 x 4.500 141,3 x 114,3 x 114,3	11.00 279,4	12.75 323,9	9.00 228,6	23.1 10,5
159,0mm x 4 x 159,0mm 150 x 100 x 150	6.250 x 4.500 x 6.250 159,0 x 114,3 x 159,0	18.50 469,9	18.25 463,6	13.75 349,3	54.1 24,5
159,0mm x 108,0mm x 159,0mm 150 x 100 x 150	6.250 x 4.252 x 6.250 159,0 x 108,0 x 159,0	18.50 469,9	18.25 463,6	13.75 349,3	56.2 25,5





TABLE 15 (1 OF 2)
FIGURE 331 FABRICATED REDUCING TEE WYES
NOMINAL DIMENSIONS AND APPROXIMATE WEIGHTS



Nominal Pipe Size		H Inches mm	E1 Inches mm	E2 Inches mm	Weight Lbs. kg
ANSI Inches DN	O.D. Inches mm				
159,0mm x 133,0mm x 108,0mm <i>150 x 125 x 100</i>	6.250 x 5.250 x 4.252 <i>159,0 x 133,0 x 108,0</i>	12.00 304,9	13.88 352,5	9.63 244,6	55.1 25,0
159,0mm x 5 x 3 <i>150 x 125 x 80</i>	6.250 x 5.563 x 3.500 <i>159,0 x 141,3 x 88,9</i>	12.00 304,9	13.00 330,2	9.25 235,0	45.6 20,7
159,0mm x 5 x 4 <i>150 x 125 x 100</i>	6.250 x 5.563 x 4.500 <i>159,0 x 141,3 x 114,3</i>	12.00 304,9	13.88 352,6	9.62 244,3	55.0 24,9
159,0mm x 5 x 108,0mm <i>150 x 125 x 100</i>	6.250 x 5.563 x 4.252 <i>159,0 x 141,3 x 108,0</i>	12.00 304,9	13.88 352,6	9.62 244,3	54.0 24,5
165,1mm x 4 x 165,1mm <i>150 x 100 x 150</i>	6.250 x 4.500 x 6.250 <i>159,0 x 114,3 x 159,0</i>	18.50 469,9	18.25 463,6	13.75 349,3	56.2 25,5
165,1mm x 139,7mm x 3 <i>150 x 125 x 80</i>	6.250 x 5.500 x 3.500 <i>159,0 x 139,7 x 88,9</i>	12.00 304,9	13.00 330,2	9.25 235,0	45.6 20,7
165,1mm x 139,7mm x 4 <i>150 x 125 x 100</i>	6.250 x 5.500 x 4.500 <i>159,0 x 139,7 x 114,3</i>	12.00 304,9	13.88 352,5	9.63 244,6	54.0 24,5
165,1mm x 5 x 3 <i>150 x 125 x 80</i>	6.500 x 5.563 x 3.500 <i>165,1 x 141,3 x 88,9</i>	12.00 304,9	13.00 330,2	9.25 235,0	45.6 20,7
165,1mm x 5 x 4 <i>150 x 125 x 100</i>	6.500 x 5.563 x 4.500 <i>165,1 x 141,3 x 114,3</i>	12.00 304,9	13.88 352,6	9.62 244,3	54.0 24,5
6 x 4 x 165,1mm <i>150 x 100 x 150</i>	6.625 x 4.500 x 6.500 <i>168,3 x 114,3 x 165,1</i>	18.50 469,9	18.25 463,6	13.75 349,3	56.2 25,5
6 x 4 x 6 <i>150 x 100 x 150</i>	6.625 x 4.500 x 6.625 <i>168,3 x 114,3 x 168,3</i>	18.50 469,9	18.25 463,6	13.75 349,3	56.2 25,5
6 x 139,7mm x 3 <i>150 x 125 x 80</i>	6.625 x 5.500 x 3.500 <i>168,3 x 139,7 x 88,9</i>	12.00 304,9	13.00 330,2	9.25 235,0	25.0 11,3
6 x 5 x 3 <i>150 x 125 x 80</i>	6.625 x 5.563 x 3.500 <i>168,3 x 141,3 x 88,9</i>	12.00 304,9	13.00 330,2	9.25 235,0	25.6 11,6
6 x 5 x 4 <i>150 x 125 x 100</i>	6.625 x 5.563 x 4.500 <i>168,3 x 141,3 x 114,3</i>	12.00 304,9	13.88 352,6	9.62 244,3	29.3 13,3
216,3mm x 6 x 4 <i>200 x 150 x 100</i>	8.516 x 6.625 x 4.500 <i>216,3 x 168,3 x 114,3</i>	13.00 330,2	14.75 374,7	10.25 260,3	42.1 19,0
216,3mm x 6 x 216,3mm <i>200 x 150 x 200</i>	8.516 x 6.625 x 8.516 <i>216,3 x 168,3 x 216,3</i>	24.00 609,6	23.25 590,5	21.25 539,7	107.0 48,5
216,3mm x 165,1mm x 4 <i>200 x 150 x 100</i>	8.516 x 4.500 x 4.500 <i>216,3 x 114,3 x 114,3</i>	13.00 330,2	14.75 374,7	10.25 260,3	44.0 20,0
216,3mm x 165,1mm x 216,3mm <i>200 x 150 x 200</i>	8.516 x 4.500 x 8.516 <i>216,3 x 114,3 x 216,3</i>	24.00 609,6	23.25 590,5	21.25 539,7	107.0 48,5
8 x 6 x 4 <i>200 x 150 x 100</i>	8.625 x 6.625 x 4.500 <i>219,1 x 168,3 x 114,3</i>	13.00 330,2	14.75 374,7	10.25 260,3	40.2 18,2
8 x 6 x 8 <i>200 x 150 x 200</i>	8.625 x 6.625 x 8.625 <i>219,1 x 168,3 x 219,1</i>	24.00 609,6	23.25 590,6	21.25 539,8	108.6 49,3
8 x 165,1mm x 4 <i>200 x 150 x 100</i>	8.625 x 4.500 x 4.500 <i>219,1 x 114,3 x 114,3</i>	13.00 330,2	14.75 374,7	10.25 260,3	44.0 20,0
8 x 165,1mm x 8 <i>200 x 150 x 200</i>	8.625 x 4.500 x 8.625 <i>219,1 x 114,3 x 219,1</i>	24.00 609,6	23.25 590,6	21.25 539,8	106.0 48,0

TABLE 15 (2 OF 2)
FIGURE 331 FABRICATED REDUCING TEE WYES
NOMINAL DIMENSIONS AND APPROXIMATE WEIGHTS

Nominal Pipe Size		E to E Inches mm	Weight Lbs. kg
ANSI Inches DN	O.D. Inches mm		
1-1/2 x 1 40 x 25	1.900 x 1.315 48,3 x 33,7	2.50 63,5	0.6 0,3
2 x 3/4 50 x 20	2.375 x 1.050 60,3 x 26,7	2.50 63,5	1.0 0,5
2 x 1 50 x 25	2.375 x 1.315 60,3 x 33,4	2.50 63,5	0.8 0,4
2 x 1-1/4 50 x 32	2.375 x 1.660 60,3 x 42,4	2.50 63,5	0.8 0,4
2 x 1-1/2 50 x 40	2.375 x 1.900 60,3 x 48,3	2.50 63,5	0.8 0,4
2-1/2 x 1-1/4 65 x 32	2.874 x 1.660 73,0 x 42,4	2.50 63,5	1.0 0,5
2-1/2 x 1-1/2 65 x 40	2.874 x 1.900 73,0 x 48,3	2.50 63,5	1.3 0,6
2-1/2 x 2 65 x 50	2.874 x 2.375 73,0 x 60,3	2.50 63,5	1.4 0,6
76,1mm x 1-1/4 65 x 32	3.000 x 1.660 76,1 x 42,4	2.50 63,5	1.0 0,5
76,1mm x 1-1/2 65 x 40	3.000 x 1.900 76,1 x 48,3	2.50 63,5	1.3 0,6
76,1mm x 2 65 x 50	3.000 x 2.375 76,1 x 60,3	2.50 63,5	1.4 0,6
3 x 1 80 x 25	3.500 x 1.315 88,9 x 33,4	2.50 63,5	1.8 0,8
3 x 1-1/4 80 x 32	3.500 x 1.660 88,9 x 42,4	2.50 63,5	1.8 0,8
3 x 1-1/2 80 x 40	3.500 x 1.900 88,9 x 48,3	2.50 63,5	1.9 0,9
3 x 2 80 x 50	3.500 x 2.375 88,9 x 60,3	2.50 63,5	1.9 0,9
3 x 2-1/2 80 x 65	3.500 x 2.874 88,9 x 73,0	2.50 63,5	2.2 1,0
3 x 76,1mm 80 x 65	3.500 x 3.000 88,9 x 76,1	2.50 63,5	2.2 1,0
108,0mm x 1 100 x 25	4.252 x 1.315 108,0 x 33,4	3.00 76,2	2.6 1,2
108,0mm x 1-1/4 100 x 32	4.252 x 1.660 108,0 x 42,4	3.00 76,2	2.6 1,2
108,0mm x 1-1/2 100 x 40	4.252 x 1.900 108,0 x 48,3	3.00 76,2	2.6 1,2
108,0mm x 2 100 x 50	4.252 x 2.375 108,0 x 60,3	3.00 76,2	2.7 1,2
108,0mm x 2-1/2 100 x 65	4.252 x 2.874 108,0 x 73,0	3.00 76,2	2.7 1,2
108,0mm x 76,1mm 100 x 65	4.252 x 3.000 108,0 x 76,1	3.00 76,2	2.7 1,2
108,0mm x 3 100 x 80	4.252 x 3.500 108,0 x 88,9	3.00 76,2	2.8 1,3
4 x 1 100 x 25	4.500 x 1.315 114,3 x 33,4	3.00 76,2	2.9 1,3





TABLE 16 (1 OF 3)
FIGURE 372 FABRICATED CONCENTRIC REDUCER GROOVE X MALE THREAD
NOMINAL DIMENSIONS AND APPROXIMATE WEIGHTS



Nominal Pipe Size		E to E Inches mm	Weight Lbs. kg
ANSI Inches DN	O.D. Inches mm		
4 x 1-1/4 100 x 32	4.500 x 1.660 114,3 x 42,4	3.00 76,2	2.9 1,3
4 x 1-1/2 100 x 40	4.500 x 1.900 114,3 x 48,3	3.00 76,2	2.9 1,3
4 x 2 100 x 50	4.500 x 2.375 114,3 x 60,3	3.00 76,2	2.9 1,3
4 x 2-1/2 100 x 65	4.500 x 2.874 114,3 x 73,0	3.00 76,2	3.0 1,4
4 x 76,1mm 100 x 65	4.500 x 3.000 114,3 x 76,1	3.00 76,2	3.0 1,4
4 x 3 100 x 80	4.500 x 3.500 114,3 x 88,9	3.00 76,2	3.2 1,5
133,0mm x 76,1mm 125 x 65	5.250 x 3.000 133,0 x 76,1	3.50 88,9	4.3 1,9
133,0mm x 3 125 x 80	5.250 x 3.500 133,0 x 88,9	3.50 88,9	4.3 1,9
133,0mm x 4 125 x 100	5.250 x 4.500 133,0 x 114,3	3.50 88,9	4.4 2,0
139,7mm x 76,1mm 125 x 65	5.500 x 3.000 139,7 x 76,1	3.50 88,9	4.4 2,0
139,7mm x 3 125 x 80	5.500 x 3.500 139,7 x 88,9	3.50 88,9	4.4 2,0
139,7mm x 4 125 x 100	5.500 x 4.500 139,7 x 114,3	3.50 88,9	4.5 2,0
5 x 76,1mm 125 x 65	5.563 x 3.000 141,3 x 76,1	3.50 88,9	4.3 1,9
5 x 3 125 x 80	5.563 x 3.500 141,3 x 88,9	3.50 88,9	4.4 2,0
5 x 4 125 x 100	5.563 x 4.500 141,3 x 114,3	3.50 88,9	4.5 2,0
159,0mm x 1 150 x 25	6.250 x 1.315 159,0 x 33,4	4.00 101,6	5.2 2,4
159,0mm x 2 150 x 50	6.250 x 2.375 159,0 x 60,3	4.00 101,6	5.6 2,5
159,0mm x 76,1mm 150 x 65	6.250 x 3.000 159,0 x 76,1	4.00 101,6	5.6 2,5
159,0mm x 3 150 x 80	6.250 x 3.500 159,0 x 88,9	4.00 101,6	5.8 2,6
159,0mm x 4 150 x 100	6.250 x 4.500 159,0 x 114,3	4.00 101,6	6.0 2,7
159,0mm x 5 150 x 125	6.250 x 5.563 159,0 x 141,3	4.00 101,6	6.2 2,8
165,1mm x 1 150 x 25	6.500 x 1.315 165,1 x 33,4	4.00 101,6	5.6 2,5
165,1mm x 2 150 x 50	6.500 x 2.375 165,1 x 60,3	4.00 101,6	5.8 2,6
165,1mm x 76,1mm 150 x 65	6.500 x 3.000 165,1 x 76,1	4.00 101,6	6.0 2,7
165,1mm x 3 150 x 80	6.500 x 3.500 165,1 x 88,9	4.00 101,6	6.0 2,7

**TABLE 16 (2 OF 3)
FIGURE 372 FABRICATED CONCENTRIC REDUCER GROOVE X MALE THREAD
NOMINAL DIMENSIONS AND APPROXIMATE WEIGHTS**

Nominal Pipe Size		E to E Inches mm	Weight Lbs. kg
ANSI Inches DN	O.D. Inches mm		
165,1mm x 4 150 x 100	6.500 x 4.500 165,1 x 114,3	4.00 101,6	6.3 2,8
165,1mm x 5 150 x 125	6.500 x 5.563 165,1 x 141,3	4.00 101,6	6.5 2,9
6 x 1 150 x 25	6.625 x 1.315 168,3 x 33,4	4.00 101,6	5.2 2,4
6 x 2 150 x 50	6.625 x 2.375 168,3 x 60,3	4.00 101,6	6.0 2,7
6 x 76,1mm 150 x 65	6.625 x 3.000 168,3 x 76,1	4.00 101,6	6.0 2,7
6 x 3 150 x 80	6.625 x 3.500 168,3 x 88,9	4.00 101,6	6.0 2,7
6 x 4 150 x 100	6.625 x 4.500 168,3 x 114,3	4.00 101,6	6.3 2,8
6 x 5 150 x 125	6.625 x 5.563 168,3 x 141,3	4.00 101,6	6.5 2,9




TABLE 16 (3 OF 3)
FIGURE 372 FABRICATED CONCENTRIC REDUCER GROOVE X MALE THREAD
NOMINAL DIMENSIONS AND APPROXIMATE WEIGHTS

Nominal Pipe Size		E to E Inches mm	Weight Lbs. kg
ANSI Inches DN	O.D. Inches mm		
1 25	1.315 33,4	2.06 52,4	0.7 0,3
1-1/4 32	1.660 42,4	2.31 58,7	1.4 0,6
1-1/2 40	1.900 48,3	2.31 58,7	1.5 0,7
2 50	2.375 60,3	2.50 63,5	1.6 0,7
2-1/2 65	2.874 73,0	2.75 69,8	1.9 0,9
76,1mm 65	3.000 76,1	2.50 63,5	2.0 0,9
3 80	3.500 88,9	2.75 69,9	2.5 1,1
108,0mm 100	4.252 108,0	3.25 82,5	4.2 1,9
4 100	4.500 114,3	3.25 82,5	4.5 2,0






TABLE 17
FIGURE 380 FABRICATED ADAPTER NIPPLE GROOVE X FEMALE THREAD
NOMINAL DIMENSIONS AND APPROXIMATE WEIGHTS



**FIGURE 227
CAST CROSS**




**FIGURE 327
FABRICATED CROSS**

Nominal Pipe Size		Figure 227 Cast Cross		Figure 327 Fabricated Cross	
ANSI Inches DN	O.D. Inches mm	C to E Inches mm	Weight Lbs. kg	C to E Inches mm	Weight Lbs. kg
1 25	1.315 33,4	2.25 57,2	1.9 0,9	2.25 57,2	1.9 0,9
1-1/4 32	1.660 42,4	2.75 69,9	2.2 1,0	2.75 69,9	2.2 1,0
1-1/2 40	1.900 48,3	2.75 69,9	2.5 1,1	2.75 69,9	2.5 1,1
2 50	2.375 60,3	3.25 82,6	3.7 1,7	3.25 82,6	3.7 1,7
2-1/2 65	2.874 73,0	3.75 95,3	5.8 2,6	3.75 95,3	5.8 2,6
76,1mm 65	3.000 76,1	3.75 95,3	6.0 2,7	3.75 95,3	6.0 2,7
3 80	3.500 88,9	4.25 108,0	8.6 3,9	4.25 108,0	8.6 3,9
108,0mm 100	4.252 108,0	—	—	5.00 127,0	19.6 8,9
4 100	4.500 114,3	5.00 127,0	20.7 9,4	5.00 127,0	20.7 9,4
133,0mm 125	5.250 133,0	—	—	5.50 139,7	18.2 8,3
139,7mm 125	5.500 139,7	—	—	5.50 139,7	18.4 8,3
5 125	5.563 141,3	5.50 139,7	18.5 8,4	5.50 139,7	18.5 8,4
159,0mm 150	6.250 159,0	—	—	6.50 165,1	17.8 8,1
165,1mm 150	6.500 165,1	6.50 165,1	18.5 8,4	6.50 165,1	18.5 8,4
6 150	6.625 168,3	6.50 165,1	27.3 12,4	6.50 165,1	27.3 12,4
216,3mm 200	8.516 216,3	—	—	7.75 196,9	47.6 21,6
8 200	8.625 219,1	7.75 196,9	48.0 21,7	7.75 196,9	48.0 21,7
267,4mm 250	10.528 267,4	—	—	9.00 228,6	74.1 33,6
10 250	10.750 273,0	9.00 228,6	75.0 34,0	9.00 228,6	75.0 34,0
318,5mm 300	12.539 318,5	—	—	10.00 254,0	94.8 43,0
12 300	12.750 323,9	10.00 254,0	95.8 43,4	10.00 254,0	95.8 43,4
14 350	14.000 355,6	—	—	11.00 279,4	136.8 62,0
16 400	16.000 406,4	—	—	12.00 304,8	167.3 75,9
18 450	18.000 457,2	—	—	15.50 393,7	259.5 117,7
20 500	20.000 508,0	—	—	17.25 438,2	321.7 145,9
24 600	24.000 609,6	—	—	20.00 508,0	442.7 200,8


**TABLE 18
FIGURES 227 AND 327
CAST AND FABRICATED CROSSES
NOMINAL DIMENSIONS AND APPROXIMATE WEIGHTS**

Nominal Pipe Size		C to E Inches mm	Weight Lbs. kg
ANSI Inches DN	O.D. Inches mm		
2 x 2 x 1 50 x 50 x 25	2.375 x 2.375 x 1.315 60,3 x 60,3 x 33,4	3.25 82,6	2.2 1,0
2 x 2 x 1-1/4 50 x 50 x 32	2.375 x 2.375 x 1.660 60,3 x 60,3 x 42,4	3.25 82,6	2.3 1,0
2 x 2 x 1-1/2 50 x 50 x 40	2.375 x 2.375 x 1.900 60,3 x 60,3 x 48,3	3.25 82,6	1.4 1,1
2-1/2 x 2-1/2 x 1 65 x 65 x 25	2.874 x 2.874 x 1.315 73,0 x 73,0 x 33,4	3.75 95,3	3.6 1,6
2-1/2 x 2-1/2 x 1-1/4 65 x 65 x 32	2.874 x 2.874 x 1.660 73,0 x 73,0 x 42,4	3.75 95,3	3.8 1,7
2-1/2 x 2-1/2 x 1-1/2 65 x 65 x 40	2.874 x 2.874 x 1.900 73,0 x 73,0 x 48,3	3.75 95,3	4.0 1,8
2-1/2 x 2-1/2 x 2 65 x 65 x 50	2.874 x 2.874 x 2.375 73,0 x 73,0 x 60,3	3.75 95,3	4.2 1,9
76,1mm x 76,1mm x 1 65 x 65 x 25	3.000 x 3.000 x 1.315 76,1 x 76,1 x 33,4	3.75 95,3	3.7 1,7
76,1mm x 76,1mm x 1-1/4 65 x 65 x 32	3.000 x 3.000 x 1.660 76,1 x 76,1 x 42,4	3.75 95,3	3.9 1,8
76,1mm x 76,1mm x 1-1/2 65 x 65 x 40	3.000 x 3.000 x 1.900 76,1 x 76,1 x 48,3	3.75 95,3	4.1 1,9
76,1mm x 76,1mm x 2 65 x 65 x 50	3.000 x 3.000 x 2.375 76,1 x 76,1 x 60,3	3.75 95,3	4.4 2,0
3 x 3 x 1 80 x 80 x 25	3.500 x 3.500 x 1.315 88,9 x 88,9 x 33,4	4.25 108,0	5.7 2,6
3 x 3 x 1-1/2 80 x 80 x 40	3.500 x 3.500 x 1.900 88,9 x 88,9 x 48,3	4.25 108,0	5.8 2,6
3 x 3 x 2 80 x 80 x 50	3.500 x 3.500 x 2.375 88,9 x 88,9 x 60,3	4.25 108,0	5.9 2,7
3 x 3 x 2-1/2 80 x 80 x 65	3.500 x 3.500 x 2.874 88,9 x 88,9 x 73,0	4.25 108,0	6.3 2,9
3 x 3 x 76,1mm 80 x 80 x 65	3.500 x 3.500 x 3.000 88,9 x 88,9 x 76,1	4.25 108,0	6.4 2,9
108,0mm x 108,0mm x 1 100 x 100 x 25	4.252 x 4.252 x 1.315 108,0 x 108,0 x 33,4	5.00 127,0	6.8 3,1
108,0mm x 108,0mm x 1-1/4 100 x 100 x 32	4.252 x 4.252 x 1.660 108,0 x 108,0 x 42,4	5.00 127,0	7.5 3,4
108,0mm x 108,0mm x 1-1/2 100 x 100 x 40	4.252 x 4.252 x 1.900 108,0 x 108,0 x 48,3	5.00 127,0	8.2 3,7
108,0mm x 108,0mm x 2 100 x 100 x 50	4.252 x 4.252 x 2.375 108,0 x 108,0 x 60,3	5.00 127,0	9.5 4,3
108,0mm x 108,0mm x 2-1/2 100 x 100 x 65	4.252 x 4.252 x 2.874 108,0 x 108,0 x 73,0	5.00 127,0	9.7 4,4
108,0mm x 108,0mm x 76,1mm 100 x 100 x 65	4.252 x 4.252 x 3.000 108,0 x 108,0 x 76,1	5.00 127,0	9.8 4,4
108,0mm x 108,0mm x 3 100 x 100 x 80	4.252 x 4.252 x 3.500 108,0 x 108,0 x 88,9	5.00 127,0	9.9 4,5
4 x 4 x 1 100 x 100 x 25	4.500 x 4.500 x 1.315 114,3 x 114,3 x 33,4	5.00 127,0	6.9 3,1
4 x 4 x 1-1/4 100 x 100 x 32	4.500 x 4.500 x 1.660 114,3 x 114,3 x 42,4	5.00 127,0	7.6 3,4



NOTE: Figure 323 can be supplied with either ISO 7-1 or NPT threads per ASME B1.20.1

TABLE 19 (1 OF 5)
FIGURE 323 FABRICATED GROOVE X GROOVE X MALE THREAD REDUCING TEES
NOMINAL DIMENSIONS AND APPROXIMATE WEIGHTS




NOTE: Figure 323 can be supplied with either ISO 7-1 or NPT threads per ASME B1.20.1

Nominal Pipe Size		C to E Inches mm	Weight Lbs. kg
ANSI Inches DN	O.D. Inches mm		
4 x 4 x 1-1/2 100 x 100 x 40	4.500 x 4.500 x 1.900 114,3 x 114,3 x 48,3	5.00 127,0	8.3 3,8
4 x 4 x 2 100 x 100 x 50	4.500 x 4.500 x 2.375 114,3 x 114,3 x 60,3	5.00 127,0	9.6 4,4
4 x 4 x 2-1/2 100 x 100 x 65	4.500 x 4.500 x 2.874 114,3 x 114,3 x 73,0	5.00 127,0	10.0 4,5
4 x 4 x 76,1mm 100 x 100 x 65	4.500 x 4.500 x 3.000 114,3 x 114,3 x 76,1	5.00 127,0	10.2 4,6
4 x 4 x 3 100 x 100 x 80	4.500 x 4.500 x 3.500 114,3 x 114,3 x 88,9	5.00 127,0	10.3 4,7
133,0mm x 133,0mm x 2 125 x 125 x 50	5.250 x 5.250 x 2.375 133,0 x 133,0 x 60,3	5.50 139,7	13.8 6,3
133,0mm x 133,0mm x 2-1/2 125 x 125 x 65	5.250 x 5.250 x 2.874 133,0 x 133,0 x 73,0	5.50 139,7	14.1 6,4
133,0mm x 133,0mm x 76,1mm 125 x 125 x 65	5.250 x 5.250 x 3.000 133,0 x 133,0 x 76,1	5.50 139,7	14.2 6,4
133,0mm x 133,0mm x 3 125 x 125 x 80	5.250 x 5.250 x 3.500 133,0 x 133,0 x 88,9	5.50 139,7	14.4 6,5
133,0mm x 133,0mm x 4 125 x 125 x 100	5.250 x 5.250 x 4.500 133,0 x 133,0 x 114,3	5.50 139,7	14.9 6,8
139,7mm x 139,7mm x 2 125 x 125 x 50	5.500 x 5.500 x 2.375 139,7 x 139,7 x 60,3	5.50 139,7	13.9 6,3
139,7mm x 139,7mm x 2-1/2 125 x 125 x 65	5.500 x 5.500 x 2.874 139,7 x 139,7 x 73,0	5.50 139,7	14.2 6,4
139,7mm x 139,7mm x 76,1mm 125 x 125 x 65	5.500 x 5.500 x 3.000 139,7 x 139,7 x 76,1	5.50 139,7	14.3 6,5
139,7mm x 139,7mm x 3 125 x 125 x 80	5.500 x 5.500 x 3.500 139,7 x 139,7 x 88,9	5.50 139,7	14.5 6,6
139,7mm x 139,7mm x 4 125 x 125 x 100	5.500 x 5.500 x 4.500 139,7 x 139,7 x 114,3	5.50 139,7	15.0 6,8
5 x 5 x 2 125 x 125 x 50	5.563 x 5.563 x 2.375 141,3 x 141,3 x 60,3	5.50 139,7	14.0 6,4
5 x 5 x 76,1mm 125 x 125 x 65	5.563 x 5.563 x 3.000 141,3 x 141,3 x 76,1	5.50 139,7	14.4 6,5
5 x 5 x 2-1/2 125 x 125 x 65	5.563 x 5.563 x 2.874 141,3 x 141,3 x 73,0	5.50 139,7	14.3 6,5
5 x 5 x 3 125 x 125 x 80	5.563 x 5.563 x 3.500 141,3 x 141,3 x 88,9	5.50 139,7	14.6 6,6
5 x 5 x 4 125 x 125 x 100	5.563 x 5.563 x 4.500 141,3 x 141,3 x 114,3	5.50 139,7	15.1 6,8
159,0mm x 159,0mm x 2 150 x 150 x 50	6.250 x 6.250 x 2.375 159,0 x 159,0 x 60,3	6.50 165,1	20.9 9,5
159,0mm x 159,0mm x 76,1mm 150 x 150 x 65	6.250 x 6.250 x 3.000 159,0 x 159,0 x 76,1	6.50 165,1	21.3 9,7
159,0mm x 159,0mm x 2-1/2 150 x 150 x 65	6.250 x 6.250 x 2.874 159,0 x 159,0 x 73,0	6.50 165,1	21.2 9,6
159,0mm x 159,0mm x 3 150 x 150 x 80	6.250 x 6.250 x 3.500 159,0 x 159,0 x 88,9	6.50 165,1	21.6 9,8
159,0mm x 159,0mm x 4 150 x 150 x 100	6.250 x 6.250 x 4.500 159,0 x 159,0 x 114,3	6.50 165,1	22.1 10,0


TABLE 19 (2 OF 5)
FIGURE 323 FABRICATED GROOVE X GROOVE X MALE THREAD REDUCING TEES
NOMINAL DIMENSIONS AND APPROXIMATE WEIGHTS

Nominal Pipe Size		C to E Inches mm	Weight Lbs. kg
ANSI Inches DN	O.D. Inches mm		
159,0mm x 159,0mm x 139,7mm <i>150 x 150 x 125</i>	6.250 x 6.250 x 5.500 <i>159,0 x 159,0 x 139,7</i>	6.50 <i>165,1</i>	22.4 <i>10,2</i>
159,0mm x 159,0mm x 5 <i>150 x 150 x 125</i>	6.250 x 6.250 x 5.563 <i>159,0 x 159,0 x 141,3</i>	6.50 <i>165,1</i>	22.7 <i>10,3</i>
165,1mm x 165,1mm x 2 <i>150 x 150 x 50</i>	6.500 x 6.500 x 2.375 <i>165,1 x 165,1 x 60,3</i>	6.50 <i>165,1</i>	21.1 <i>9,6</i>
165,1mm x 165,1mm x 76,1mm <i>150 x 150 x 65</i>	6.500 x 6.500 x 3.000 <i>165,1 x 165,1 x 76,1</i>	6.50 <i>165,1</i>	21.5 <i>9,8</i>
165,1mm x 165,1mm x 2-1/2 <i>150 x 150 x 65</i>	6.500 x 6.500 x 2.874 <i>165,1 x 165,1 x 73,0</i>	6.50 <i>165,1</i>	21.4 <i>9,7</i>
165,1mm x 165,1mm x 3 <i>150 x 150 x 80</i>	6.500 x 6.500 x 3.500 <i>165,1 x 165,1 x 88,9</i>	6.50 <i>165,1</i>	21.8 <i>9,9</i>
165,1mm x 165,1mm x 4 <i>150 x 150 x 100</i>	6.500 x 6.500 x 4.500 <i>165,1 x 165,1 x 114,3</i>	6.50 <i>165,1</i>	22.3 <i>10,1</i>
165,1mm x 165,1mm x 139,7mm <i>150 x 150 x 125</i>	6.500 x 6.500 x 5.500 <i>165,1 x 165,1 x 139,7</i>	6.50 <i>165,1</i>	22.6 <i>10,3</i>
165,1mm x 165,1mm x 5 <i>150 x 150 x 125</i>	6.500 x 6.500 x 5.563 <i>165,1 x 165,1 x 141,3</i>	6.50 <i>165,1</i>	22.9 <i>10,4</i>
6 x 6 x 2 <i>150 x 150 x 50</i>	6.625 x 6.625 x 2.375 <i>168,3 x 168,3 x 60,3</i>	6.50 <i>165,1</i>	21.3 <i>9,7</i>
6 x 6 x 2-1/2 <i>150 x 150 x 65</i>	6.625 x 6.625 x 2.874 <i>168,3 x 168,3 x 73,0</i>	6.50 <i>165,1</i>	21.7 <i>9,8</i>
6 x 6 x 3 <i>150 x 150 x 80</i>	6.625 x 6.625 x 3.500 <i>168,3 x 168,3 x 88,9</i>	6.50 <i>165,1</i>	22.0 <i>10,0</i>
6 x 6 x 4 <i>150 x 150 x 100</i>	6.625 x 6.625 x 4.500 <i>168,3 x 168,3 x 114,3</i>	6.50 <i>165,1</i>	22.5 <i>10,2</i>
6 x 6 x 139,7mm <i>150 x 150 x 125</i>	6.625 x 6.625 x 5.500 <i>168,3 x 168,3 x 139,7</i>	6.50 <i>165,1</i>	22.8 <i>10,3</i>
6 x 6 x 5 <i>150 x 150 x 125</i>	6.625 x 6.625 x 5.563 <i>168,3 x 168,3 x 141,3</i>	6.50 <i>165,1</i>	23.1 <i>10,5</i>
216,3mm x 216,3mm x 2 <i>200 x 200 x 50</i>	8.516 x 8.516 x 2.375 <i>216,3 x 216,3 x 60,3</i>	7.75 <i>196,9</i>	32.5 <i>14,7</i>
216,3mm x 216,3mm x 76,1mm <i>200 x 200 x 65</i>	8.516 x 8.516 x 3.000 <i>216,3 x 216,3 x 76,1</i>	7.75 <i>196,9</i>	32.7 <i>14,8</i>
216,3mm x 216,3mm x 3 <i>200 x 200 x 80</i>	8.516 x 8.516 x 3.500 <i>216,3 x 216,3 x 88,9</i>	7.75 <i>196,9</i>	33.3 <i>15,1</i>
216,3mm x 216,3mm x 4 <i>200 x 200 x 100</i>	8.516 x 8.516 x 4.500 <i>216,3 x 216,3 x 114,3</i>	7.75 <i>196,9</i>	34.3 <i>15,5</i>
216,3mm x 216,3mm x 139,7mm <i>200 x 200 x 125</i>	8.516 x 8.516 x 5.500 <i>216,3 x 216,3 x 139,7</i>	7.75 <i>196,9</i>	34.4 <i>15,6</i>
216,3mm x 216,3mm x 5 <i>200 x 200 x 125</i>	8.516 x 8.516 x 5.563 <i>216,3 x 216,3 x 141,3</i>	7.75 <i>196,9</i>	34.5 <i>15,6</i>
216,3mm x 216,3mm x 165,1mm <i>200 x 200 x 150</i>	8.516 x 8.516 x 6.500 <i>216,3 x 216,3 x 165,1</i>	7.75 <i>196,9</i>	35.2 <i>15,9</i>
216,3mm x 216,3mm x 6 <i>200 x 200 x 150</i>	8.516 x 8.516 x 6.625 <i>216,3 x 216,3 x 168,3</i>	7.75 <i>196,9</i>	35.4 <i>16,0</i>
8 x 8 x 2 <i>200 x 200 x 50</i>	8.625 x 8.625 x 2.375 <i>219,1 x 219,1 x 60,3</i>	7.75 <i>196,9</i>	32.7 <i>14,8</i>
8 x 8 x 76,1mm <i>200 x 200 x 65</i>	8.625 x 8.625 x 3.000 <i>219,1 x 219,1 x 76,1</i>	7.75 <i>196,9</i>	32.9 <i>14,9</i>



NOTE: Figure 323 can be supplied with either ISO 7-1 or NPT threads per ASME B1.20.1

TABLE 19 (3 OF 5)
FIGURE 323 FABRICATED GROOVE X GROOVE X MALE THREAD REDUCING TEES
NOMINAL DIMENSIONS AND APPROXIMATE WEIGHTS




NOTE: Figure 323 can be supplied with either ISO 7-1 or NPT threads per ASME B1.20.1

Nominal Pipe Size		C to E Inches mm	Weight Lbs. kg
ANSI Inches DN	O.D. Inches mm		
8 x 8 x 3 200 x 200 x 80	8.625 x 8.625 x 3.500 219,1 x 219,1 x 88,9	7.75 196,9	33.5 15,2
8 x 8 x 4 200 x 200 x 100	8.625 x 8.625 x 4.500 219,1 x 219,1 x 114,1	7.75 196,9	34.5 15,6
8 x 8 x 139,7mm 200 x 200 x 125	8.625 x 8.625 x 5.500 219,1 x 219,1 x 139,7	7.75 196,9	34.6 15,7
8 x 8 x 165,1mm 200 x 200 x 150	8.625 x 8.625 x 6.500 219,1 x 219,1 x 165,1	7.75 196,9	35.4 16,0
8 x 8 x 5 200 x 200 x 125	8.625 x 8.625 x 5.563 219,1 x 219,1 x 141,3	7.75 196,9	34.7 15,7
8 x 8 x 6 200 x 200 x 150	8.625 x 8.625 x 6.625 219,1 x 219,1 x 168,3	7.75 196,9	35.6 16,1
267,4mm x 267,4mm x 2 250 x 250 x 50	10.528 x 10.528 x 2.375 267,4 x 267,4 x 60,3	9.00 228,6	52.0 23,6
267,4mm x 267,4mm x 76,1mm 250 x 250 x 65	10.528 x 10.528 x 3.000 267,4 x 267,4 x 76,1	9.00 228,6	52.2 23,7
267,4mm x 267,4mm x 3 250 x 250 x 80	10.528 x 10.528 x 3.500 267,4 x 267,4 x 88,9	9.00 228,6	52.8 23,9
267,4mm x 267,4mm x 4 250 x 250 x 100	10.528 x 10.528 x 4.500 267,4 x 267,4 x 114,3	9.00 228,6	53.4 24,2
267,4mm x 267,4mm x 139,7mm 250 x 250 x 125	10.528 x 10.528 x 5.500 267,4 x 267,4 x 139,7	9.00 228,6	53.6 24,3
267,4mm x 267,4mm x 5 250 x 250 x 125	10.528 x 10.528 x 5.563 267,4 x 267,4 x 141,3	9.00 228,6	52.7 23,9
267,4mm x 267,4mm x 165,1mm 250 x 250 x 150	10.528 x 10.528 x 6.500 267,4 x 267,4 x 165,1	9.00 228,6	54.6 24,8
267,4mm x 267,4mm x 6 250 x 250 x 150	10.528 x 10.528 x 6.625 267,4 x 267,4 x 168,3	9.00 228,6	54.7 24,8
267,4mm x 267,4mm x 8 250 x 250 x 200	10.528 x 10.528 x 8.625 267,4 x 267,4 x 219,1	9.00 228,6	55.1 25,0
10 x 10 x 2 250 x 250 x 50	10.750 x 10.750 x 2.375 273,0 x 273,0 x 60,3	9.00 228,6	52.2 23,7
10 x 10 x 76,1mm 250 x 250 x 65	10.750 x 10.750 x 3.000 273,0 x 273,0 x 76,1	9.00 228,6	52.4 23,8
10 x 10 x 3 250 x 250 x 80	10.750 x 10.750 x 3.500 273,0 x 273,0 x 88,9	9.00 228,6	53.0 24,0
10 x 10 x 4 250 x 250 x 100	10.750 x 10.750 x 4.500 273,0 x 273,0 x 114,3	9.00 228,6	53.6 24,3
10 x 10 x 139,7mm 250 x 250 x 125	10.750 x 10.750 x 5.500 273,0 x 273,0 x 139,7	9.00 228,6	53.8 24,4
10 x 10 x 5 250 x 250 x 125	10.750 x 10.750 x 5.563 273,0 x 273,0 x 141,3	9.00 228,6	54.2 24,6
10 x 10 x 165,1mm 250 x 250 x 150	10.750 x 10.750 x 6.500 273,0 x 273,0 x 165,1	9.00 228,6	54.0 24,5
10 x 10 x 6 250 x 250 x 150	10.750 x 10.750 x 6.625 273,0 x 273,0 x 168,3	9.00 228,6	54.9 24,9
10 x 10 x 8 250 x 250 x 200	10.750 x 10.750 x 8.625 273,0 x 273,0 x 219,1	9.00 228,6	55.3 25,1
318,5mm x 318,5mm x 3 300 x 300 x 80	12.539 x 12.539 x 3.500 318,5 x 318,5 x 88,9	10.00 254,0	74.2 33,7


TABLE 19 (4 OF 5)
FIGURE 323 FABRICATED GROOVE X GROOVE X MALE THREAD REDUCING TEES
NOMINAL DIMENSIONS AND APPROXIMATE WEIGHTS

Nominal Pipe Size		C to E Inches mm	Weight Lbs. kg
ANSI Inches DN	O.D. Inches mm		
318,5mm x 318,5mm x 4 300 x 300 x 100	12.539 x 12.539 x 4.500 318,5 x 318,5 x 114,3	10,00 254,0	74.9 33,9
318,5mm x 318,5mm x 139,7mm 300 x 300 x 125	12.539 x 12.539 x 5.500 318,5 x 318,5 x 139,7	10,00 254,0	75.2 34,1
318,5mm x 318,5mm x 5 300 x 300 x 125	12.539 x 12.539 x 5.563 318,5 x 318,5 x 141,3	10,00 254,0	75.4 34,2
318,5mm x 318,5mm x 165,1mm 300 x 300 x 150	12.539 x 12.539 x 6.500 318,5 x 318,5 x 165,1	10,00 254,0	75.8 34,4
318,5mm x 318,5mm x 6 300 x 300 x 150	12.539 x 12.539 x 6.625 318,5 x 318,5 x 168,3	10,00 254,0	76.0 34,5
318,5mm x 318,5mm x 8 300 x 300 x 200	12.539 x 12.539 x 8.625 318,5 x 318,5 x 219,1	10,00 254,0	76.1 34,5
318,5mm x 318,5mm x 10 300 x 300 x 250	12.539 x 12.539 x 10.750 318,5 x 318,5 x 273,0	10,00 254,0	77.4 35,1
12 x 12 x 3 300 x 300 x 80	12.750 x 12.750 x 3.500 323,9 x 323,9 x 88,9	10,00 254,0	74.6 33,8
12 x 12 x 4 300 x 300 x 100	12.750 x 12.750 x 4.500 323,9 x 323,9 x 141,3	10,00 254,0	75.1 34,1
12 x 12 x 139,7mm 300 x 300 x 125	12.750 x 12.750 x 5.500 323,9 x 323,9 x 139,7	10,00 254,0	75.4 34,2
12 x 12 x 5 300 x 300 x 125	12.750 x 12.750 x 5.563 323,9 x 323,9 x 114,3	10,00 254,0	75.6 34,3
12 x 12 x 165,1mm 300 x 300 x 150	12.750 x 12.750 x 6.500 323,9 x 323,9 x 165,1	10,00 254,0	76.0 34,5
12 x 12 x 6 300 x 300 x 150	12.750 x 12.750 x 6.625 323,9 x 323,9 x 168,3	10,00 254,0	76.2 34,6
12 x 12 x 8 300 x 300 x 200	12.750 x 12.750 x 8.625 323,9 x 323,9 x 219,1	10,00 254,0	76.3 34,6
12 x 12 x 10 300 x 300 x 250	12.750 x 12.750 x 10.750 323,9 x 323,9 x 273,0	10,00 254,0	77.6 35,2



NOTE: Figure 323 can be supplied with either ISO 7-1 or NPT threads per ASME B1.20.1

TABLE 19 (5 OF 5)
FIGURE 323 FABRICATED GROOVE X GROOVE X MALE THREAD REDUCING TEES
NOMINAL DIMENSIONS AND APPROXIMATE WEIGHTS



Nominal Pipe Size		C to LE Inches mm	C to SE Inches mm	Weight Lbs. kg
ANSI Inches DN	O.D. Inches mm			
1 25	1.315 33,4	2.25 57,2	2.25 57,2	1.1 0,5
1-1/4 32	1.660 42,4	2.75 69,9	2.50 63,5	1.4 0,6
1-1/2 40	1.900 48,3	2.75 69,9	2.75 69,9	1.7 0,8
2 50	2.375 60,3	3.25 82,6	2.75 69,9	2.5 1,1
2-1/2 65	2.874 73,0	3.75 95,3	3.00 76,2	4.4 2,0
76,1mm 65	3.000 76,1	3.75 95,3	3.00 76,2	4.4 2,0
3 80	3.500 88,9	4.25 108,0	3.25 82,6	6.4 2,9
108,0mm 100	4.252 108,0	5.00 127,0	3.75 95,3	10.3 4,7
4 100	4.500 114,3	5.00 127,0	3.75 95,3	10.5 4,8
133,0mm 125	5.250 133,0	5.50 139,7	4.00 101,6	14.8 6,7
139,7mm 125	5.500 139,7	5.50 139,7	4.00 101,6	15.0 6,8
5 125	5.563 141,3	5.50 139,7	4.00 101,6	15.2 6,9
159,0mm 150	6.250 159,0	6.50 165,1	4.50 114,3	21.6 9,8
165,1mm 150	6.500 165,1	6.50 165,1	4.50 114,3	22.9 10,4
6 150	6.625 168,3	6.50 165,1	4.50 114,3	22.9 10,4
216,3mm 200	8.516 216,3	7.75 196,9	6.00 152,4	41.5 18,8
8 200	8.625 219,1	7.75 196,9	6.00 152,4	41.9 19,0
267,4mm 250	10.528 267,4	9.00 228,6	6.50 165,1	65.8 29,8
10 250	10.750 273,0	9.00 228,6	6.50 165,1	66.2 30,0
318,5mm 300	12.539 318,5	10.00 254,0	7.00 177,8	87.2 39,5
12 300	12.750 323,9	10.00 254,0	7.00 177,8	87.7 39,8
14 350	14.000 355,6	11.00 279,4	7.50 190,5	105.3 47,8
16 400	16.000 406,4	12.00 304,8	8.00 203,2	129.1 58,6
18 450	18.000 457,2	15.50 393,7	8.50 215,9	184.4 83,6
20 500	20.000 508,0	17.25 438,2	9.00 238,6	225.8 102,4
24 600	24.000 609,6	20.00 508,0	10.00 254,0	308.5 139,9

TABLE 20
FIGURE 324 FABRICATED 90° TRUE Y
NOMINAL DIMENSIONS AND APPROXIMATE WEIGHTS

Nominal Pipe Size		Figure 341 Fabricated Flange Adapter ANSI Class 150 Lbs.		Figure 342 Fabricated Flange Adapter ANSI Class 300 Lbs.		E to E Inches mm
ANSI Inches DN	O.D. Inches mm	Mating Flange Bolt Qty.	Weight Lbs. kg	Mating Flange Bolt Qty.	Weight Lbs. kg	
1 25	1.315 33,4	4	3.5 1,6	—	—	3.00 76,2
1-1/4 32	1.660 42,4	4	3.7 1,7	4	4.6 2,1	4.00 101,6
1-1/2 40	1.900 48,3	4	3.9 1,8	4	7.1 3,2	4.00 101,6
2 50	2.375 60,3	4	6.4 2,8	8	8.2 3,7	4.00 101,6
2-1/2 65	2.874 73,0	4	8.8 4,0	8	11.9 5,4	4.00 101,6
76,1mm 65	3.000 76,1	4	10.0 4,5	8	12.5 5,7	4.00 101,6
3 80	3.500 88,9	4	10.4 4,7	8	15.5 7,0	4.00 101,6
108,0mm 100	4.252 108,0	8	18.0 8,2	8	27.2 12,3	6.00 152,4
4 100	4.500 114,3	8	18.2 8,3	8	28.0 12,7	6.00 152,4
133,0mm 125	5.250 133,0	8	21.5 9,8	8	35.0 15,9	6.00 152,4
139,7mm 125	5.500 139,7	8	21.8 9,9	8	36.0 16,3	6.00 152,4
5 125	5.563 141,3	8	22.0 10,0	8	37.0 16,8	6.00 152,4
159,0mm 150	6.250 159,0	8	27.5 12,5	12	46.0 20,9	6.00 152,4
165,1mm 150	6.500 165,1	8	27.8 12,6	12	47.0 21,3	6.00 152,4
6 150	6.625 168,3	8	28.1 12,7	12	48.0 21,8	6.00 152,4
216,3mm 200	8.516 216,3	8	43.2 19,6	12	77.0 34,9	6.00 152,4
8 200	8.625 219,1	8	43.7 19,8	12	79.0 35,8	6.00 152,4
267,4mm 250	10.528 267,4	12	68.2 30,9	16	86.0 39,0	8.00 203,2
10 250	10.750 273,0	12	68.2 30,9	16	122.0 55,3	8.00 203,2
318,5mm 300	12.539 318,5	12	88.0 39,9	16	175.0 79,4	8.00 203,2
12 300	12.750 323,9	12	96.1 43,6	16	183.0 83,0	8.00 203,2
14 350	14.000 355,6	12	123.0 55,8	20	199.0 90,3	8.00 203,2
16 400	16.000 406,4	16	151.0 68,5	20	255.0 155,7	8.00 203,2
18 450	18.000 457,2	16	165.0 74,8	24	303.0 137,4	8.00 203,2
20 500	20.000 508,0	20	205.0 93,0	24	365.0 165,6	8.00 203,2
24 600	24.000 609,6	20	265.0 120,2	24	550.0 249,5	8.00 203,2





TABLE 21
FIGURES 341 AND 342 FABRICATED FLANGE ADAPTERS
NOMINAL DIMENSIONS AND APPROXIMATE WEIGHTS



Nominal Pipe Size		Figure 343 Fabricated Flange Adapter PN16		Figure 344 Fabricated Flange Adapter PN10		E to E Inches mm
ANSI Inches DN	O.D. Inches mm	Mating Flange Bolt Qty.	Weight Lbs. kg	Mating Flange Bolt Qty.	Weight Lbs. kg	
2 50	2.375 60,3	4	6.4 2,9	—	—	3.74 95,0
2-1/2 65	2.874 73,0	4	8.8 4,0	—	—	3.74 95,0
76,1mm 65	3.000 76,1	4	10.0 4,5	—	—	3.74 95,0
3 80	3.500 88,9	8	10.4 4,7	—	—	3.94 100,0
108,0mm 100	4.252 108,0	8	18.0 8,2	—	—	4.02 102,0
4 100	4.500 114,3	8	18.2 8,3	—	—	4.02 102,0
133,0mm 125	5.250 133,0	8	21.5 9,8	—	—	4.13 105,0
139,7mm 125	5.500 139,7	8	21.8 9,9	—	—	4.13 105,0
5 125	5.563 141,3	8	22.0 10,0	—	—	4.13 105,0
159,0mm 150	6.250 159,0	8	27.5 12,5	—	—	4.13 105,0
165,1mm 150	6.500 165,1	8	27.8 12,6	—	—	4.13 105,0
6 150	6.625 168,3	8	28.1 12,7	—	—	4.13 105,0
216,3mm 200	8.516 216,3	12	43.2 19,6	8	42.6 19,3	4.40 112,0
8 200	8.625 219,1	12	43.7 19,8	8	43.1 19,5	4.40 112,0
267,4mm 250	10.528 267,4	12	68.2 30,9	12	67.1 30,4	5.43 138,0
10 250	10.750 273,0	12	68.5 31,1	12	67.4 30,6	5.43 138,0
318,5mm 300	12.539 318,5	12	94.5 29,3	12	93.1 42,2	5.43 138,0
12 300	12.750 323,9	12	96.1 43,6	12	94.0 42,6	5.43 138,0

TABLE 22
FIGURES 343 AND 344 FABRICATED FLANGE ADAPTERS
NOMINAL DIMENSIONS AND APPROXIMATE WEIGHTS




FIGURE 397
FABRICATED SWAGED NIPPLE
GROOVE X GROOVE





FIGURE 398
FABRICATED SWAGED NIPPLE
GROOVE X MALE THREAD




FIGURE 399
FABRICATED SWAGED NIPPLE
GROOVE X PLAIN

Nominal Pipe Size		Figure 397 Fabricated Swaged Nipple		Figure 398 Fabricated Swaged Nipple		Figure 399 Fabricated Swaged Nipple	
ANSI Inches DN	O.D. Inches mm	E to E Inches mm	Weight Lbs. kg	E to E Inches mm	Weight Lbs. kg	E to E Inches mm	Weight Lbs. kg
2 x 1 50 x 25	2.375 x 1.315 60,3 x 33,4	6.50 165,1	2.0 0,9	6.50 165,1	2.0 0,9	6.50 165,1	2.0 0,9
2 x 1-1/4 50 x 32	2.375 x 1.660 60,3 x 42,4	6.50 165,1	2.0 0,9	6.50 165,1	2.0 0,9	6.50 165,1	2.0 0,9
2 x 1-1/2 50 x 40	2.375 x 1.900 60,3 x 48,3	6.50 165,1	2.0 0,9	6.50 165,1	2.0 0,9	6.50 165,1	2.0 0,9
2-1/2 x 1 65 x 25	2.874 x 1.315 73,0 x 33,4	7.00 177,8	3.5 1,6	7.00 177,8	3.5 1,6	7.00 177,8	3.5 1,6
2-1/2 x 1-1/4 65 x 32	2.874 x 1.660 73,0 x 42,4	7.00 177,8	3.5 1,6	7.00 177,8	3.5 1,6	7.00 177,8	3.5 1,6
2-1/2 x 1-1/2 65 x 40	2.874 x 1.900 73,0 x 48,3	7.00 177,8	3.5 1,6	7.00 177,8	3.5 1,6	7.00 177,8	3.5 1,6
2-1/2 x 2 65 x 50	2.874 x 2.375 73,0 x 60,3	7.00 177,8	3.5 1,6	7.00 177,8	3.5 1,6	7.00 177,8	3.5 1,6
76,1mm x 1 65 x 25	3.000 x 1.315 76,1 x 33,4	7.00 177,8	3.6 1,6	7.00 177,8	3.6 1,6	7.00 177,8	2.2 0,9
76,1mm x 1-1/4 65 x 32	3.000 x 1.660 76,1 x 42,4	7.00 177,8	3.6 1,6	7.00 177,8	3.6 1,6	7.00 177,8	3.2 1,5
76,1mm x 1-1/2 65 x 40	3.000 x 1.900 76,1 x 48,3	7.00 177,8	3.7 1,7	7.00 177,8	3.7 1,7	7.00 177,8	3.7 1,7
76,1mm x 2 65 x 50	3.000 x 2.375 76,1 x 60,3	7.00 177,8	3.7 1,7	7.00 177,8	3.7 1,7	7.00 177,8	3.7 1,7
3 x 1 80 x 25	3.500 x 1.315 88,9 x 33,4	8.00 203,2	5.0 2,3	8.00 203,2	5.0 2,3	8.00 203,2	5.0 2,3
3 x 1-1/4 80 x 32	3.500 x 1.660 88,9 x 42,4	8.00 203,2	5.0 2,3	8.00 203,2	5.0 2,3	8.00 203,2	5.0 2,3
3 x 1-1/2 80 x 40	3.500 x 1.900 88,9 x 48,3	8.00 203,2	5.0 2,3	8.00 203,2	5.0 2,3	8.00 203,2	5.0 2,3
3 x 2 80 x 50	3.500 x 2.375 88,9 x 60,3	8.00 203,2	5.0 2,3	8.00 203,2	5.0 2,3	8.00 203,2	5.0 2,3
3 x 2-1/2 80 x 65	3.500 x 2.874 88,9 x 73,0	8.00 203,2	5.0 2,3	8.00 203,2	5.0 2,3	8.00 203,2	5.0 2,3
3 x 76,1mm 80 x 65	3.500 x 3.000 88,9 x 76,1	8.00 203,2	5.2 2,4	8.00 203,2	5.2 2,4	8.00 203,2	5.2 2,4
108,0mm x 1 100 x 25	4.252 x 1.315 108,0 x 33,4	9.00 228,6	5.2 2,4	9.00 228,6	5.2 2,4	9.00 228,6	5.2 2,4
108,0mm x 1-1/4 100 x 32	4.252 x 1.660 108,0 x 42,4	9.00 228,6	5.2 2,4	9.00 228,6	5.2 2,4	9.00 228,6	5.2 2,4
108,0mm x 1-1/2 100 x 40	4.252 x 1.900 108,0 x 48,3	9.00 228,6	5.6 2,5	9.00 228,6	5.6 2,5	9.00 228,6	5.6 2,5
108,0mm x 2 100 x 50	4.252 x 2.375 108,0 x 60,3	9.00 228,6	5.6 2,5	9.00 228,6	5.6 2,5	9.00 228,6	5.6 2,5


TABLE 23 (1 OF 5)
FIGURES 397, 398 AND 399 FABRICATED SWAGED NIPPLES
NOMINAL DIMENSIONS AND APPROXIMATE WEIGHTS



**FIGURE 397
FABRICATED SWAGED NIPPLE
GROOVE X GROOVE**



**FIGURE 398
FABRICATED SWAGED NIPPLE
GROOVE X MALE THREAD**



**FIGURE 399
FABRICATED SWAGED NIPPLE
GROOVE X PLAIN**

Nominal Pipe Size		Figure 397 Fabricated Swaged Nipple		Figure 398 Fabricated Swaged Nipple		Figure 399 Fabricated Swaged Nipple	
ANSI Inches DN	O.D. Inches mm	E to E Inches mm	Weight Lbs. kg	E to E Inches mm	Weight Lbs. kg	E to E Inches mm	Weight Lbs. kg
108,0mm x 2-1/2 100 x 65	4.252 x 2.874 108,0 x 73,0	9.00 228,6	6.7 3,0	9.00 228,6	6.7 3,0	9.00 228,6	6.7 3,0
108,0mm x 76,1mm 100 x 65	4.252 x 3.000 108,0 x 76,1	9.00 228,6	6.7 3,0	9.00 228,6	6.7 3,0	9.00 228,6	6.7 3,0
108,0mm x 3 100 x 80	4.252 x 3.500 108,0 x 88,9	9.00 228,6	6.7 3,0	9.00 228,6	6.7 3,0	9.00 228,6	6.7 3,0
4 x 1 100 x 25	4.500 x 1.315 114,3 x 33,4	9.00 228,6	8.0 3,6	9.00 228,6	8.0 3,6	9.00 228,6	8.0 3,6
4 x 1-1/4 100 x 32	4.500 x 1.660 114,3 x 42,4	9.00 228,6	8.0 3,6	9.00 228,6	8.0 3,6	9.00 228,6	8.0 3,6
4 x 1-1/2 100 x 40	4.500 x 1.900 114,3 x 48,3	9.00 228,6	8.0 3,6	9.00 228,6	8.0 3,6	9.00 228,6	8.0 3,6
4 x 2 100 x 50	4.500 x 2.375 114,3 x 60,3	9.00 228,6	8.0 3,6	9.00 228,6	8.0 3,6	9.00 228,6	8.0 3,6
4 x 2-1/2 100 x 65	4.500 x 2.874 114,3 x 73,0	9.00 228,6	8.0 3,6	9.00 228,6	8.0 3,6	9.00 228,6	8.0 3,6
4 x 76,1mm 100 x 65	4.500 x 3.000 114,3 x 76,1	9.00 228,6	8.0 3,6	9.00 228,6	8.0 3,6	9.00 228,6	8.0 3,6
4 x 3 100 x 80	4.500 x 3.500 114,3 x 88,9	9.00 228,6	8.0 3,6	9.00 228,6	8.0 3,6	9.00 228,6	8.0 3,6
133,0mm x 1-1/2 125 x 40	5.250 x 1.900 133,0 x 48,3	11.00 279,4	8.4 3,8	11.00 279,4	8.4 3,8	—	—
133,0mm x 2 125 x 50	5.250 x 2.375 133,0 x 60,3	11.00 279,4	8.4 3,8	11.00 279,4	8.4 3,8	11.00 279,4	8.4 3,8
133,0mm x 2-1/2 125 x 65	5.250 x 2.874 133,0 x 73,0	11.00 279,4	8.4 3,8	11.00 279,4	8.4 3,8	11.00 279,4	8.4 3,8
133,0mm x 76,1mm 125 x 65	5.250 x 3.000 133,0 x 76,1	11.00 279,4	8.4 3,8	11.00 279,4	8.4 3,8	11.00 279,4	8.4 3,8
133,0mm x 3 125 x 80	5.250 x 3.500 133,0 x 88,9	11.00 279,4	8.4 3,8	11.00 279,4	8.4 3,8	11.00 279,4	8.4 3,8
133,0mm x 108,0mm 125 x 100	5.250 x 4.252 133,0 x 108,0	11.00 279,4	9.1 4,1	—	—	11.00 279,4	9.1 4,1
133,0mm x 4 125 x 100	5.250 x 4.500 133,0 x 114,3	11.00 279,4	9.1 4,1	11.00 279,4	9.1 4,1	11.00 279,4	9.1 4,1
139,7mm x 1-1/2 125 x 40	5.500 x 1.900 139,7 x 48,3	11.00 279,4	9.1 4,1	11.00 279,4	9.1 4,1	11.00 279,4	9.1 4,1
139,7mm x 2 125 x 50	5.500 x 2.375 139,7 x 60,3	11.00 279,4	9.1 4,1	11.00 279,4	9.1 4,1	11.00 279,4	9.1 4,1
139,7mm x 2-1/2 125 x 65	5.500 x 2.874 139,7 x 73,0	11.00 279,4	9.1 4,1	11.00 279,4	9.1 4,1	11.00 279,4	9.1 4,1
139,7mm x 76,1mm 125 x 65	5.500 x 3.000 139,7 x 76,1	11.00 279,4	9.1 4,1	11.00 279,4	9.1 4,1	11.00 279,4	9.1 4,1

**TABLE 23 (2 OF 5)
FIGURES 397, 398 AND 399 FABRICATED SWAGED NIPPLES
NOMINAL DIMENSIONS AND APPROXIMATE WEIGHTS**




FIGURE 397
FABRICATED SWAGED NIPPLE
GROOVE X GROOVE





FIGURE 398
FABRICATED SWAGED NIPPLE
GROOVE X MALE THREAD




FIGURE 399
FABRICATED SWAGED NIPPLE
GROOVE X PLAIN

Nominal Pipe Size		Figure 397 Fabricated Swaged Nipple		Figure 398 Fabricated Swaged Nipple		Figure 399 Fabricated Swaged Nipple	
ANSI Inches DN	O.D. Inches mm	E to E Inches mm	Weight Lbs. kg	E to E Inches mm	Weight Lbs. kg	E to E Inches mm	Weight Lbs. kg
139,7mm x 3 125 x 80	5.500 x 3.500 139,7 x 88,9	11.00 279,4	11.2 5,1	11.00 279,4	11.2 5,1	11.00 279,4	11.2 5,1
139,7mm x 108,0mm 125 x 100	5.500 x 4.252 139,7 x 108,0	11.00 279,4	11.2 5,1	—	—	11.00 279,4	11.2 5,1
139,7mm x 4 125 x 100	5.500 x 4.500 139,7 x 114,3	11.00 279,4	11.2 5,1	11.00 279,4	11.2 5,1	11.00 279,4	11.2 5,1
5 x 1-1/2 125 x 40	5.563 x 1.900 141,3 x 48,3	11.00 279,4	11.2 5,1	11.00 279,4	11.2 5,1	11.00 279,4	11.2 5,1
5 x 2 125 x 50	5.563 x 2.375 141,3 x 60,3	11.00 279,4	12.0 5,4	11.00 279,4	12.0 5,4	11.00 279,4	12.0 5,4
5 x 2-1/2 125 x 65	5.563 x 2.874 141,3 x 73,0	11.00 279,4	12.0 5,4	11.00 279,4	12.0 5,4	11.00 279,4	12.0 5,4
5 x 76,1mm 125 x 65	5.563 x 3.000 141,3 x 76,1	11.00 279,4	12.0 5,4	11.00 279,4	12.0 5,4	11.00 279,4	12.0 5,4
5 x 3 125 x 80	5.563 x 3.500 141,3 x 88,9	11.00 279,4	12.0 5,4	11.00 279,4	12.0 5,4	11.00 279,4	12.0 5,4
5 x 108,0mm 125 x 100	5.563 x 4.252 141,3 x 108,0	11.00 279,4	12.0 5,4	—	—	11.00 279,4	12.0 5,4
5 x 4 125 x 100	5.563 x 4.500 141,3 x 114,3	11.00 279,4	12.0 5,4	11.00 279,4	12.0 5,4	11.00 279,4	12.0 5,4
159,0mm x 1 150 x 25	6.250 x 1.315 159,0 x 33,4	12.00 304,8	12.2 5,5	12.00 304,8	12.2 5,5	12.00 304,8	12.2 5,5
159,0mm x 1-1/4 150 x 32	6.250 x 1.660 159,0 x 42,4	12.00 304,8	12.2 5,5	12.00 304,8	12.2 5,5	12.00 304,8	12.2 5,5
159,0mm x 1-1/2 150 x 40	6.250 x 1.900 159,0 x 48,3	12.00 304,8	12.2 5,5	12.00 304,8	12.2 5,5	12.00 304,8	12.2 5,5
159,0mm x 2 150 x 50	6.250 x 2.375 159,0 x 60,3	12.00 304,8	12.4 5,6	12.00 304,8	12.4 5,6	12.00 304,8	12.4 5,6
159,0mm x 2-1/2 150 x 65	6.250 x 2.874 159,0 x 73,0	12.00 304,8	12.4 5,6	12.00 304,8	12.4 5,6	12.00 304,8	12.4 5,6
159,0mm x 76,1mm 150 x 65	6.250 x 3.000 159,0 x 76,1	12.00 304,8	12.4 5,6	12.00 304,8	12.4 5,6	12.00 304,8	12.4 5,6
159,0mm x 3 150 x 80	6.250 x 3.500 159,0 x 88,9	12.00 304,8	12.4 5,6	12.00 304,8	12.4 5,6	12.00 304,8	12.4 5,6
159,0mm x 108,0mm 150 x 100	6.250 x 4.252 159,0 x 108,0	12.00 304,8	12.9 5,9	—	—	12.00 304,8	12.9 5,9
159,0mm x 4 150 x 100	6.250 x 4.500 159,0 x 114,3	12.00 304,8	12.9 5,9	12.00 304,8	12.9 5,9	12.00 304,8	12.9 5,9
159,0mm x 133,0mm 150 x 125	6.250 x 5.250 159,0 x 133,0	12.00 304,8	12.9 5,9	—	—	12.00 304,8	12.9 5,9
159,0mm x 139,7mm 150 x 125	6.250 x 5.500 159,0 x 139,7	—	—	12.00 304,8	14.8 6,8	—	—


TABLE 23 (3 OF 5)
FIGURES 397, 398 AND 399 FABRICATED SWAGED NIPPLES
NOMINAL DIMENSIONS AND APPROXIMATE WEIGHTS



**FIGURE 397
FABRICATED SWAGED NIPPLE
GROOVE X GROOVE**




**FIGURE 398
FABRICATED SWAGED NIPPLE
GROOVE X MALE THREAD**




**FIGURE 399
FABRICATED SWAGED NIPPLE
GROOVE X PLAIN**

Nominal Pipe Size		Figure 397 Fabricated Swaged Nipple		Figure 398 Fabricated Swaged Nipple		Figure 399 Fabricated Swaged Nipple	
ANSI Inches DN	O.D. Inches mm	E to E Inches mm	Weight Lbs. kg	E to E Inches mm	Weight Lbs. kg	E to E Inches mm	Weight Lbs. kg
159,0mm x 5 150 x 125	6.250 x 5.563 159,0 x 141,3	12.00 304,8	13.0 5,9	12.00 304,8	13.0 5,9	12.00 304,8	13.0 5,9
165,1mm x 1 150 x 25	6.500 x 1.315 165,1 x 33,4	12.00 304,8	15.8 7,2	12.00 304,8	15.8 7,2	12.00 304,8	15.8 7,2
165,1mm x 1-1/4 150 x 32	6.500 x 1.660 165,1 x 42,4	12.00 304,8	15.8 7,2	12.00 304,8	15.8 7,2	12.00 304,8	15.8 7,2
165,1mm x 1-1/2 150 x 40	6.500 x 1.900 165,1 x 48,3	12.00 304,8	15.8 7,2	12.00 304,8	15.8 7,2	12.00 304,8	15.8 7,2
165,1mm x 2 150 x 50	6.500 x 2.375 165,1 x 60,3	12.00 304,8	15.8 7,2	12.00 304,8	15.8 7,2	12.00 304,8	15.8 7,2
165,1mm x 2-1/2 150 x 65	6.500 x 2.874 165,1 x 73,0	12.00 304,8	16.4 7,4	12.00 304,8	16.4 7,4	12.00 304,8	16.4 7,4
165,1mm x 76,1mm 150 x 65	6.500 x 3.000 165,1 x 76,1	12.00 304,8	16.4 7,4	12.00 304,8	16.4 7,4	12.00 304,8	16.4 7,4
165,1mm x 3 150 x 80	6.500 x 3.500 165,1 x 88,9	12.00 304,8	16.4 7,4	12.00 304,8	16.4 7,4	12.00 304,8	16.4 7,4
165,1mm x 108,0mm 150 x 100	6.500 x 4.252 165,1 x 108,0	12.00 304,8	16.4 7,4	—	—	12.00 304,8	16.4 7,4
165,1mm x 4 150 x 100	6.500 x 4.500 165,1 x 114,3	12.00 304,8	18.0 8,2	12.00 304,8	18.0 8,2	12.00 304,8	18.0 8,2
165,1mm x 133,0mm 150 x 125	6.500 x 5.250 165,1 x 133,0	12.00 304,8	18.0 8,2	—	—	12.00 304,8	18.0 8,2
165,1mm x 139,7mm 150 x 125	6.500 x 5.500 165,1 x 139,7	12.00 304,8	18.0 8,2	12.00 304,8	18.0 8,2	12.00 304,8	18.0 8,2
165,1mm x 5 150 x 125	6.500 x 5.563 165,1 x 141,3	12.00 304,8	18.0 8,2	12.00 304,8	18.0 8,2	12.00 304,8	18.0 8,2
6 x 1 150 x 25	6.625 x 1.315 168,3 x 33,4	12.00 304,8	19.0 8,6	12.00 304,8	19.0 8,6	12.00 304,8	19.0 8,6
6 x 1-1/4 150 x 32	6.625 x 1.660 168,3 x 42,4	12.00 304,8	19.0 8,6	12.00 304,8	19.0 8,6	12.00 304,8	19.0 8,6
6 x 1-1/2 150 x 40	6.625 x 1.900 168,3 x 48,3	12.00 304,8	19.0 8,6	12.00 304,8	19.0 8,6	12.00 304,8	19.0 8,6
6 x 2 150 x 50	6.625 x 2.375 168,3 x 60,3	12.00 304,8	19.0 8,6	12.00 304,8	19.0 8,6	12.00 304,8	19.0 8,6
6 x 2-1/2 150 x 65	6.625 x 2.874 168,3 x 73,0	12.00 304,8	19.0 8,6	12.00 304,8	19.0 8,6	12.00 304,8	19.0 8,6
6 x 76,1mm 150 x 65	6.625 x 3.000 168,3 x 76,1	12.00 304,8	19.0 8,6	12.00 304,8	19.0 8,6	12.00 304,8	19.0 8,6
6 x 3 150 x 80	6.625 x 3.500 168,3 x 88,9	12.00 304,8	19.0 8,6	12.00 304,8	19.0 8,6	12.00 304,8	19.0 8,6
6 x 108,0mm 150 x 100	6.625 x 4.252 168,3 x 108,0	12.00 304,8	19.0 8,6	—	—	12.00 304,8	19.0 8,6


**TABLE 23 (4 OF 5)
FIGURES 397, 398 AND 399 FABRICATED SWAGED NIPPLES
NOMINAL DIMENSIONS AND APPROXIMATE WEIGHTS**



**FIGURE 397
FABRICATED SWAGED NIPPLE
GROOVE X GROOVE**



**FIGURE 398
FABRICATED SWAGED NIPPLE
GROOVE X MALE THREAD**



**FIGURE 399
FABRICATED SWAGED NIPPLE
GROOVE X PLAIN**

Nominal Pipe Size		Figure 397 Fabricated Swaged Nipple		Figure 398 Fabricated Swaged Nipple		Figure 399 Fabricated Swaged Nipple	
ANSI Inches DN	O.D. Inches mm	E to E Inches mm	Weight Lbs. kg	E to E Inches mm	Weight Lbs. kg	E to E Inches mm	Weight Lbs. kg
6 x 4 150 x 100	6.625 x 4.500 168,3 x 114,3	12.00 304,8	19.0 8,6	12.00 304,8	19.0 8,6	12.00 304,8	19.0 8,6
6 x 133,0mm 150 x 125	6.625 x 5.250 168,3 x 133,0	12.00 304,8	19.0 8,6	—	—	12.00 304,8	19.0 8,6
6 x 139,7mm 150 x 125	6.625 x 5.500 168,3 x 139,7	12.00 304,8	19.0 8,6	12.00 304,8	19.0 8,6	12.00 304,8	19.0 8,6
6 x 5 150 x 125	6.625 x 5.563 168,3 x 141,3	12.00 304,8	19.0 8,6	12.00 304,8	19.0 8,6	12.00 304,8	19.0 8,6
216,3mm x 165,1mm 200 x 150	8.516 x 6.500 216,3 x 165,1	12.00 304,8	21.2 9,6	12.00 304,8	21.2 9,6	12.00 304,8	21.2 9,6
216,3mm x 6 200 x 150	8.516 x 6.625 216,3 x 168,3	12.00 304,8	21.2 9,6	12.00 304,8	21.2 9,6	12.00 304,8	21.2 9,6
8 x 165,1mm 200 x 150	8.625 x 6.500 219,1 x 165,1	12.00 304,8	21.2 9,6	12.00 304,8	21.2 9,6	12.00 304,8	21.2 9,6
8 x 6 200 x 150	8.625 x 6.625 219,1 x 168,3	12.00 304,8	21.2 9,6	12.00 304,8	21.2 9,6	12.00 304,8	21.2 9,6

**TABLE 23 (5 OF 5)
FIGURES 397, 398 AND 399 FABRICATED SWAGED NIPPLES
NOMINAL DIMENSIONS AND APPROXIMATE WEIGHTS**




FIGURE 391
FABRICATED
ADAPTER NIPPLE
GROOVE X MALE THREAD




FIGURE 392
FABRICATED
ADAPTER NIPPLE
GROOVE X GROOVE




FIGURE 393
FABRICATED
ADAPTER NIPPLE
GROOVE X PLAIN





FIGURE 395
FABRICATED HOSE
ADAPTER NIPPLE
GROOVE X HOSE


Nominal Pipe Size		Figure 391 Fabricated Adapter Nipple		Figures 392 & 393 Fabricated Adapter Nipple		Figure 395 Fabricated Hose Adapter Nipple	
ANSI Inches DN	O.D. Inches mm	E to E Inches mm	Weight Lbs. kg	E to E Inches mm	Weight Lbs. kg	E to E Inches mm	Weight Lbs. kg
1 25	1.315 33,4	3.00 76,2	0.6 0,3	3.00 76,2	0.6 0,3	3.00 76,2	0.4 0,2
1-1/4 32	1.660 42,4	4.00 101,6	0.8 0,4	4.00 101,6	0.8 0,4	3.63 92,1	0.7 0,3
1-1/2 40	1.900 48,3	4.00 101,6	0.9 0,4	4.00 101,6	0.9 0,4	4.00 101,6	0.8 0,4
2 50	2.375 60,3	4.00 101,6	1.2 0,5	4.00 101,6	1.2 0,5	4.63 117,5	1.3 0,6
2-1/2 65	2.874 73,0	4.00 101,6	1.9 0,9	4.00 101,6	1.9 0,9	5.50 139,7	2.1 1,0
76,1mm 65	3.000 76,1	4.00 101,6	1.9 0,9	4.00 101,6	1.9 0,9	5.50 139,7	2.1 1,0
3 80	3.500 88,9	4.00 101,6	2.5 1,1	4.00 101,6	1.9 0,9	6.00 152,4	3.3 1,5
108,0mm 100	4.252 108,0	—	—	6.00 154,4	5.0 2,3	7.25 184,2	5.0 2,3
4 100	4.500 114,3	6.00 154,4	5.4 2,5	6.00 154,4	5.4 2,5	7.25 184,2	5.5 2,5
133,0mm 125	5.250 133,0	—	—	6.00 154,4	6.9 3,1	9.75 247,7	6.9 3,1
139,7mm 125	5.500 139,7	6.00 154,4	6.8 3,1	6.00 154,4	7.1 3,2	9.75 247,7	7.1 3,2
5 125	5.563 141,3	6.00 154,4	7.3 3,4	6.00 154,4	7.3 3,4	9.75 247,7	8.1 3,7
159,0mm 150	6.250 159,0	—	—	6.00 154,4	8.7 3,9	11.00 279,4	8.7 3,9
165,1mm 150	6.500 165,1	6.00 154,4	9.1 4,1	6.00 154,4	9.1 4,1	11.00 279,4	9.1 4,1
6 150	6.625 168,3	6.00 154,4	9.4 4,3	6.00 154,4	9.4 4,3	11.00 279,4	13.2 6,0
216,3mm 200	8.516 216,3	—	—	6.00 154,4	13.8 6,3	12.50 317,5	21.0 9,5
8 200	8.625 219,1	6.00 154,4	14.2 6,4	6.00 154,4	14.2 6,4	12.50 317,5	24.0 10,9
267,4mm 250	10.528 267,4	—	—	8.00 203,2	25.0 11,3	14.00 355,6	29.0 13,2
10 250	10.750 273,0	8.00 203,2	27.0 12,2	8.00 203,2	27.0 12,2	14.00 355,6	29.0 13,2
318,5mm 300	12.539 318,5	—	—	8.00 203,2	33.0 15,0	16.00 406,4	46.0 20,9
12 300	12.750 323,9	8.00 203,2	33.0 15,0	8.00 203,2	33.0 15,0	16.00 406,4	46.0 20,9

TABLE 24
FIGURES 391, 392, 393 AND 395 FABRICATED ADAPTER NIPPLES
NOMINAL DIMENSIONS AND APPROXIMATE WEIGHTS




Nominal Pipe Size		C to GE Inches mm	C to TE Inches mm	Weight Lbs. kg	Nominal Pipe Size		C to GE Inches mm	C to TE Inches mm	Weight Lbs. kg
ANSI Inches DN	O.D. Inches mm				ANSI Inches DN	O.D. Inches mm			
1 25	1.315 33,4	2.25 57,2	2.25 57,2	0.6 0,3	3 80	3.500 88,9	4.25 108,0	6.00 152,4	5.7 2,6
1-1/4 32	1.660 42,4	2.75 69,9	2.75 69,9	0.9 0,4	108,0mm 100	4.252 108,0	5.00 127,0	7.25 184,2	9.6 4,4
1-1/2 40	1.900 48,3	2.75 69,9	2.75 69,9	1.2 0,5	4 100	4.500 114,3	5.00 127,0	7.25 184,2	9.8 4,4
2 50	2.375 60,3	3.25 82,6	4.25 108,0	2.0 0,9	159,0mm 150	6.250 159,0	6.50 165,1	6.50 165,1	16.8 7,6
2-1/2 65	2.874 73,0	3.75 95,3	3.75 95,3	3.1 1,4	165,1mm 150	6.500 165,1	6.50 165,1	6.50 165,1	17.2 7,8
76,1mm 65	3.000 76,1	3.75 95,3	3.75 95,3	3.2 1,5	6 150	6.625 168,3	6.50 165,1	6.50 165,1	17.6 8,0

TABLE 25
FIGURE 315 FABRICATED
GROOVE X MALE THREAD 90° ELBOW
NOMINAL DIMENSIONS AND APPROXIMATE WEIGHTS



Nominal Pipe Size		C to GE Inches mm	C to TE Inches mm	Weight Lbs. kg	Nominal Pipe Size		C to GE Inches mm	C to TE Inches mm	Weight Lbs. kg
ANSI Inches DN	O.D. Inches mm				ANSI Inches DN	O.D. Inches mm			
1-1/4 32	1.660 42,4	2.75 69,9	2.75 69,9	1.5 0,7	139,7mm 125	5.500 139,7	5.50 139,7	5.50 139,7	22.2 10,1
1-1/2 40	1.900 48,3	2.75 69,9	2.75 69,9	1.9 0,9	5 125	5.563 141,3	5.50 139,7	5.50 139,7	22.6 10,3
2 50	2.375 60,3	3.25 82,6	4.25 108,0	3.2 1,5	165,1mm 150	6.500 165,1	6.50 165,1	6.50 165,1	23.0 10,4
2-1/2 65	2.874 73,0	3.75 95,3	3.75 95,3	4.0 1,8	6 150	6.625 168,3	6.50 165,1	6.50 165,1	23.0 10,5
76,1mm 65	3.000 76,1	3.75 95,3	3.75 95,3	4.2 1,9	8 200	8.625 219,1	7.75 196,9	7.75 196,9	38.7 17,6
3 80	3.500 88,9	4.25 108,0	6.00 152,4	6.0 2,7	10 250	10.750 273,0	9.00 228,6	9.00 228,6	72.1 32,8
4 100	4.500 114,3	5.00 127,0	7.25 184,2	11.0 5,0	12 300	12.750 323,9	10.00 254,0	10.00 254,0	92.5 42,0

TABLE 26
FIGURE 320 FABRICATED
GROOVE X GROOVE X MALE THREAD TEE
NOMINAL DIMENSIONS AND APPROXIMATE WEIGHTS



Nominal Pipe Size			C to E Inches mm	H Inches mm	B Dia. NPSC Threaded Inches mm
Inches DN	Grooved End OD Inches mm	Flanged End OD Inches mm			
165,1mm x 4 150 x 100	6.500 165,1	4.504 114,3	12.00 304,8	2.50 63,5	1.50 38,1
6 x 4 150 x 100	6.625 168,3	4.504 114,3	12.00 304,8	2.50 63,5	1.50 38,1
165,1mm x 5 150 x 125	6.500 165,1	5.563 141,3	12.50 317,5	2.50 63,5	1.50 38,1
6 x 5 150 x 125	6.625 168,3	5.563 141,3	12.50 317,5	2.50 63,5	1.50 38,1
165,1mm x 139,7mm 150 x 125	6.500 165,1	5.476 139,1	12.50 317,5	2.50 63,5	1.50 38,1
8 x 139,7mm 200 x 125	8.625 219,1	5.476 139,1	15.50 393,7	3.00 76,2	1.50 38,1
8 x 5 200 x 150	8.625 219,1	5.563 141,3	15.50 393,7	3.00 76,2	1.50 38,1
8 x 165,1mm 200 x 150	8.625 219,1	6.500 165,1	15.50 393,7	3.00 76,2	1.50 38,1
8 x 6 200 x 150	8.625 219,1	6.625 168,3	15.50 393,7	3.00 76,2	1.50 38,1
216,3mm x 5 200 x 125	8.516 216,3	5.563 141,3	15.50 393,7	3.00 76,2	1.50 38,1
216,3mm x 6 200 x 150	8.516 216,3	6.625 168,3	15.50 393,7	3.00 76,2	1.50 38,1
216,3mm x 139,7mm 200 x 125	8.516 216,3	5.476 139,1	15.50 393,7	3.00 76,2	1.50 38,1
216,3mm x 165,1mm 200 x 150	8.516 216,3	6.500 165,1	15.50 393,7	3.00 76,2	1.50 38,1
267,4mm x 165,1mm 250 x 150	10.528 267,4	6.500 165,1	18.50 469,9	3.50 88,9	1.50 38,1
267,4mm x 6 250 x 150	10.528 267,4	6.625 168,3	18.50 469,9	3.50 88,9	1.50 38,1
10 x 165,1mm 250 x 150	10.750 273,0	6.500 165,1	18.50 469,9	3.50 88,9	1.50 38,1
10 x 6 250 x 150	10.750 273,0	6.625 168,3	18.50 469,9	3.50 88,9	1.50 38,1
267,4mm x 8 250 x 200	10.528 267,4	8.625 219,1	19.00 482,6	3.50 88,9	1.50 38,1
267,4mm x 216,3mm 250 x 200	10.528 267,4	8.516 216,3	19.00 482,6	3.50 88,9	1.50 38,1
10 x 216,3mm 250 x 200	10.750 273,0	8.516 216,3	19.00 482,6	3.50 88,9	1.50 38,1
10 x 8 250 x 200	10.750 273,0	8.625 219,1	19.00 482,6	3.50 88,9	1.50 38,1
12 x 216,3mm 300 x 200	12.750 323,9	8.516 216,3	22.00 558,8	4.00 101,6	1.50 38,1
318,5mm x 216,3mm 300 x 200	12.539 318,5	8.516 216,3	22.00 558,8	4.00 101,6	1.50 38,1
318,5mm x 8 300 x 200	12.539 318,5	8.625 219,1	22.00 558,8	4.00 101,6	1.50 38,1

TABLE 27 (1 OF 2)
FIGURE 316 FABRICATED REDUCING BASE SUPPORT 90° ELBOW
GROOVE X FLANGE END
NOMINAL DIMENSIONS AND APPROXIMATE WEIGHTS

Nominal Pipe Size			C to E Inches mm	H Inches mm	B Dia. NPSC Threaded Inches mm
Inches DN	Grooved End OD Inches mm	Flanged End OD Inches mm			
12 x 8 300 x 200	12.750 323,9	8.625 219,1	22.00 558,8	4.00 101,6	1.50 38,1
12 x 267,4mm 300 x 250	12.750 323,9	10.528 267,4	22.00 558,8	4.00 101,6	1.50 38,1
12 x 10 300 x 250	12.750 323,9	10.750 273,1	22.00 558,8	4.00 101,6	1.50 38,1
318,5mm x 267,4mm 300 x 250	12.539 318,5	10.528 267,4	22.00 558,8	4.00 101,6	1.50 38,1
318,5mm x 10 300 x 200	12.539 318,5	10.750 273,1	22.00 558,8	4.00 101,6	1.50 38,1




TABLE 27 (2 OF 2)
FIGURE 316 FABRICATED REDUCING BASE SUPPORT 90° ELBOW
GROOVE X FLANGE END
NOMINAL DIMENSIONS AND APPROXIMATE WEIGHTS

Ordering Procedure

GRINNELL Products are available globally through a network of distribution centers. Visit www.grinnell.com for the nearest distributor.

When placing an order, indicate the full product name. Specify the quantity, figure number, size, and wall thickness.

Nominal Pipe Size		Elbows 90° Feet m	Elbows 45° Feet m	Tee Branch Feet m	Tee Run Feet m
ANSI Inches DN	O.D. Inches mm				
1 25	1.315 33,4	1.5 0,5	0.8 0,2	3.8 1,2	1.5 0,5
1-1/4 32	1.660 42,4	1.9 0,6	1.0 0,3	4.8 1,5	1.9 0,6
1-1/2 40	1.900 48,3	2.3 0,7	1.2 0,4	5.8 1,8	2.3 0,7
2 50	2.375 60,3	3.2 1,0	1.6 0,5	8.0 2,5	3.2 1,0
2-1/2 65	2.874 73,0	3.9 1,2	2.0 0,6	9.8 3,0	3.9 1,2
76,1mm 65	3.000 76,1	4.1 1,2	2.1 0,6	10.3 3,1	4.1 1,2
3 80	3.500 88,9	4.9 1,5	2.4 0,7	12.2 3,7	4.9 1,5
108,0mm 100	4.252 108,0	6.5 2,0	3.3 1,0	16.3 5,0	6.5 2,0
4 100	4.500 114,3	6.5 2,0	3.3 1,0	16.3 5,0	6.5 2,0
133,0mm 125	5.250 133,0	8.0 2,4	4.0 1,2	20.0 6,1	8.0 2,4
139,7mm 125	5.500 139,7	8.0 2,4	4.1 1,3	20.0 6,1	8.0 2,4
5 125	5.563 141,3	8.2 2,5	4.1 1,3	20.5 6,3	8.2 2,5
159,0mm 150	6.250 159,0	9.5 2,9	4.8 1,4	23.8 7,2	9.5 2,9
165,1mm 150	6.500 165,1	9.5 2,9	4.8 1,4	23.8 7,2	9.5 2,9
6 150	6.625 168,3	9.9 3,0	5.0 1,5	24.8 7,6	9.9 3,0
216,3mm 200	8.516 216,3	13.1 4,0	6.6 2,0	32.8 10,0	13.1 4,0
8 200	8.625 219,1	13.1 4,0	6.6 2,0	32.8 10,0	13.1 4,0
10 250	10.750 273,0	16.5 5,0	8.3 2,5	41.3 12,6	16.5 5,0
12 300	12.750 323,9	19.9 6,1	9.9 3,0	49.7 15,1	19.9 6,1
14 350	14.000 355,6	23.0 7,0	18.0 5,5	67.9 20,7	23.0 7,0
16 400	16.000 406,4	25.9 7,9	20.0 6,1	78.1 23,8	25.9 7,9
18 450	18.000 457,2	28.9 8,8	23.0 7,0	85.0 25,9	28.9 8,8
20 500	20.000 508,0	33.1 10,1	25.9 7,9	100.1 30,5	33.1 10,1
24 600	24.000 609,6	40.0 12,2	29.9 9,1	115.2 35,1	40.0 12,2

Notes:

For the reducing tee branches, use the value corresponding to the branch size.

Example:

- For 8" x 8" x 2" tee, the branch value of 2" is 8.0 feet.
- For sizes not listed, interpolate from the values shown.

TABLE 28
FRICITION RESISTANCE
EXPRESSED AS EQUIVALENT STRAIGHT PIPE